

Plant Description Table Of Contents

Shade & Ornamental trees	2-10
Fruits	10-14
Ornamental Shrubs	14-37
Vines	37-39
Broadleafs	39-41
Spreading Junipers	41-43
Upright Junipers	43-44
Arborvitaes & Cypress	44
Evergreens	45-47
Grasses	47-50

SHADE & ORNAMENTAL TREES

ASPEN, QUAKING

(POPULUS TREMULOIDES) HEIGHT: (15-25')
 ZONE: 2
 SPREAD: (20')
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 RAPID GROWING NATIVE TREE. BEAUTIFUL GOLDEN FALL COLOR. A
 COLONIZING SPECIES, IT WILL SEND UP NEW TREES FROM ROOTS.

BIRCH, HERITAGE

(BETULA NIGRA 'CULLY') HEIGHT: (40-45')
 ZONE: 4
 SPREAD: (30-35') EXPOSURE: DOES BEST IN FULL SUN
 A TYPE OF RIVER BIRCH WITH LIGHT COLORED, EXFOLIATING BARK. TOLERANT
 OF WET SOILS, AND RESISTANT TO BRONZE BIRCH BORER.

BIRCH, PAPER

(BETULA PAPYRIFERA) HEIGHT: (40-50')
 ZONE: 2
 SPREAD: (30') EXPOSURE: DOES BEST IN FULL SUN
 YOUNG CINNAMON COLORED BARK TURNS WHITE WITH AGE. PEELING BARK
 GIVES A NICE WINTER EFFECT. YELLOW FALL COLOR.

BIRCH, RIVER

(BETULA NIGRA) HEIGHT: (30-40')
 ZONE: 4
 SPREAD: (30-40') EXPOSURE: DOES BEST IN FULL SUN
 YOUNG BARK IS OFTEN ORANGISH IN COLOR TURNING DARKER WITH AGE.
 BARK PEELS GIVING INTERESTING EFFECT. OFTEN IN CLUMPS.

BIRCH, WHITESPIRE

(BETULA PLATYPHYLLA JAPONICA 'WHITESPIRE') HEIGHT: (30-40')
 ZONE: 4
 SPREAD: (25') EXPOSURE: DOES BEST IN FULL SUN
 PYRAMIDAL TREE WITH CHALK-WHITE BARK. TOLERANT OF HIGH
 TEMPERATURES AND RESISTANT TO BRONZE BIRCH BORER. FINE TEXTURED
 FOLIAGE IS DARK GREEN AND GLOSSY.

CATALPA

(CATALPA SPECIOSA) HEIGHT: (50-60')
 ZONE: 4
 SPREAD: (35-40') EXPOSURE: DOES BEST IN FULL SUN
 A FAST GROWING TREE WITH LARGE, HEART SHAPED LEAVES. FLOWERS IN
 LATE JUNE FOLLOWED BY A LONG SEED POD. XERISCAPE

CHERRY, KWANZAN

(PRUNUS SERRULATA 'KWANZAN') HEIGHT: (30')
 ZONE: (5)6
 SPREAD: (20')
 EXPOSURE: FULL SUN, BUT PROTECT FROM STRONG WINDS.
 VASELIKE HABIT. FULLY DOUBLE, PINK FLOWERS IN EARLY SPRING. NOT
 RELIABLY HARDY IN CO.

CHERRY, SNOW FOUNTAIN

(PRUNUS INCISA 'SNOFOZAN') HEIGHT: (12')
 ZONE: 5
 SPREAD: (12')
 EXPOSURE: FULL SUN, BUT PROTECT FROM STRONG WINDS.
 WEEPING HABIT. SINGLE, WHITE FLOWERS IN EARLY SPRING. NOT RELIABLY
 HARDY IN CO.

CHERRY, YOSHINO

(PRUNUS X YEZODENSIS 'YOSHINO') HEIGHT: (30')
 ZONE: 5
 SPREAD: (30')
 EXPOSURE: FULL SUN, BUT PROTECT FROM STRONG WINDS.
 SINGLE TO SEMI-DOUBLE, FRAGRANT, WHITE TO BLUSH FLOWERS IN EARLY
 SPRING. ONE OF THE EARLIEST OF THE FLOWERING CHERRIES. NOT RELIABLY
 HARDY IN CO.

CHOKECHERRY, CANADA RED

(PRUNUS VIRGINIANA 'SHUBERT') HEIGHT: (20-25')
 ZONE: 2
 SPREAD: (20') EXPOSURE: DOES BEST IN FULL SUN
 FRAGRANT CLUSTERED WHITE FLOWERS IN MAY FOLLOWED BY RED FRUIT.
 NEW GROWTH IN SPRING EMERGES BRIGHT GREEN THEN TO MAROON.

COTTONWOOD, LANCELEAF

(POPULUS ACUMINATA) HEIGHT: (40-50')
 ZONE: 3
 SPREAD: 30' EXPOSURE: DOES BEST IN FULL SUN
 FAST GROWING TREE WITH MEDIUM SIZED ASH-SHAPED LEAVES, GLOSSY
 GREEN. UPRIGHT TREE WITH WHITISH BARK.

COTTONWOOD, NARROWLEAF

(POPULUS ANGUSTIFOLIA) HEIGHT: (30-50')
 ZONE: 2
 SPREAD: (30-40') EXPOSURE: DOES BEST IN FULL SUN
 NATIVE, UPRIGHT TREE WITH WILLOW-LIKE LEAVES. LOOKS NICE IN
 GROUPINGS.

SHADE & ORNAMENTAL TREES

COTTONWOOD, SARGENT (PLAINS) HEIGHT: (60-80')
 (POPULUS SARGENTII) ZONE:
 SPREAD: (50-60') EXPOSURE: DOES BEST IN FULL SUN
 ROUND IRREGULAR CANOPY WITH LARGE DARK GREEN LEAVES. GOLDEN
 FALL COLOR.

COTTONWOOD, SIOUXLAND HEIGHT: (60-70')
 (POPULUS DELTOIDES 'SIOUXLAND') ZONE: 3
 SPREAD: (40') EXPOSURE: DOES BEST IN FULL SUN
 RAPID GROWING COTTONLESS COTTONWOOD. LARGE DARK GREEN LEAVES,
 UPRIGHT GROWING HABIT WHEN YOUNG THEN MORE ROUNDED.

FLOWERING CRAB, CORAL BURST HEIGHT: (8-10')
 (MALUS 'CORALCOLE') ZONE: 3
 SPREAD: (12-15')
 A SMALL GROWING VARIETY AND ALSO A UNIFORM GROWER. FORMS A COM-
 PACT ROUNDED HEAD. TINY DARK GREEN LEAVES VERY RESISTANT TO SCAB.
 CORAL PINK IN BUD, ROSE PINK IN BLOOM.

FLOWERING CRAB, INDIAN MAGIC HEIGHT: (20-25')
 (MALUS 'INDIAN MAGIC') ZONE: 4
 SPREAD: (20') EXPOSURE: DOES BEST IN FULL SUN
 OPEN ROUNDED GROWTH HABIT. SINGLE, DEEP PINK FLOWERS FOLLOWED BY
 GLOSSY RED FRUIT CHANGING TO GOLDEN ORANGE. DARK GREEN FOLIAGE.

FLOWERING CRAB, MARILEE HEIGHT: (24')
 (MALUS 'JARMIN') ZONE: 4
 SPREAD: (10') EXPOSURE: DOES BEST IN FULL SUN
 DOUBLE WHITE WITH A PINK BLUSH. NARROW HABIT. VIRTUALLY FRUITLESS.

FLOWERING CRAB, PRARIE ROSE HEIGHT: (20')
 (MALUS IOENSIS 'PRARIE ROSE') ZONE: 4
 SPREAD: (18') EXPOSURE: DOES BEST IN FULL SUN
 LARGE, VERY FRAGRANT, DOUBLE, DEEP PINK FLOWERS THAT LOOK LIKE
 MINI ROSEBUDS. USUALLY FRUITLESS.

FLOWERING CRAB, PRAIRIFIRE HEIGHT: (15-20')
 (MALUS 'PRAIRIFIRE') ZONE: 4
 SPREAD: (20') BLOOMTIME: SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 UPRIGHT, SPREADING TREE WITH CLEAR RED FLOWER. FRUIT IS MAROON
 COLORED AND CONE SHAPED. SUN.

FLOWERING CRAB, PROFUSION HEIGHT: (15-20')
 (MALUS 'PROFUSION') ZONE: 4
 SPREAD: (30') EXPOSURE: DOES BEST IN FULL SUN
 ABUNDANT SINGLE PINK FLOWERS. NEW FOLIAGE IS PURPLE, FADING TO
 BRONZE. EXCELLENT DISEASE RESISTANCE.

FLOWERING CRAB, RADIANT HEIGHT: (15-18')
 (MALUS 'RADIANT') ZONE: 3
 SPREAD: (20') EXPOSURE: DOES BEST IN FULL SUN
 DEEP ROSEY PINK FLOWERS; PERSISTANT RED FRUIT. NEW FOLIAGE REDDISH
 TO BRONZE GREEN. COMPACT AND SYMMETRICAL TREE.

FLOWERING CRAB, RED BARON HEIGHT: (18-20')
 (MALUS 'RED BARON') ZONE: 4
 SPREAD: (12-20') EXPOSURE: DOES BES IN FULL SUN
 NARROW COLUMNAR SHAPE MATURING TO A MORE ROUND SHAPE. DARD RED
 FLOWERS AND DARK RED FRUIT. FOLIAGE IS PURPLE FADING TO BROZE GREEN.

FLOWERING CRAB, SPRING SNOW HEIGHT: (15-20')
 (MALUS 'SPRING SNOW') ZONE: 4
 SPREAD: (15') EXPOSURE: DOES BEST IN FULL SUN
 COMPLETELY COVERED WITH WHITE FLOWERS IN SPRING, BRIGHT GREEN
 FOLIAGE. ROUNDED, SYMMETRICAL SHAPE. NEARLY STERILE.

FLOWERING CRAB, THUNDERCHILD HEIGHT: (15-20')
 (MALUS 'THUNDERCHILD') ZONE: 3
 SPREAD: (15') EXPOSURE: DOES BEST IN FULL SUN
 UPRIGHT SPREADING TREE DEEP PURPLE LEAVES. SINGLE LIGHT PINK FLOWERS
 APPEAR BEFORE FOLIAGE IN SPRING. VERY FIRE BLIGHT RESISTANT

SHADE & ORNAMENTAL TREES

CYPRESS, BALD HEIGHT: (55')
 (TAXODIUM DISTICHUM) ZONE: 5
 SPREAD: (30')
 EXPOSURE: DOES BEST IN FULL SUN
 A DECIDUOUS CONIFER NATIVE TO THE WETLANDS OF THE SOUTHEAST UNITED STATES. FEATHERY FOLIAGE TURNS GOLDEN IN THE FALL.
 GOOD FOR WET, POORLY DRAINED AREAS.

ELM, EMERALD SUNSHINE HEIGHT: (35')
 (ULMUS PROPINQUA 'JFS-BIEBERICH') ZONE: 5
 SPREAD: (25') EXPOSURE: DOES BEST IN FULL SUN
 UPRIGHT ARCHING BRANCHES WITH DARK GREEN LEAVES. DISEASE RESISTANT.

ELM, FRONTIER HEIGHT: (40')
 (ULMUS PARVIFOLIA X CARPINIFOLIA 'FRONTIER') ZONE: 5
 SPREAD: (30') EXPOSURE: DOES BEST IN FULL SUN
 VASE TO OVAL GROWTH HABIT. GROWN FOR BURGUNDY FALL COLOR THAT PERSISTS A FAIRLY LONG TIME. SOMETIMES UNRELIABLY HARDY.

ELM, HOMESTEAD HEIGHT: (50-60')
 (ULMUS CARPINIFOLIA 'HOMESTEAD') ZONE: 4
 SPREAD: (35-45') EXPOSURE: DOES BEST IN FULL SUN
 DISEASE RESISTANT AND FAST GROWING. SYMMETRICAL PYRAMIDAL GROWTH.
 DARK GREEN FOLIAGE TURNS YELLOW IN FALL.

ELM, PROSPECTOR HEIGHT: (40')
 (ULMUS WILSONIANA 'PROSPECTOR') ZONE: 4
 SPREAD: (30') EXPOSURE: DOES BEST IN FULL SUN
 VASE SHAPED WITH DARK GREEN FOLIAGE TURNS YELLOW IN FALL. DISEASE RESISTANT AND FAST GROWING.

GINKGO BILOBA HEIGHT: (40-55')
 (GINKGO BILOBA) ZONE: 4
 SPREAD: (20-30') EXPOSURE: DOES BEST IN FULL SUN
 UNIQUE BRIGHT GREEN FAN SHAPED FOLIAGE TURNS YELLOW IN FALL. SLOW GROWING AND A GOOD SHADE TREE.

GOLDEN RAIN TREE HEIGHT: (20-30')
 (KOELREUTERIA PANICULATA) ZONE: 6
 SPREAD: (25-30') EXPOSURE: DOES BEST IN FULL SUN
 SMALL-MEDIUM ORNAMENTAL. YELLOW FLOWERS IN CLUSTERS.
 YELLOW-BROWNPAPERY PODS SHAPED LIKE CHINESE LANTERNS. XERISCAPE

HACKBERRY HEIGHT: (50-70')
 (CELTIS OCCIDENTALIS) ZONE: 2
 SPREAD: (40-50') EXPOSURE: DOES BEST IN FULL SUN
 MODERATE GROWING SHADE TREE SUITABLE FOR EXTREME CITY CONDITIONS.
 DROUGHT TOLERANT, STURDY. CORKY BARK. XERISCAPE

HAWTHORN, COCKSPUR THORNLESS HEIGHT: (15-20')
 (CRATEAGUS CRUSGALLI INERMIS) ZONE: 4
 SPREAD: (15-20') EXPOSURE: DOES BEST IN FULL SUN
 SMALL ORNAMENTAL TREE WITH DEEP GREEN GLOSSY FOLIAGE. WHITE FLOWERS IN JUNE FOLLOWED BY BRIGHT RED FRUIT. XERISCAPE

HAWTHORN, RUSSIAN HEIGHT: (15-25')
 (CRATEAGUS AMBIGUA) ZONE: 3
 SPREAD: (18-20') EXPOSURE: DOES BEST IN FULL SUN
 MEDIUM, VASE-SHAPED HAWTHORN WITH TWISTING, ASYMMETRICAL GROWTH HABIT. WHITE FLOWERS IN SPRING, RED FRUIT INTO WINTER. XERISCAPE

HAWTHORN, TOBA HEIGHT: (12-15')
 (CRATEAGUS X MORDENENSIS 'TOBA') ZONE: 3
 SPREAD: (12') EXPOSURE: DOES BEST IN FULL SUN
 FRAGRANT, DOUBLE PINKISH WHITE FLOWERS, RED FRUIT. GLOSSY GREEN FOLIAGE. INTERESTING TWIST TRUNK GOLD TO GREEN. XERISCAPE

HAWTHORN, WASHINGTON HEIGHT: (20-25')
 (CRATEAGUS PHAENOPYRUM) ZONE: 3
 SPREAD: (20') EXPOSURE: DOES BEST IN FULL SUN
 DENSE TREE WITH PROFUSE WHITE FLOWERS IN SPRING FOLLOWED BY SMALL RED FRUIT. RED-ORANGE AUTUMN COLOR. THORNY. XERISCAPE

SHADE & ORNAMENTAL TREES

HAWTHORN, WINTER KING HEIGHT: (20-25')
 (CRATAEGUS VIRIDIS 'WINTER KING') ZONE: 4
 SPREAD: (20') EXPOSURE: DOES BEST IN FULL SUN
 SMALL TREE, WITH UPRIGHT ROUNDED SHAPE. DARK GREEN GLOSSY FOLIAGE.
 WHITE FLOWERS, LARGE RED FRUIT, SILVERY-GRAY BARK.

HONEYLOCUST, IMPERIAL HEIGHT: (35-40')
 (GLEDITSIA TRIACANTHOS INERMIS 'IMPERIAL') ZONE: 4
 SPREAD: (30-35') EXPOSURE: DOES BEST IN FULL SUN
 BRIGHT GREEN FERN-LIKE FOLIAGE. MORE DENSELY BRANCHED AND
 COMPACT THAN OTHER HL. MOSTLY THORNLESS AND SEEDLESS. XERISCAPE

HONEYLOCUST, SHADEMASTER HEIGHT: (50-60')
 (GLEDITSIA TRIACANTHOS INERMIS 'SHADEMAS') ZONE: 4
 SPREAD: (30-35') EXPOSURE: DOES BEST IN FULL SUN
 DARK GREEN FOLIAGE WHICH REMAINS ON TREE LATE INTO THE FALL.
 STRAIGHT TRUNK WITH ASCENDING BRANCHES. XERISCAPE

HONEYLOCUST, SKYLINE HEIGHT: (40-60')
 (GLEDITSIA TRIACANTHOS INERMIS 'SKYLINE') ZONE: 4
 SPREAD: (30-35') EXPOSURE: DOES BEST IN FULL SUN
 STATELY TREE WITH DISTINCTIVE PYRAMIDAL FORM. PROVIDES LIGHT
 SHADE. EARLY YELLOW LEAF DROP IN FALL. XERISCAPE

HONEYLOCUST, SUNBURST HEIGHT: (35-40')
 (GLEDITSIA TRIACANTHOS INERMIS 'SUNBURST') ZONE: 5
 SPREAD: (30-35') EXPOSURE: DOES BEST IN FULL SUN
 NEW GROWTH IS BRIGHT YELLOW AND THE OLDER FOLIAGE IS BRIGHT GREEN.
 MORE IRREGULAR GROWTH HABIT. XERISCAPE

HORNBEAM, EUROPEAN PYRAMIDAL HEIGHT: (30-35')
 (CARPINUS BETULUS FASTIGIATA) ZONE: 5
 SPREAD: (20-25') EXPOSURE: DOES BEST IN FULL SUN
 MEDIUM SIZED VERY SYMMETRICAL PRESENTS FORMAL APPEARANCE. YELLOW
 FALL COLOR.

HORSECHESTNUT, RED HEIGHT: (30-35')
 (AESCULUS CARNEA 'BRIOTI') ZONE: 4
 SPREAD: (20-40') EXPOSURE: DOES BEST IN FULL SUN
 SMALL YELLOW FLOWERS FOLLOWED BY BUCKEYE SEEDS. COMPOUND LEAVES
 TURN ORANGE YELLOW IN FALL. BEST PLANTED IN PARKS OR OPEN AREAS.

JAPANESE PAGODA TREE HEIGHT: (40-60')
 (SOPHORA JAPONICA) ZONE: 4
 SPREAD: (30-40') EXPOSURE: DOES BEST IN FULL SUN
 FINE-TEXTURED. DARK GREEN FOLIAGE. LARGE CLUSTERS OF CREAMY WHITE
 FLOWERS IN MID-SUMMER. PEA-LIKE PODS LAST INTO LATE WINTER.

KENTUCKY COFFEETREE HEIGHT: (50-70')
 (GYMNOCLADUS DIOICUS) ZONE: 4
 SPREAD: (40-50') EXPOSURE: DOES BEST IN FULL SUN
 OPEN SPREADING HABIT, LEAVES COMPOUND TURNING YELLOW IN FALL.
 LARGE PODS DEVELOP AND HANG ON INTO WINTER. XERISCAPE

KENTUCKY COFFEETREE, ESPRESSO HEIGHT: (50-70')
 (GYMNOCLADUS SP.) SEEDLESS VARIETY OF COFFEETREE.

LILAC, JAPANESE TREE HEIGHT: (25')
 (SYRINGA RETICULATA) ZONE: 4
 SPREAD: (25') EXPOSURE: DOES BEST IN FULL SUN
 CREAMY WHITE FLOWERS IN LARGE CLUSTERS IN JUNE-JULY. OVAL
 CROWN. USEFUL SMALL TREE OR LARGE SHRUB.

LILAC, IVORY SILK HEIGHT: (25')
 (SYRINGA RETICULATA 'IVORY SILK') ZONE: 4
 SPREAD: (15') EXPOSURE: DOES BEST IN FULL SUN
 AN ATTRACTIVE COMPACT, OVAL TREE WITH LARGE CREAMY WHITE FLOWER
 CLUSTERS IN JUNE-JULY.

SHADE & ORNAMENTAL TREES

LINDEN, AMERICAN HEIGHT: (40-50')
 (TILIA AMERICANA) ZONE: 3
 SPREAD: (40-50') EXPOSURE: DOES BEST IN FULL SUN
 LARGE, OPEN HEAD. LARGE LEAVES PROVIDE DENSE SHADE. BEAUTIFULLY
 SHAPED TREE.

LINDEN, AMERICAN SENTRY HEIGHT: (60-75')
 (TILIA AMERICANA 'AMERICAN SENTRY') ZONE: 3
 SPREAD: (40') EXPOSURE: DOES BEST IN FULL SUN
 BEAUTIFUL FORM OF AMERICAN LINDEN WITH UNIFORM BRANCHING AND
 SYMMETRICAL FORM. SILVERY-GRAY BARK WHEN YOUNG.

LINDEN, GLENLEVEN HEIGHT: (40-50')
 (TILIA x FLAVESCENS 'GLENLEVEN') ZONE: 3
 SPREAD: (30') EXPOSURE: DOES BEST IN FULL SUN
 A CROSS BETWEEN A LITTLE LEAF AND AMERICAN LINDEN. A MODERATELY
 FAST GROWER WITH LEAVES SLIGHTLY LARGER THAN GREENSPIRE.

LINDEN, GREENSPIRE HEIGHT: (40-50')
 (TILIA CORDATA 'GREENSPIRE') ZONE: 4
 SPREAD: (30-35') EXPOSURE: DOES BEST IN FULL SUN
 VERY UNIFORM, TEAR-DROPPED SHAPE. SMALL HEART-SHAPED LEAVES.
 STRONG, STRAIGHT TRUNK. SPICY, FRAGRANT FLOWERS LATE JUNE-JULY.

LINDEN, REDMOND HEIGHT: (40-60')
 (TILIA AMERICANA EUCHLORA 'REDMOND') ZONE: 4
 SPREAD: (25-30') EXPOSURE: DOES BEST IN FULL SUN
 PYRAMIDAL CANOPY TREE, LARGE GREEN LEAVES. BARK TURNS REDDISH IN
 WINTER. VERY UNIFORM SHAPE. YELLOW FALL COLOR.

LINDEN, STERLING SILVER HEIGHT: (45')
 (TILIA TOMENTOSA 'STERLING') ZONE: 5
 SPREAD: (35') EXPOSURE: DOES BEST IN FULL SUN.
 BROAD, PYRAMIDAL TREE. DARK GREEN FOLIAGE WITH SILVERY COLORED
 UNDERSIDE. DISEASE RESISTANT. FRUIT STAYS ON TREE UNTIL DRY.

LOCUST, PURPLE ROBE HEIGHT: (40-50')
 (ROBINIA PSEUDOACACIA 'PURPLE ROBE') ZONE: 4
 SPREAD: (25') EXPOSURE: DOES BEST IN FULL SUN
 OPEN, OUTWARD ARCHING BRANCHES. NEW GROWTH HAS A PURPLISH TINT.
 MAGENTA-PINK FLOWERS BLOOM IN LATE MAY TO EARLY JUNE. SUN.

MAPLE, AUTUMN BLAZE HEIGHT: (50-60')
 (ACER X FREEMANII 'JEFFERSRED') ZONE: 4
 SPREAD: (40') EXPOSURE: DOES BEST IN FULL SUN
 RAPIDLY GROWING TREE. DROUGHT TOLERANT & ABLE TO GROW IN MOST
 SOILS. EXCELLENT FALL COLOR.

MAPLE, BIGTOOTH HEIGHT: (25-35')
 (ACER GRANDIDENTATUM) ZONE: 3
 SPREAD: (25') EXPOSURE: DOES BEST IN FULL SUN
 NATIVE TO INTERMOUNTAIN ROCKY MOUNTAIN AREA, THIS SMALL TREE HAS
 BRILLIANT ORANGE-TO-RED FALL COLOR. XERISCAPE

MAPLE, BOXELDER 'SENSATION' HEIGHT: (40-50')
 (ACER NEGUNDO) ZONE: 2
 SPREAD: (40-50') EXPOSURE: DOES BEST IN FULL SUN
 VERY HARDY SEEDLESS SELECTION. NOT PARTICULAR OF SOIL TYPE.
 THRIVES UNDER CONDITIONS OF EXTREME COLD AND DROUGHT. XERISCAPE

MAPLE, CRIMSON KING HEIGHT: (35-40')
 (ACER PLATANOIDES 'CRIMSON KING') ZONE: 4
 SPREAD: (35') EXPOSURE: DOES BEST IN FULL SUN
 RICH PURPLE FOLIAGE THAT RETAINS SAME COLOR THROUGHOUT THE
 SUMMER. NOT AS RAPID A GROWER AS GREEN LEAF FORMS.

MAPLE, DEBORAH HEIGHT: (40-60')
 (ACER PLATANOIDES 'DEBORAH') ZONE: 4
 SPREAD: (40-50') EXPOSURE: DOES BEST IN FULL SUN
 SIMILAR TO SCHWEDLER MAPLE. BRIGHT REDDISH FOLIAGE IN SPRING
 BECOMING BRONZISH-GREEN IN SUMMER. STRAIGHT LEADER.

MAPLE, FAIRVIEW HEIGHT: (45')
 (ACER PLATANOIDES 'FAIRVIEW') ZONE: 4
 SPREAD: (25-30') EXPOSURE: DOES BEST IN FULL SUN
 UPRIGHT OVAL SHAPE. NEW FOLIAGE IS REDDISH-PURPLE, THEN MATURES TO
 BRONZE-GREEN.

SHADE & ORNAMENTAL TREES

MAPLE, GINNALA

(ACER GINNALA) HEIGHT: (15-25')
 ZONE: 2
 SPREAD: (15') EXPOSURE: DOES BEST IN FULL SUN
 A GRACEFUL SMALL TREE WITH AN OVAL, IRREGULAR HEAD. SMALL BRIGHT GREEN LEAVES TURN SCARLET IN FALL. WINGED SEEDS.

MAPLE, GREEN MOUNTAIN

(ACER SACCHARUM) HEIGHT: (50-60')
 ZONE: 3
 SPREAD: (35-40') EXPOSURE: DOES BEST IN FULL SUN
 AN EXCELLENT SUGAR MAPLE. UPRIGHT, OVAL CROWN, DARK GREEN FOLIAGE. YELLOW-ORANGE AND RED FALL COLOR.

MAPLE, HOT WINGS

(ACER TATARICUM 'GAR ANN') HEIGHT: (20-25')
 ZONE: 3
 SPREAD: (20') EXPOSURE: DOES BEST IN FULL SUN
 A LARGE SHRUB OR SMALL TREE WITH UPRIGHT, SPREADING HABIT. SMALL YELLOW FLOWERS ARE FOLLOWED BY BRIGHT RED SAMARAS THAT LAST 6 TO 8 WEEKS. DARK GREEN FOLIAGE TURNS YELLOW TO RED IN THE FALL.

MAPLE, JAPANESE 'BLOODGOOD'

(ACER PALMATIUM 'BLOODGOOD') HEIGHT: (20')
 ZONE: 5
 SPREAD: (15') EXPOSURE: DOES BEST IN PARTIAL SHADE
 A LARGE SHRUB. HAS A SOMEWHAT UPRIGHT GROWTH. DARK RED, MEDIUM SIZED PALMATE LEAVES. BARK IS ALMOST BLACK. NOT RELIABLY HARDY.

MAPLE, JAPANESE 'GARNET'

(ACER PALMATIUM 'GARNET') HEIGHT: (6-8')
 ZONE: 5
 SPREAD: (8-12') EXPOSURE: DOES BEST IN PARTIAL SHADE
 A MEDIUM SIZED SHRUB. DELICATE, LACY, RED LEAVES. WEEPING HABIT. HOT TEMPERATURES CAUSE FOLIAGE TO TURN GREEN. NOT RELIABLY HARDY.

MAPLE, JAPANESE 'SANGO KAKU'

(ACER PALMATIUM 'SANGO KAKU') HEIGHT: (25')
 ZONE: 6
 SPREAD: (15') EXPOSURE: DOES BEST IN PARTIAL SHADE
 A LARGE SHRUB OR SMALL TREE. STRONGLY UPRIGHT GROWTH HABIT. BRIGHT CORAL ORANGE BARK ON NEW BRANCHES IN WINTER. NOT RELIABLY HARDY.

MAPLE, JAPANESE 'TAMUKEYAMA'

(ACER PALMATIUM 'TAMUKEYAMA') HEIGHT: (8')
 ZONE: 5
 SPREAD: (12') EXPOSURE: DOES BEST IN PARTIAL SHADE
 A MEDIUM SIZED SHRUB. WEEPING HABIT. LACY, DARK RED FOLIAGE. DOESN'T GREEN UP AS FAST GARNET. NOT RELIABLY HARDY.

MAPLE, LEGACY SUGAR

(ACER SACCHARUM 'LEGACY') HEIGHT: (50-60')
 ZONE: 4
 SPREAD: (30-35') EXPOSURE: DOES BEST IN FULL SUN
 UPRIGHT OVAL SHAPE. GLOSSY DEEP GREEN FOLIAGE. STRIKING FALL FOLIAGE TURNS SHADES OF RED, PINK, ORANGE, AND YELLOW.

MAPLE, NORWAY

(ACER PLATANOIDES) HEIGHT: (50-60')
 ZONE: 4
 SPREAD: (50-60') EXPOSURE: DOES BEST IN FULL SUN
 ROUNDED TREE THAT PROVIDES DENSE SHADE. DARK GREEN FOLIAGE THAT WITHSTANDS CITY CONDITIONS. YELLOW FALL COLOR.

MAPLE, NORWAY 'EMERALD LUSTRE'

(ACER PLATANOIDES 'EMERALD QUEEN') HEIGHT: (40-50')
 ZONE: 3
 SPREAD: (30-40') EXPOSURE: DOES BEST IN FULL SUN
 A VIGOROUS SELECTION WHICH FORMS A ROUNDED CANOPY.

MAPLE, NORWAY 'EMERALD QUEEN'

(ACER PLATANOIDES 'EMERALD QUEEN') HEIGHT: (50-60')
 ZONE: 4
 SPREAD: (40-45') EXPOSURE: DOES BEST IN FULL SUN
 SIMILAR TO NORWAY BUT MORE OVAL IN GROWTH. STRAIGHT TRUNK AND LEATHERY GREEN FOLIAGE. BRIGHT YELLOW FALL COLOR.

MAPLE, NORWAY 'SUPERFORM'

(ACER PLATANOIDES 'SUPERFORM') HEIGHT: (50-60')
 ZONE: 4
 SPREAD: (40-45') EXPOSURE: DOES BEST IN FULL SUN
 A SELECTION OF NORWAY MAPLE NOTED FOR ITS GOOD FORM. DARK GREEN FOLIAGE TURNS YELLOW IN FALL. GOOD HARDINESS.

SHADE & ORNAMENTAL TREES

MAPLE, NORWEGIAN SUNSET HEIGHT: (35')
 (ACER TRUNCATUM X A. PLAT. KEITHSFORM) ZONE: 4
 SPREAD: (25') EXPOSURE: DOES BEST IN FULL SUN
 DARK GREEN GLOSSY FOLIAGE, UNIFORM UPRIGHT OVAL CANOPY. ORANGE-RED
 FALL COLORATION.

MAPLE, PACIFIC SUNSET HEIGHT: (30')
 (ACER TRUNCATUM X A. PLAT. 'WARRENRED') ZONE: 4
 SPREAD: (25') EXPOSURE: DOES BEST IN FULL SUN
 DARK GREEN GLOSSY FOLIAGE, UPRIGHT SPREADING ROUND CROWN.
 ORANGE-RED FALL COLOR.

MAPLE, RED SUNSET HEIGHT: (40-50')
 (ACER RUBRUM 'RED SUNSET') ZONE: 4
 SPREAD: (30-40') EXPOSURE: DOES BEST IN FULL SUN
 SUPERB VARIETY OF RED MAPLE. BRIGHT GREEN FOLIAGE IN SUMMER
 TURNING TO BRILLIANT RED IN AUTUMN.

MAPLE, ROYAL RED HEIGHT: (35-40')
 (ACER PLATANOIDES 'ROYAL RED') ZONE: 4
 SPREAD: (25') EXPOSURE: DOES BEST IN FULL SUN
 DARK RED, GLOSSY FOLIAGE. BROADLY OVAL SHAPE. AN IMPROVED TYPE OF
 CRIMSON KING MAPLE. YELLOWISH-BROWN FALL FOLIAGE.

MAPLE, TATARIAN HEIGHT: (20-25')
 (ACER TATARICUM) ZONE: 3
 SPREAD: (18-20') EXPOSURE: DOES BEST IN FULL SUN
 LARGE SHRUB OR SMALL TREE THAT WILL TOLERATE DRY OR ALKALINE SOIL.
 FALL FOLIAGE MAY BE YELLOW TO RED.

MAY DAY TREE HEIGHT: (15-20')
 (PRUNUS PADUS) ZONE: 2
 SPREAD: (20') EXPOSURE: DOES BEST IN FULL SUN
 LARGE WHITE, FRAGRANT FLOWERS IN DROOPING CLUSTERS IN THE FIRST
 PART OF MAY.

MOUNTAIN ASH, EUROPEAN HEIGHT: (20-30')
 (SORBUS AUCUPARIA) ZONE: 2
 SPREAD: (20-25') EXPOSURE: DOES BEST IN FULL SUN
 A SMALL TO MEDIUM TREE WITH FERN-LIKE FOLIAGE. WHITE FLOWERS
 FOLLOWED BY ORANGE-RED FRUIT IN CLUSTERS. WRAP TRUNK IN WINTER.

MOUNTAIN ASH, OAKLEAF HEIGHT: (25-30')
 (SORBUS X HYBRIDA) ZONE: 4
 SPREAD: (20-25') EXPOSURE: DOES BEST IN FULL SUN
 VERY UNIFORM WITH ORANGE RED FRUIT, FIREBLIGHT RESISTANT. LOBED
 LEAVES TURN RUST COLORED IN FALL. UPRIGHT OVAL SHAPE.

OAK, BURR HEIGHT: (50-70')
 (QUERCUS MACROCARPA) ZONE: 4
 SPREAD: (40-50') EXPOSURE: DOES BEST IN FULL SUN
 LARGE, ROUNDED OPEN FORM. INTERESTING CORKY BRANCHES. TOLERATES
 HARSH CITY CONDITIONS WELL. FALL COLOR YELLOWISH TO PURPLE.
 XERISCAPE

OAK, CRIMSON SPIRE HEIGHT: (45')
 (QUERCUS ROBUR x Q. ALBA 'CRIMSCHMIDT') ZONE: 4
 SPREAD: (15') EXPOSURE: DOES BEST IN FULL SUN
 COLUMNAR CULTIVAR OF ENGLISH OAK WITH DARK GREEN LEAVES TURN TO
 RUSTY RED IN THE FALL.

OAK, ENGLISH HEIGHT: (50-60')
 (QUERCUS ROBUR) ZONE: 5
 SPREAD: (40-60') EXPOSURE: DOES BEST IN FULL SUN
 A LARGE, BROAD-HEADED SHADE TREE WITH STOUT SPREADING BRANCHES.
 DARK GREEN LEAVES AND SMALL ACORNS.

OAK, COLUMNAR ENGLISH HEIGHT: (60')
 (QUERCUS ROBUR 'FASTIGIATA') ZONE: 5
 SPREAD: (10-15') EXPOSURE: DOES BEST IN FULL SUN
 UPRIGHT, COLUMNAR GROWTH HABIT. DARK GREEN FOLIAGE. IDEAL FOR USE
 WHERE SPACE IS LIMITED.

SHADE & ORNAMENTAL TREES

OAK, HERITAGE

(QUERCUS X MACDANIELII 'CLEMONS') HEIGHT: (50')
 ZONE: 4
 SPREAD: (40-60') EXPOSURE: DOES BEST IN FULL SUN
 A LARGE, BROAD-HEADED SHADE TREE WITH AN OVERALL PYRAMIDAL SHAPE.
 A CROSS BETWEEN BURR AND ENGLISH OAK WITH A YELLOW FALL COLOR.

OAK, NORTHERN RED

(QUERCUS BOREALIS OR RUBRA) HEIGHT: (50-70')
 ZONE: 4
 SPREAD: (40-60') EXPOSURE: DOES BEST IN FULL SUN
 A LARGE, BROAD-HEADED SHADE TREE WITH AN OVERALL PYRAMIDAL SHAPE.
 AUTUMN COLOR RED TO REDDISH-BROWN.

OAK, REGAL PRINCE

(QUERCUS ROBUR X BICOLOR 'LONG') HEIGHT: (45')
 ZONE: 4
 SPREAD: (18') EXPOSURE: DOES BEST IN FULL SUN
 A COLUMNAR TO NARROW OVAL WITH GLOSSY BRIGHT GREEN LEAVES.
 A CROSS BETWEEN SWAMP WHITE AND COLUMNAR ENGLISH OAK WITH
 A YELLOW FALL COLOR.

OAK, SWAMP WHITE

(QUERCUS BICOLOR) HEIGHT: (50-60')
 ZONE: 4
 SPREAD: (40-50') EXPOSURE: DOES BEST IN FULL SUN
 LUSTRIOUS GREEN LEAVES. ROUNDED TOP WITH OPEN HEAD. TOLERATES
 HEAVY SOILS BETTER THAN MOST OAKS. FALL COLOR YELLOW.

OHIO BUCKEYE

(AESCULUS GLABRA) HEIGHT: (30-35')
 ZONE: 4
 SPREAD: (25') EXPOSURE: DOES BEST IN FULL SUN
 LARGE, DARK GREEN LEAVES. FLOWERS ARE LARGE PANICLES, FOLLOWED BY
 UNUSUAL SEEDS.

PEAR, ARISTOCRAT

(PYRUS CALLERYANA 'ARISTOCRAT') HEIGHT: (25-30')
 ZONE: 5
 SPREAD: (20-25') EXPOSURE: DOES BEST IN FULL SUN
 PYRAMIDAL IN SHAPE AT FIRST AND THEN MORE OVAL AT MATURITY. WHITE
 FLOWERS IN CLUSTERS, PURPLE-RED AUTUMN COLOR.

PEAR, AUTUMN BLAZE

(PYRUS CALLERYANA 'AUTUMN BLAZE') HEIGHT: (25-30')
 ZONE: 4
 SPREAD: (25') EXPOSURE: DOES BEST IN FULL SUN
 ROUND SHAPE WITH GLOSSY GREEN LEAVES. WHITE FLOWERS IN APRIL-MAY.
 BRIGHT RED FALL COLOR.

PEAR, CAPITAL

(PYRUS CALLERYANA 'CAPITAL') HEIGHT: (30')
 ZONE: 4
 SPREAD: (12-15') EXPOSURE: DOES BEST IN FULL SUN
 HARDY, COLUMNAR PEAR WITH THICK, GLOSSY GREEN FOLIAGE. LEAVES
 TURN RED-PURPLE IN FALL. WHITE FLOWERS IN CLUSTERS.

PEAR, CHANTICLEER

(PYRUS CALLERYANA 'GLEN'S FORM') HEIGHT: (25-30')
 ZONE: 5
 SPREAD: (15') EXPOSURE: DOES BEST IN FULL SUN
 ALSO KNOWN AS CLEVELAND SELECT THIS IS ONE OF THE HARDIER
 CALLERYANA PEARS. UPRIGHT PYRAMIDAL SHAPE IDEAL STREET TREE.
 FLOWERS A BIT LATER. GOOD PURPLE RED FALL COLOR

PEAR, CLEVELAND

IDENTICAL TO CHANTICLEER PEAR.

PEAR, STONE HILL

(PYRUS CALLERYANA 'STONE HILL') HEIGHT: (35')
 ZONE: 4
 SPREAD: (20') EXPOSURE: DOES BEST IN FULL SUN
 DROUGHT RESISTANT PEAR WITH UPRIGHT, PYRAMIDAL GROWTH HABIT. SHINY
 DARK FOLIAGE TURNS ORANGE-PURPLE IN FALL. WHITE FLOWERS IN
 SPRING.

PLUM, NEWPORT

(PRUNUS CERASIFERA 'NEWPORT') HEIGHT: (15-20')
 ZONE: 4
 SPREAD: (15-20') EXPOSURE: DOES BEST IN FULL SUN
 FRAGRANT, PINKISH-WHITE FLOWERS IN SPRING. FOLIAGE REDDISH-PURPLE
 WITH RED TIPS. OCCASIONAL EDIBLE PLUMS.

SHADE & ORNAMENTAL TREES

PLUM, PRINCESS KAY HEIGHT: (15')
 (PRUNUS NIGRA 'PRINCESS KAY') ZONE: 2
 SPREAD: (8-10') EXPOSURE: DOES BEST IN FULL SUN
 A NARROW SHAPED PLUM TREE WITH DARK BARK AND SHOWY WHITE
 FLOWERS IN EARLY MAY. ORANGE-RED FALL COLOR. YELLOWISH-RED 1 1/4"
 FRUIT.

REDBUD, EASTERN HEIGHT: (20-30')
 (CERCIS CANADENSIS) ZONE: 4
 SPREAD: (20-25') EXPOSURE: DOES BEST IN FULL SUN
 ONE OF THE FIRST TREES TO BLOOM IN SPRING BEFORE THE LEAVES
 APPEAR. ROSY PINK BLOOMS. OFTEN MULTI-STEMMED OR LOW BRANCHED.

SERVICEBERRY, AUTUMN BRILLIANCE HEIGHT: (20-25')
 (AMELANCHIER X GRANDIFLORA 'AUTUMN BRILL') ZONE: 3
 SPREAD: (15')
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 ROUNDED GROWTH HABIT. BRANCHES ARE MODERATELY SPREADING AND
 COVERED WITH WHITE BLOSSOMS IN SPRING. EDIBLE PURPLISH-BLACK
 FRUIT. OUTSTANDING RED-ORANGE FALL COLOR.

SERVICEBERRY, CANADENSIS (SHADBLOW) HEIGHT: (20-25')
 (AMELANCHIER CANADENSIS) ZONE: 4
 SPREAD: (10-15') EXPOSURE: DOES BEST IN FULL SUN
 WHITE FLOWERS FOLLOWED BY DARK RED, EDIBLE FRUIT. ORANGE-RED FALL
 COLOR. XERISCAPE.

TULIP TREE HEIGHT: (60-80')
 (LIRIODENDRON TULIPIFERA) ZONE: 5
 SPREAD: (40') EXPOSURE: DOES BEST IN FULL SUN
 NATIVE TO THE EASTERN UNITED STATES. STRONGLY UPRIGHT, OVAL CANOPY.
 FLOWERS ARE SHAPED SIMILARLY TO MAGNOLIAS OR TULIPS. THEY ARE
 YELLOWISH-GREEN AND, DESPITE THEIR SIZE, EASY TO MISS ON A LARGE TREE.

TUPELO, BLACK HEIGHT: (30-50')
 (NYSSA SYLVATICA) ZONE: 5
 SPREAD: (15-25') EXPOSURE: DOES BEST IN FULL SUN
 PYRAMIDAL WHEN YOUNG, EVENTUALLY BECOMES MORE OVAL IN SHAPE.
 GLOSSY GREEN FOLIAGE BECOMES BRIGHT YELLOW, ORANGE, OR DEEP RED
 IN THE FALL. TOLERANT OF EXTRA MOISTURE.

WILLOW, NIOBE WEEPING HEIGHT: (40-50')
 (SALIX ALBA TRISTIS) ZONE: 3
 SPREAD: (40-50') EXPOSURE: DOES BEST IN FULL SUN
 FAST GROWING, GRACEFUL WEEPING WILLOW. GOLDEN BARK, WIDE
 SPREADING AND ARCHING BRANCHES. WATER-LOVING. SUN.

WILLOW, PRAIRIE CASCADE HEIGHT: (30-40')
 (SALIX X 'PRAIRIE CASCADE') ZONE: 3
 SPREAD: (30-40') EXPOSURE: DOES BEST IN FULL SUN
 A HARDIER SELECTION OF WEEPING WILLOW. GLOSSY GREEN FOLIAGE ON
 GOLDEN STEMS. LIKES MOIST AREAS.

YELLOWWOOD HEIGHT: (30-50')
 (CLADRASTIS KENTUCKEA) ZONE: 4
 SPREAD: (30-50') EXPOSURE: DOES BEST IN FULL SUN
 NATIVE TO SOUTHEASTERN UNITED STATES. FRAGRANT PEA-LIKE FLOWERS,
 IN SPRING, ARE ATTRACTIVE TO BEES. BRIGHT YELLOW FALL COLOR.

ZELKOVA, GREEN VASE HEIGHT: (60-70')
 (ZELKOVA SERRATA 'GREEN VASE') ZONE: 5
 SPREAD: (35-40') EXPOSURE: DOES BEST IN FULL SUN
 A VASE SHAPED TREE WITH AN ELEGANT BRANCHING HABIT. FOLIAGE TURNS
 BRONZE-RED IN FALL. VERY TOLERANT OF CITY CONDITIONS.

FRUITS

APPLE, GOLDEN DELICIOUS HEIGHT: (20-30')
 (MALUS 'GOLD DELICIOUS') ZONE: 4
 SPREAD: (20-25') BLOOMTIME: LATE SEASON
 EXPOSURE: DOES BEST IN FULL SUN
 MEDIUM SIZED GREENISH-YELLOW FRUIT. SUMMER APPLE.
 EXCELLENT FOR PIE. HEAVY PRODUCER.

FRUITS

APPLE, HONEYCRISP HEIGHT: (20-30')
 (MALUS 'HONEYCRISP') ZONE: 4
 SPREAD: (20-30') BLOOMTIME: MID-SEASON
 EXPOSURE: DOES BEST IN FULL SUN
 RED FRUIT, SWEET, CRISP AND JUICY. EXCELLENT STORAGE LIFE.

APPLE, JONATHAN HEIGHT: (20-30')
 (MALUS 'JONATHAN') ZONE: 5
 SPREAD: (20-25') BLOOMTIME: MID-SEASON
 EXPOSURE: DOES BEST IN FULL SUN
 MEDIUM SIZED, BRIGHT RED FRUIT. SWEET, CRISP AND JUICY. GOOD FOR DESSERT AND COOKING. AROMATIC. FALL-WINTER.

APPLE, McINTOSH HEIGHT: (20-30')
 (MALUS 'MCINTOSH') ZONE: 4
 SPREAD: (20-25') BLOOMTIME: MID-SEASON
 EXPOSURE: DOES BEST IN FULL SUN
 RED FALL-WINTER APPLE. HEAVY BEARER. GOOD ALL PURPOSE APPLE.

APPLE, RED DELICIOUS HEIGHT: (20-30')
 (MALUS 'RED DELICIOUS') ZONE: 5
 SPREAD: (20-25') BLOOMTIME: LATE SEASON
 EXPOSURE: DOES BEST IN FULL SUN
 WINTER APPLE. STRIPED TO SOLID RED FRUIT. FLAVOR SWEET, RICH. FRESH EATING OR SALAD APPLE.

APPLE, ROYAL GALA HEIGHT: (20-30')
 (MALUS) ZONE: 5
 SPREAD: (20-25') BLOOMTIME: EARLY SEASON
 EXPOSURE: DOES BEST IN FULL SUN
 STRIPED RED FRUIT. SWEET MILD FLAVOR. FRESH EATING OR SAUCE APPLE.

APPLE, STATE FAIR HEIGHT: (20-30')
 (MALUS 'STATE FAIR') ZONE: 3
 SPREAD: (20-25') BLOOMTIME: EARLY SEASON
 EXPOSURE: DOES BEST IN FULL SUN
 BRIGHT RED SUMMER APPLE. JUICY, GOOD TEXTURE, SEMI-ACID TO SWEET. ALL PURPOSE APPLE.

APPLE, WEALTHY HEIGHT: (20-30')
 (MALUS 'WEALTHY') ZONE: 4
 SPREAD: (20-25') BLOOMTIME: EARLY SEASON
 EXPOSURE: DOES BEST IN FULL SUN
 FALL APPLE. ALL PURPOSE RED. MELLOW FLAVOR, KEEPS WELL.

APRICOT, MOORPARK HEIGHT: (20-25')
 (PRUNUS 'MOORPARK') ZONE: 5
 SPREAD: (20') BLOOMTIME: APRIL
 EXPOSURE: DOES BEST IN FULL SUN
 LARGE FRUIT, ORANGE WITH DEEP BLUSH. ORANGE FLESH, EXCELLENT FLAVOR. SELF-FERTILE.

CHERRY, BING HEIGHT: (18-25')
 (PRUNUS 'BING') ZONE: 6
 SPREAD: (20') BLOOMTIME: EARLY MAY
 EXPOSURE: DOES BEST IN FULL SUN
 MID-SEASON RED SWEET CHERRY. LARGE SWEET FRUIT WITH PURPLISH FLESH. RIPENS EARLY JULY. REQUIRES POLLINATOR-BLACK TARTARIAN.

CHERRY, BLACK TARTARIAN HEIGHT: (18-25')
 (PRUNUS 'BLACK TARTARIAN') ZONE: 5
 SPREAD: (20') BLOOMTIME: EARLY MAY
 EXPOSURE: DOES BEST IN FULL SUN
 EARLY SWEET BLACK CHERRY. JUICY AND RICH. HEAVY BEARER. GOOD POLLINATOR FOR BING.

CHERRY, METEOR HEIGHT: (10-12')
 (PRUNUS 'METEOR') ZONE: 4
 SPREAD: (8')
 EXPOSURE: DOES BEST IN FULL SUN
 GENETIC DWARF. LARGE TART RED FRUIT. SELF FERTILE. RIPENS APPROXIMATELY JULY 4TH

CHERRY, MONTMORENCY HEIGHT: (15-20')
 (PRUNUS 'MONTMORENCY') ZONE: 4
 SPREAD: (20') BLOOMTIME: EARLY MAY
 EXPOSURE: DOES BEST IN FULL SUN
 LATE, SOUR RED CHERRY. LARGE, TART, FIRM AND JUICY. STANDARD SOUR CHERRY FOR HOME AND COMMERCIAL CANNING. SELF-FERTILE.

FRUITS

CHERRY, NORTH STAR HEIGHT: (8-10')
 (PRUNUS 'NORTH STAR') ZONE: 4
 SPREAD: (8-10') BLOOMTIME: EARLY MAY
 EXPOSURE: DOES BEST IN FULL SUN
 A DWARF SOUR CHERRY. LARGE RED FRUIT WITH SMALL STONE. VERY PRODUCTIVE. GROWS ONLY 5-7'. RIPENS LATE JUNE. SELF-FERTILE.

PEACH, BAILEY HARDY HEIGHT: (15-20')
 (PRUNUS 'BAILEY HARDY') ZONE: 5
 SPREAD: (15-20') BLOOMTIME: APRIL-MAY
 EXPOSURE: DOES BEST IN FULL SUN
 SEMI-FREESTONE. SELF FERTILE AND GOOD EATING QUALITY.

PEACH, ELBERTA HEIGHT: (15-20')
 (PRUNUS 'ELBERTA') ZONE: 5
 SPREAD: (15-20') BLOOMTIME: APRIL-MAY
 EXPOSURE: DOES BEST IN FULL SUN
 YELLOW FLESHED FREESTONE. LARGE, GOLDEN FRUIT BLUSHED WITH RED. RIPENS MID-AUGUST. SELF-FERTILE.

PEACH, PIX ZEE HEIGHT: (5-6')
 (PRUNUS 'PIX ZEE') ZONE: 5
 SPREAD: (3') BLOOMTIME: APRIL-MAY
 EXPOSURE: DOES BEST IN FULL SUN
 GENETIC DWARF. SELF FERTILE FREESTONE. LARGE, GOOD QUALITY FRUIT.

PEACH, RELIANCE HEIGHT: (15-20')
 (PRUNUS 'RELIANCE') ZONE: 5
 SPREAD: (15-20') BLOOMTIME: APRIL-MAY
 EXPOSURE: DOES BEST IN FULL SUN
 YELLOW FLESHED FREESTONE. THE HARDIEST OF ITS TYPE THAT WE KNOW OF, RECOMMENDED VARIETY FOR COLD REGIONS. SELF-FERTILE.

PEAR, BARTLETT HEIGHT: (18-30')
 (PYRUS 'BARLETT') ZONE: 5
 SPREAD: (20') BLOOMTIME: EARLY MAY
 EXPOSURE: DOES BEST IN FULL SUN
 LARGE, GOLDEN YELLOW. JUICY, FINE FLAVORED AND EXCELLENT QUALITY FRUIT. BUTTERY FLAVORED. SELF-FERTILE.

PEAR, LUSCIOUS HEIGHT: (18-30')
 (PYRUS 'LUSCIOUS') ZONE: 4
 SPREAD: (20') BLOOMTIME: EARLY MAY
 EXPOSURE: DOES BEST IN FULL SUN
 MEDIUM TO SMALL BRIGHT YELLOW FRUIT, VERY SWEET. GLOSSY GREEN FOLIAGE TURNS RED IN FALL. SELF-FERTILE.

PLUM, BURGUNDY HEIGHT: (20-30')
 (PRUNUS 'BURGUNDY') ZONE: 5
 SPREAD: (15-20) BLOOMTIME: LATE APRIL
 EXPOSURE: DOES BEST IN FULL SUN
 DEEP PURPLE. JAPANESE TYPE PLUM WITH RED FLESH, STRONGLY UPRIGHT GROWTH. SINGLE, WHITE FLOWERS ARE ATTRACTIVE ENOUGH FOR ORNAMENTAL PURPOSES. SELF-FERTILE, BUT CROP IS IMPROVED BY A POLLINATOR.

PLUM, MOUNT ROYAL HEIGHT: (20-30')
 (PRUNUS 'MOUNT ROYAL') ZONE: 4
 SPREAD: (20-25') BLOOMTIME: EARLY MAY
 EXPOSURE: DOES BEST IN FULL SUN
 BLUE, GOOD EATING OR COOKING. FREESTONE. RIPENS APPROXIMATELY AUGUST 20. SELF-FERTILE.

PLUM, STANLEY HEIGHT: (20-30')
 (PRUNUS 'STANLEY') ZONE: 4
 SPREAD: (20') BLOOMTIME: LATE APRIL
 EXPOSURE: DOES BEST IN FULL SUN
 BLUE, PRUNE-TYPE WITH YELLOW FLESH. EUROPEAN TYPE. SELF-FERTILE. GOOD COOKING VARIETY.

PLUM, TOKA HEIGHT: (20-30')
 (PRUNUS 'TOKA') ZONE: 3
 SPREAD: (20-25') BLOOMTIME: LATE APRIL
 EXPOSURE: DOES BEST IN FULL SUN
 A MEDIUM SIZED PLUM WITH RICH FLAVOR. ONE OF THE BEST POLLINATORS.

FRUITS

BLUEBERRY, NORTHBLUE HEIGHT: (3-4')
 (VACCINIUM) ZONE: 5
 SPREAD: (3-4') EXPOSURE: CAN TAKE PART SHADE
 GROWS BEST IN RAISED BEDS, WHERE THE SOIL PH CAN BE CONTROLLED.
 NEEDS SLIGHTLY ACIDIC SOIL. LARGE, FIRM, DARK BLUE BERRIES.

BLUEBERRY, TOP HAT HEIGHT: (1.5')
 (VACCINIUM) ZONE: 5
 SPREAD: (1.5') EXPOSURE: CAN TAKE PART SHADE
 GROWS BEST IN RAISED BEDS, WHERE THE SOIL PH CAN BE CONTROLLED.
 NEEDS SLIGHTLY ACIDIC SOIL. DWARF VARIETY. CAN BE GROWN IN CONTAINERS.
 SMALL FRUIT WITH GOOD FLAVOR.

BLACKBERRY, BLACK SATIN HEIGHT: (5-6')
 (RUBUS) ZONE: 5
 SPREAD: (3-4')
 ERECT. THORNLESS. BIG, BLACK BERRIES. NON-SUCKERING HABIT. FRUITS ON
 TWO YEAR OLD CANES.

BLACKBERRY, NATCHEZ HEIGHT: (5-6')
 (RUBUS) ZONE: 4
 SPREAD: (3-4') EXPOSURE: DOES BEST IN FULL SUN
 SEMI-ERECT. THORNLESS. BIG, GLOSSY, BLACK BERRIES. GOOD FOR FRESH
 EATING.

CURRANT, RED LAKE HEIGHT: (3-5')
 (RIBES) ZONE: 3
 SPREAD: (3') EXPOSURE: DOES BEST IN FULL SUN
 DOES WELL IN ANY WELL-DRAINED SOIL. BRIGHT RED FRUIT IN CLUSTERS,
 GOOD FOR JELLIES OR JAMS.

GOOSEBERRY, PIXWELL HEIGHT: (3-5')
 (RIBES HIRTELLUM 'PIXWELL') ZONE: 3
 SPREAD: (3-4') EXPOSURE: DOES BEST IN FULL SUN
 MEDIUM SIZED GREEN FRUIT, TURNING PINK AS IT RIPENS. HARDY AND
 PRODUCTIVE.

GRAPE, CANADICE HEIGHT:
 (VITIS) ZONE: 5
 EXPOSURE: DOES BEST IN FULL SUN
 A RED SEEDLESS VARIETY. RIPENS TWO WEEKS BEFORE CONCORD. THE BEST
 RED SEEDLESS, HARDY VARIETY AVAILABLE.

GRAPE, CONCORD HEIGHT:
 (VITIS) ZONE: 5
 EXPOSURE: DOES BEST IN FULL SUN
 THE BEST KNOWN BLUE GRAPE. EXCELLENT FOR EATING, JELLIES, JUICE
 AND WINE.

GRAPE, HIMROD HEIGHT:
 (VITIS) ZONE: 5
 EXPOSURE: DOES BEST IN FULL SUN
 SMALL, FIRM GREENISH-WHITE BERRIES. EXCELLENT CRISP, SWEET FLAVOR.
 RIPENS EARLY IN SEASON.

GRAPE, INTERLAKEN HEIGHT:
 (VITIS) ZONE: 5
 EXPOSURE: DOES BEST IN FULL SUN
 A SEEDLESS WHITE VARIETY, EARLIER THAN NIAGRA.

GRAPE, NIAGRA HEIGHT:
 (VITIS) ZONE: 5
 EXPOSURE: DOES BEST IN FULL SUN
 LIGHT GREEN GRAPE TURNING TO WHITE WHEN RIPE. HAS HANDSOME
 FOLIAGE FOR ARBOR.

GRAPE, THOMPSON SEEDLESS HEIGHT:
 (VITIS) ZONE: 4
 EXPOSURE: DOES BEST IN FULL SUN
 SMALL, GREENISH-AMBER GRAPES IN LARGE CLUSTERS. MILD SWEET FLAVOR.
 RIPENS IN MID-SEASON.

FRUITS

HONEYBERRY HEIGHT: (3-5')
 (LONICERA CAERULEA HYBRIDS) ZONE: 3
 SPREAD: (3-5') EXPOSURE: DOES BEST IN FULL SUN
 UNUSUAL FRUITING BUSH. VERY HARDY. FRUIT IS GOOD FOR EATING FRESH
 AS WELL AS COOKING. PLANTS NEED A POLLINATOR FOR FRUIT, SO MAKE SURE
 TO BUY TWO OR MORE PLANTS,

JOSTABERRY HEIGHT: (4-6')
 (RIBES X CULVERWELII) ZONE: 3
 SPREAD: (4) EXPOSURE: DOES BEST IN FULL SUN
 GLOSSY, ROUND BERRIES, TASTE IS A BLEND OF GOOSBERRY AND BLACK
 CURRANT. FRUIT IS RIPE IN EARLY JULY.

RASPBERRY, AUTUMN BLISS HEIGHT: (5-6')
 (RUBUS) ZONE: 4
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 SWEET, JUICY RED BERRIES.

RASPBERRY, BLACK SATIN HEIGHT: (5-6')
 (RUBUS) ZONE: 5
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 BLACK BERRIES IN LARGE QUANTITIES PRODUCED IN LATE SUMMER. NEEDS
 TRELLISING.

RASPBERRY, CANBY HEIGHT: (5-6')
 (RUBUS) ZONE: 3
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 ERECT, THORNLESS CANES EVENTUALLY ARCH TO THE GROUND. DARK RED
 FRUIT.

RASPBERRY, FALL GOLD HEIGHT: (3-4')
 (RUBUS) ZONE: 4
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 NEW GOLDEN SELECTION, EVERBEARING. SPRING CROP AND THEN A SECOND
 CROP IN JULY-AUGUST.

RASPBERRY, HERITAGE HEIGHT: (3-4')
 (RUBUS) ZONE: 4
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 EVERBEARING RED VARIETY. FIRST CROP MID-JULY, SECOND CROP FIRST OF
 SEPTEMBER.

RASPBERRY, LATHAM HEIGHT: (3-4')
 (RUBUS) ZONE: 4
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 LARGE JUNE BEARER, RED, RIPENING OVER A LONG PERIOD.

RHUBARB, CANADA RED HEIGHT:
 (RHEUM RHABARBARUM) ZONE: 3
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 LONG-STEMMED RED VARIETY EXCELLENT FOR PIES AND SAUCES

ORNAMENTAL SHRUBS

ALDER, THINLEAF HEIGHT: (15-18')
 (ALNUS TENIFOLIA) ZONE: 3
 SPREAD: (15-20') BLOOMTIME: EARLY SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 A LARGE SHRUB OR A SMALL TREE, USUALLY GROWING AS A CLUMP. DARK
 GREEN LEAVES, CHERRY-LIKE BARK. MOIST SOILS.

ALMOND, PINK FLOWERING HEIGHT: (3-6')
 (PRUNUS GLANDULOSA ROSEA) ZONE: 4
 SPREAD: (3-6') BLOOMTIME: EARLY SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 DOUBLE PINK FLOWERS IN EARLY SPRING. SOFT GREEN FOLIAGE.

ALTHEA - SEE HIBISCUS (PAGE 19)

ORNAMENTAL SHRUBS

APACHE PLUME HEIGHT: (3-6')
 (FALLUGIA PARADOXA) ZONE: 2
 SPREAD: (3-6') BLOOMTIME: EARLY TO LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 A MEDIUM SHRUB WITH SHAGGY WHITISH-GRAY STEMS AND SMALL LIGHT GREEN LEAVES. WHITE FLOWERS IN EARLY SUMMER FOLLOWED BY FEATHERY-TAILED SEEDS. XERISCAPE

AZALEA, NORTHERN LIGHTS SERIES HEIGHT: (2-7')
 (RHODODENDRON KOSTERANUM x PRINOPHYLLUM) ZONE: 3
 SPREAD: (3-6') BLOOMTIME: MID-LATE SPRING
 EXPOSURE: DOES BEST IN PART SHADE SUN
 A VERY HARDY VERSION OF A GARDEN CLASSIC. TRUMPET SHAPED, SIX PETALED FLOWERS OF DIFFERENT COLORS DEPENDING ON THE VARIETY. SOME VARIETIES ARE SCENTED. FOLIAGE IS DECIDUOUS, AND SOMETIMES SKUNKY SMELLING. (GOLDEN LIGHTS-YELLOW) (PINK LIGHTS- LIGHT PINK) (WHITE LIGHTS-PINK IN BUD, WHITE W/ YELLOW BLOTCH) (CANDY LIGHTS- LAVENDER PURPLE) (MANDRIN LIGHTS- ORANGE)

BARBERRY, BONANZA GOLD HEIGHT: (2')
 (BERBERIS THUNBERGII 'BOGOZAM') ZONE: 4
 SPREAD: (2-3') BLOOMTIME: EARLY SPRING
 LOW COMPACT YELLOW BARBERRY. ORANGE FALL COLOR.

BARBERRY, CONCORDE HEIGHT: (2')
 (BERBERIS THUNBERGII 'CONCORDE') ZONE: 4
 SPREAD: (2-3') BLOOMTIME: EARLY SPRING
 COMPACT DARK BURGUNDY BARBERRY. TURNS DARKER BURGUNDY IN FALL.

BARBERRY, CRIMSON PYGMY HEIGHT: (1-3')
 (BERBERIS THUNBERGII AUTRO. NANA) ZONE: 4
 SPREAD: (1-2') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 LOW COMPACT SHRUB WITH DENSE, PURPLE-RED FOLIAGE. RUGGED LOW FOUNDATION PLANT. SUN FOR BEST COLOR.

BARBERRY, GOLDEN NUGGET HEIGHT: (12-18")
 (BERBERIS THUNBERGII 'MONLERS') ZONE: 4
 SPREAD: (2-3') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 COMPACT BUSH WITH GOLDEN FOLLIAGE-EXCELLENT COLOR CONTRAST PLANT

BARBERRY, JAPANESE GREEN HEIGHT: (3-4')
 (BERBERIS THUNBERGII) ZONE: 4
 SPREAD: (4-5') (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 A VERY DENSE ROUNDED SHRUB WITH GREEN FOLIAGE. GOOD HEDGE PLANT. SCARLET-ORANGE FALL FOLIAGE. RED BERRIES.

BARBERRY, MENTOR HEIGHT: (4-5')
 (BERBERIS X MENTORENSIS) ZONE: 5
 SPREAD: (5-7') BLOOMTIME: LATE SPRING (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 A DARK GREEN LEAF SEMI-EVERGREEN. UPRIGHT FORM, THORNY WITH THICK LEATHERY FOLIAGE.

BARBERRY, REDLEAF HEIGHT: (3-5')
 (BERBERIS THUNBERGII AUTROPURPUREA) ZONE: 4
 SPREAD: (4-6') BLOOMTIME: LATE SPRING (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN
 REDDISH-PURPLE FOLIAGE. EXCELLENT HEDGE BECAUSE OF SPINY, DENSE GROWTH. RED FALL COLOR. RED BERRIES.

BARBERRY, ROSY GLOW HEIGHT: (2-3')
 (BERBERIS THUN. 'ROSE GLOW') ZONE: 4
 SPREAD: (3-5') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 NEW GROWTH IS BEAUTIFUL BLEND OF LIGHT AND DARK MAROON. THORNY, DENSE, COMPACT GROWTH.

BARBERRY, SUNSATON HEIGHT: (3-4')
 (BERBERIS THUN. 'MONRY') ZONE: 4
 SPREAD: (4')
 EXPOSURE: DOES BEST IN FULL SUN
 ANOTHER GOLDEN BARBERRY USED AS A CONTRAST PLANT. SLIGHTLY LARGER THAN OTHER VARIETIES.

ORNAMENTAL SHRUBS

BEAUTYBUSH

(KOLKWITSIA AMABILIS) HEIGHT: (6-8')
 ZONE: 5
 SPREAD: (6-8') BLOOMTIME: EARLY JUNE
 EXPOSURE: DOES BEST IN FULL SUN
 UPRIGHT, ARCHING HABIT. PALE PINK BELL-SHAPED FLOWERS IN EARLY JUNE. INTERESTING GRAY-TAN BARK THAT EXFOLIATES.

BLUE MIST

(CARYOPTERIS CLANDONENSIS (INCANA)) HEIGHT: (2-3')
 ZONE: 5
 SPREAD: (3-4') BLOOMTIME: MID-TO LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 SILVERY-GREEN FOLIAGE ON COMPACT, LOW SHRUB. BLUE BLOOMS IN AUGUST TO SEPTEMBER. VERY DROUGHT AND HEAT TOLERANT.

BLUE MIST, ARTHUR J SIMMONDS

(CARYOPTERIS X CLANDONENSIS 'ARTHUR J SIMMONDS') HEIGHT: (2-3')
 ZONE: 5
 SPREAD: (2-3') BLOOMTIME: MID- TO LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 COMPACT SHRUB WITH SILVERY-GREEN FOLIAGE. MAY DIE BACK TO THE GROUND IN WINTER BUT FLOWERS ON NEW GROWTH. FLOWERS ARE LAVENDER, BLOOMING IN LATE SUMMER INTO FALL.

BLUE MIST, DARK KNIGHT

(CARYOPTERIS X CLANDONENSIS 'DARK KNIGHT') HEIGHT: (2-3')
 ZONE: 5
 SPREAD: (2-3') BLOOMTIME: MID- TO LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 COMPACT SHRUB WITH SILVERY-GREEN FOLIAGE. MAY DIE BACK TO THE GROUND IN WINTER BUT FLOWERS ON NEW GROWTH. FLOWERS ARE A DEEP PURPLE-BLUE, BLOOMING IN LATE SUMMER INTO FALL.

BUCKTHORN, COLUMNAR

(RHAMNUS FRANGULA COLUMNARIS) HEIGHT: (10-12')
 ZONE: 3
 SPREAD: (3-4') BLOOMTIME: LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 DARK GLOSSY GREEN FOLIAGE. NARROW, UPRIGHT GROWTH, USEFUL FOR SCREENS. THORNLESS.

BUCKTHORN, FERNLEAF

(RHAMNUS FRANGULA 'ASPLENIFOLIA') HEIGHT: (12-15')
 ZONE: 3
 SPREAD: (6-10') (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 EXTREMELY FINE TEXTURED VARIETY OF THORNLESS BUCKTHORN. RED SUMMER BERRIES TURN BLACK AS THEY MATURE. YELLOW FALL COLOR.

BUCKTHORN, FINE LINE

(RHAMNUS FRANGULA 'RON WILLIAMS' PP14,791) HEIGHT: (5-7')
 ZONE: 2
 SPREAD: (2-3')
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 COMBINES THE FOLIAGE OF THE FERNLEAF BUCKTHORN WITH THE COLUMNAR HABIT OF THE COLUMNAR BUCKTHORN. NARROW HEDGE, SCREEN SPECIMEN.

BUFFALOBERRY, SILVER

(SHEPHERDIA ARGENTEA) HEIGHT: (8-12')
 ZONE: 2
 SPREAD: (6-12') BLOOMTIME: LATE SPRING (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN
 LARGE SHRUB, EXCELLENT FOR WIND BREAKS AND WILDLIFE HABITAT. SILVER FOLIAGE, ORANGE-RED BERRIES MAKE FINE JELLIES.

BURNING BUSH (WINGED EUONYMUS)

(EUONYMUS ALATUS) HEIGHT: (8-10')
 ZONE: 3
 SPREAD: (8-12') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 WIDE SPREADING PLANT. CORKY-WINGED BARK. MEDIUM GREEN FOLIAGE TURNING SCARLET IN FALL.

BURNING BUSH, COMPACT

(EUONYMUS ALATUS COMPACTA) HEIGHT: (4-6')
 ZONE: 3
 SPREAD: (5-8') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 DENSE GROWTH SUITABLE FOR HEDGE OR SPECIMEN PLANT. SAME AS STANDARD PLANT BUT MORE COMPACT. RED FALL COLOR.

ORNAMENTAL SHRUBS

BUTTERFLY BUSH, BLACK KNIGHT HEIGHT: (6-12')
 (BUDDLEIA DAVIDII 'BLACK KNIGHT') ZONE: 5
 SPREAD: 6' BLOOMTIME: MID TO LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 GREEN LEAVES AND VIOLET PURPLE FLOWERS THAT ATTRACT BUTTERFLIES.

BUTTERFLY BUSH, PETITE INDIGO HEIGHT: (5')
 (BUDDLEIA DAVIDII NANHOENSIS 'MONGO') ZONE: 5
 SPREAD: 5' BLOOMTIME: JULY-SEPT.
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 LILAC-BLUE FLOWER THAT ATTRACTS BUTTERFLIES.

BUTTERFLY BUSH, PETITE PLUM HEIGHT: (3-5')
 (BUDDLEIA DAVIDII NANHOENSIS 'MONUM') ZONE: 5
 SPREAD: 5' BLOOMTIME: JULY-SEPT.
 EXPOSURE: DOES BEST IN FULL SUN
 CONE SHAPED REDDISH-PURPLE FLOWERS. GOOD FOR ATTRACTING
 BUTTERFLIES. FRAGRANT, GOOD ACCENT PLANT.

BUTTERFLY BUSH, NANHO BLUE HEIGHT: (4-6')
 (BUDDLEIA DAVIDII NANHOENSIS 'NANHO BLUE') ZONE: 5
 SPREAD: 5-6' BLOOMTIME: JULY - SEP.
 EXPOSURE: DOES BEST IN FULL SUN
 DARK VIOLET-BLUE FLOWERS IT ATTRACTS BUTTERFLIES AND IS VERY
 FRAGRANT.

BUTTERFLY BUSH, NANHO PURPLE HEIGHT: (4-6')
 (BUDDLEIA DAVIDII 'NANHO PURPLE') ZONE: 5
 SPREAD: (4'-5') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 LARGE PURPLE FLOWER SPIKES ON NEW GROWTH FROM JULY-SEPTEMBER.
 GOOD CUT FLOWER, ATTRACTIVE TO BUTTERFLIES. NORMALLY DIES BACK, TRIM
 TO 6"-10" IN SPRING.

BUTTERFLY BUSH, ROYAL RED HEIGHT: (4'-6')
 (BUDDLEIA DAVIDII 'ROYAL RED') ZONE: 5
 SPREAD: (4'-5') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 LARGE RED FLOWER SPIKES ON NEW GROWTH FROM JULY-SEPTEMBER. GOOD
 CUT FLOWER, ATTRACTIVE TO BUTTERFLIES. NORMALLY DIES BACK, TRIM TO
 6"-10" IN SPRING.

CHOKEBERRY, BLACK FRUITED HEIGHT: (4-5')
 (ARONIA MELANOCARPA ELATA) ZONE: 3
 SPREAD: (4-6') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 WHITE FLOWERS IN MAY FOLLOWED BY BLACK BERRIES. BRIGHT GREEN
 GLOSSY FOLIAGE THAT TURNS BRILLIANT RED IN FALL.

CHOKEBERRY, RED FRUITED HEIGHT: (5-8')
 (ARONIA ARBUTIFOLIA BRILLIANTISSMA) ZONE: 5
 SPREAD: (4-6') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 WHITE FLOWERS IN MAY. RED BERRIES THAT ARE PERSISTANT INTO WINTER.
 UPRIGHT GROWTH. RED FALL COLOR.

CHOCKERRY, CANADA RED HEIGHT: (20-25')
 (PRUNUS VIRGINIANA 'SHUBERT') ZONE: 2
 SPREAD: (15-20') BLOOMTIME: SPRING (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN
 CLUSTERS OF WHITE FLOWERS IN SPRING FOLLOWED BY EDIBLE BLACK
 BERRIES. NEW LEAVES ARE GREEN THEN TURN TO MAROON.

CHOCKERRY, WESTERN HEIGHT: (12-20')
 (PRUNUS VIRGINIANA) ZONE: 2
 SPREAD: (8-12') BLOOMTIME: SPRING (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN
 SHOWY WHITE FLOWERS IN CLUSTERS IN SPRING FOLLOWED BY DARK EDIBLE
 FRUIT. NATIVE TO INTERMOUNTAIN REGION.

CORALBERRY, HANCOCK HEIGHT: (2-3')
 (SYMPHORICARPOS CHENAULTII 'HANCOCK') ZONE: 4
 SPREAD: (4-6') BLOOMTIME: EARLY SUMMER (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 LOW GROWING SPREADING HABIT. SMALL PINK FLOWERS FOLLOWED BY RED
 BERRIES. GOOD FOR SLOPES OR MASS PLANTINGS.

ORNAMENTAL SHRUBS

COTONEASTER, CORAL BEAUTY HEIGHT: (1-2')
 (COTONEASTER DAMMERI 'CORAL BEAUTY') ZONE: 5
 SPREAD: (4-6') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 LOW, WIDE SPREADING SHRUB. DEEP GREEN FOLIAGE. ARCHING BRANCHES.
 SMALL WHITE FLOWERS TO RED FRUIT.

COTONEASTER, CRANBERRY HEIGHT: (2-3')
 (COTONEASTER, APICULATA) ZONE: 5
 SPREAD: (4-6') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 LOW, SOMETIMES SEMI-EVERGREEN SHRUB. SMALL GLOSSY GREEN LEAVES
 ON ARCHING BRANCHES. PINK FLOWERS, RED BERRIES.

COTONEASTER, LOWFAST HEIGHT: (1')
 (COTONEASTER DAMMERI 'LOWFAST') ZONE: 6
 SPREAD: (8-10') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 DENSE GROUND COVER, SPREADING 8-10'. RED BERRIES FOLLOW WHITE
 FLOWERS.

COTONEASTER, PEKING HEIGHT: (6-10')
 (COTONEASTER ACUTIFOLIA) ZONE: 2
 SPREAD: (4-6') BLOOMTIME: LATE SPRING (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN
 HARDY, UPRIGHT SHRUB. SMALL PINKISH-WHITE FLOWERS TURNING TO BLACK
 BERRIES. GOOD SCREEN OR HEDGE PLANT.

COTONEASTER, ROCK HEIGHT: (2-3')
 (COTONEASTER HORIZONTALIS) ZONE: 5
 SPREAD: (4-6') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 LOW, WIDE SPREADING SHRUB, USEFUL FOR GROUND COVER PLANT. WHITE
 FLOWERS AND RED BERRIES.

COTONEASTER, SPREADING HEIGHT: (5-6')
 (COTONEASTER DIVARICATA) ZONE: 5
 SPREAD: (6-8') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 NICE SPREADING SPECIMEN SHRUB. SMALL GLOSSY GREEN LEAVES,
 PINKISH-WHITE FLOWERS AND RED BERRIES.

CURRENT, ALPINE HEIGHT: (3-5')
 (RIBES ALPINUM) ZONE: 2
 SPREAD: (3-6') BLOOMTIME: APRIL TO MAY
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 DENSE SHRUB USEFUL FOR HEDGING. BRIGHT GREEN FOLIAGE.

CURRENT, GREEN MOUND HEIGHT: (3-4')
 (RIBES ALPINUM 'GREEN MOUND') ZONE: 2
 SPREAD: (2-3') BLOOMTIME: SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 HARDY, EASILY GROWN SHRUB OR BEAUTIFUL LOW HEDGE. GREENISH-YELLOW
 FLOWER.

CURRENT, WAX HEIGHT: (2-4')
 (RIBES, CEREUUM) ZONE: 2
 SPREAD: BLOOMTIME: MAY
 EXPOSURE: DOES BEST IN FULL SUN
 NATIVE SHRUB PRODUCING YELLOW FLOWERS IN THE SPRING. FOLLOWED BY
 RED FRUIT THAT RIPENS IN LATE SUMMER.

CURRENT, YELLOW FLOWERING HEIGHT: (5-8')
 (RIBES ODORATUM) ZONE: 2
 SPREAD: (4-6') BLOOMTIME: MAY
 EXPOSURE: DOES BEST IN FULL SUN
 FRAGRANT (CLOVE) SMALL YELLOW FLOWERS IN MAY. BLACK BERRIES IN
 LATE SUMMER. ORANGE-RED FALL COLOR.

DAPHNE, CAROL MACKIE HEIGHT: (2-3')
 (DAPHNE X BURKWOODI 'CAROL MACKIE') ZONE: 4
 SPREAD: (3-4') BLOOMTIME: SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 GREEN FOLIAGE WITH CREAM COLORED MARGINS. FRAGRANT PINK FLOWER
 CLUSTERS IN MAY, FOLLOWED BY RED BERRIES. MOIST SOIL.

ORNAMENTAL SHRUBS

DOGWOOD, ARTIC FIRE HEIGHT: (3-4')
 (CORNUS STOLONIFERA 'FARROW' PP18,523) ZONE: 3
 SPREAD: (3-4') BLOOMTIME: LATE SPRING - EARLY SUM.
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 A COMPACT VARIETY OF BAILEY REDTWIG DOGWOOD. A NON-SUCKERING
 COMPACT HABIT.

DOGWOOD, BATON ROUGE HEIGHT: (3-4')
 (CORNUS ALBA 'MINBAT') ZONE: 3
 SPREAD: (3-4') BLOOMTIME: LATE SPRING - EARLY SUM.
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 WHITE SPRING FLOWERS FOLLOWED BY WHITE BERRIES. RED TWIG COLOR IN
 A COMPACT HABIT. GREEN FOLIAGE WITH REDDISH PURPLE FALL COLOR.

DOGWOOD, CARDINAL HEIGHT: (8-10')
 (CORNUS SERICEA 'CARDINAL') ZONE: 3
 SPREAD: (8-10') BLOOMTIME: LATE SPRING - EARLY SUM.
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 SUMMER TWIG COLOR IS A YELLOWISH GREEN BUT TURNS BRIGHT RED-ORANGE
 FOR WINTER COLOR. LEAVES TURN REDDISH-PURPLE FOR FALL COLOR.

DOGWOOD, FIREDANCE HEIGHT: (3-4')
 (CORNUS SERICEA 'BAILADELINE') ZONE: 3
 SPREAD: (4-5') BLOOMTIME: LATE SPRING - EARLY SUM.
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 SIMILAR TO ISANTI BUT MORE COMPACT. SPRING WHITE FLOWER FOLLOWED
 BY WHITE BERRIES. LEAVES TURN REDDISH-PURPLE FOR FALL COLOR.

DOGWOOD, ISANTI HEIGHT: (5-6')
 (CORNUS SERICEA 'ISANTI') ZONE: 3
 SPREAD: (4-6') BLOOMTIME: LATE SPRING - EARLY SUM.
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 SLOW, DENSE GROWING, MOUND SHAPED. FINE TWIGGED WITH RED BARK.
 WHITE FLOWERS WITH ABUNDANT WHITE FRUIT.

DOGWOOD, IVORY HALO HEIGHT: (4-5')
 (CORNUS ALBA 'BAILHALO') ZONE: 3
 SPREAD: (8-10') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 COMPACT, ROUNDED SHRUB WITH BEAUTIFUL GREEN AND WHITE VARIEGATED
 FOLIAGE. ATTRACTIVE RED TWIGS FOR WINTER COLOR.

DOGWOOD, KELSEY HEIGHT: (2-3')
 (CORNUS SERICEA 'KELSEYI') ZONE: 4
 SPREAD: (2-3') BLOOMTIME: LATE SPRING - EARLY SUM.
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 COMPACT, DWARF GROWTH HABIT, MOUND SHAPED. RED STEMS. MAY BE USED
 AS A GROUND COVER, BORDER OR SPECIMEN PLANT.

DOGWOOD, RED TWIG (BAILEY) HEIGHT: (8-10')
 (CORNUS SERICEA 'BAILEYI') ZONE: 3
 SPREAD: (6-10') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 LARGE SHRUB WITH ATTRACTIVE BRIGHT RED STEMS IN WINTER. WHITE
 FLOWERS IN CLUSTERS, IVORY BERRIES. MOIST SOILS.

DOGWOOD, VARIEGATED HEIGHT: (6-8')
 (CORNUS ELEGANTISSIMA) ZONE: 3
 SPREAD: (6-8') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 BEAUTIFULLY VARIEGATED CREAM AND GREEN FOLIAGE. BRIGHT RED STEMS
 IN WINTER.

DOGWOOD, YELLOWTWIG HEIGHT: (6-8')
 (CORNUS SERICEA 'FLAVIRAMEA') ZONE: 3
 SPREAD: (6-10') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 BRIGHT YELLOW BRANCHES FOR WINTER EFFECT. GLOSSY GREEN FOLIAGE IN
 SUMMER. WHITE FLOWERS, WHITE FRUIT.

ELDER, CUTLEAF HEIGHT: (8-10')
 (SAMBUCUS CANADENSIS 'LACINIATA') ZONE: 4
 SPREAD: (8-12') BLOOMTIME: LATE JUNE
 EXPOSURE: DOES BEST IN FULL SUN
 CUTLEAF FORM OF AMERICAN ELDER. BROAD ROUNDED GROWTH HABIT. WHITE
 FLOWERS IN LATE JUNE. BLUE TO BLACK EDIBLE FRUIT IN LARGE CLUSTERS.

ORNAMENTAL SHRUBS

ELDER, GOLDEN HEIGHT: (8-10')
 (SAMBUCUS CANADENSIS AUREA) ZONE: 3
 SPREAD: (8-12') BLOOMTIME: EARLY SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 BROAD, GOLDEN-YELLOW LEAVES. WHITE BLOOMS IN CLUSTERS, RED TO BLACK FRUITS. RAPID GROWING, DOES WELL IN WET AREAS.

ELDER, RED BERRIED HEIGHT: (8-10')
 (SAMBUCUS PUBENS) ZONE: 3
 SPREAD: (8-15') BLOOMTIME: EARLY SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 HARDY, UPRIGHT SHRUB WITH BRIGHT GREEN FOLIAGE. YELLOWISH FLOWERS ARE FOLLOWED BY RED FRUIT IN JUNE. FRUIT IS ATTRACTIVE TO BIRDS BUT INEDIBLE FOR HUMANS.

FERNBUSH HEIGHT: (4-6')
 (CHAMAEBATIARIA MILLEFOLIUM) ZONE: 5
 SPREAD: (3-6') BLOOMTIME: MID TO LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 FINE TEXTURED, AROMATIC, GRAY-GREEN FOLIAGE. SMALL WHITE FLOWER CLUSTERS THROUGHOUT THE SUMMER. MAY DIE BACK DURING SEVERE WINTERS. XERISCAPE

FORSYTHIA, ARNOLD'S DWARF HEIGHT: (2-3')
 (FORSYTHIA X 'ARNOLD DWARF') ZONE: 5
 SPREAD: (3-6') BLOOMTIME: EARLY TO MID-SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 SMALL YELLOW FLOWERS PRODUCED ON WIDE ARCHING BRANCHES EXCELLENT GROUND COVER, MAY SPREAD TO 7'.

FORSYTHIA, DWARF HEIGHT: (2-3')
 (FORSYTHIA VIRIDISSIMA BROXENSIS) ZONE: 4
 SPREAD: (2-3') BLOOMTIME: APRIL
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 GOOD LOW GROWING COMPACT SHRUB. BRIGHT YELLOW FLOWERS IN EARLY SPRING. RAPID GROWING.

FORSYTHIA, GOLD TIDE HEIGHT: (2-3')
 (FORSYTHIA X INTERMEDIA 'GOLD TIDE') ZONE: 4
 SPREAD: (1-4') BLOOMTIME: APRIL
 EXPOSURE: DOES BEST IN FULL SUN
 GROUND COVER TYPE FORSYTHIA VERY COMPACT GROUND HUGGING HABIT. LEMON YELLOW FLOWERS

FORSYTHIA, LYNWOOD GOLD HEIGHT: (6-10')
 (FORSYTHIA X INTERMEDIA 'LYNWOOD GOLD') ZONE: 4
 SPREAD: (5-7') BLOOMTIME: APRIL
 EXPOSURE: DOES BEST IN FULL SUN
 DEEP GOLDEN-YELLOW FLOWERS IN APRIL. UPRIGHT, DENSE GROWTH. DEEP GREEN FOLIAGE.

FORSYTHIA, NORTHERN GOLD HEIGHT: (6-8')
 (FORSYTHIA 'NORTHERN GOLD') ZONE: 3
 SPREAD: (5-7') BLOOMTIME: EARLY SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 A NEWER INTRODUCTION KNOWN FOR ITS BUD HARDINESS. GOLDEN-YELLOW FLOWERS. CANADIAN INTRODUCTION.

FORSYTHIA, NORTHERN SUN HEIGHT: (8-10')
 (FORSYTHIA 'NORTHERN SUN') ZONE: 4
 SPREAD: (7-9') BLOOMTIME: EARLY SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 UPRIGHT ARCHING HABIT WITH CLEAR YELLOW FLOWERS APPEARING IN LATE APRIL.

FORSYTHIA, SPRING GLORY HEIGHT: (6-8')
 (FORSYTHIA X INTERMEDIA 'SPRING GLORY') ZONE: 4
 SPREAD: (6-8') BLOOMTIME: APRIL
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 LARGE, PALE YELLOW FLOWERS IN APRIL. NOTED FOR ITS HEAVY BLOOMING. UPRIGHT WITH SLIGHTLY ARCHING FORM.

FORSYTHIA, SUNRISE HEIGHT: (5')
 (FORSYTHIA 'SUNRISE') ZONE: 4
 SPREAD: (5') BLOOMTIME: APRIL
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 BRIGHT YELLOW FLOWERS WITH A FULL DENSE HABIT.

ORNAMENTAL SHRUBS**HIBISCUS, ROSE OF SHARON**

(HYBISCUS SYRIACUS)
 HEIGHT: (8-12)
 ZONE: 5
 SPREAD: (6-8') BLOOMTIME: LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 UPRIGHT SHRUB USEFUL AS A FLOWERING SPECIMAN. SINGLE OR DOUBLE
 FLOWERS IN PROFUSION. JULY-AUGUST BLOOMS.

HIBISCUS, APHRODITE

(HYBISCUS SYRIACUS 'APHRODITE')
 HEIGHT: (8-12)
 ZONE: 5
 SPREAD: (6-10') BLOOMTIME: LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 UPRIGHT SHRUB, ROUNDING WITH AGE. SINGLE PINK FLOWERS WITH RED EYE
 IN JULY - AUGUST.

HIBISCUS, COLLIE MULLENS

(HYBISCUS SYRIACUS 'COLLIE MULLENS')
 HEIGHT: (8-12)
 ZONE: 5
 SPREAD: (6-10') BLOOMTIME: LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 UPRIGHT SHRUB, ROUNDING WITH AGE. DOUBLE, DEEP PINKSIH-PURPLE
 FLOWERS IN JULY-AUGUST.

HIBISCUS, DIANA

(HYBISCUS SYRIACUS 'DIANA')
 HEIGHT: (8-12)
 ZONE: 5
 SPREAD: (6-10') BLOOMTIME: LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 UPRIGHT SHRUB, ROUNDING WITH AGE. SINGLE PURE WHITE FLOWERS IN JULY-
 AUGUST.

HIBISCUS, HELENE

(HYBISCUS SYRIACUS 'HELENE')
 HEIGHT: (8-12)
 ZONE: 5
 SPREAD: (6-10') BLOOMTIME: LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 UPRIGHT SHRUB, ROUNDING WITH AGE. SINGLE PURE WHITE FLOWERS WITH
 RED EYE IN JULY - AUGUST.

HIBISCUS, MINERVA

(HYBISCUS SYRIACUS 'MINERVA')
 HEIGHT: (8-12)
 ZONE: 5
 SPREAD: (6-10') BLOOMTIME: LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 UPRIGHT SHRUB, ROUNDING WITH AGE. SINGLE PURPLE/PINK FLOWERS WITH
 RED EYE IN JULY - AUGUST.

HONEYSUCKLE, ARNOLD'S RED

(LONICERA TATARICA 'ARNOLD RED')
 HEIGHT: (6-8')
 ZONE: 3
 SPREAD: (6-10') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 DARKEST RED BLOOM OF ANY HONEYSUCKLE. FRAGRANT. RED BERRIES IN
 SUMMER. A GOOD SHRUB BORDER OR SCREEN.

HONEYSUCKLE, CLAVEY'S DWARF

(LONICERA CLAVEYINANA)
 HEIGHT: (4-6')
 ZONE: 3
 SPREAD: (5-6') BLOOMTIME: MAY
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 SMALL YELLOW FLOWERS IN MAY. RED BERRIES IN SUMMER AND FALL.
 COMPACT, DWARF SHRUB, EASILY SHAPED.

HONEYSUCKLE, DWARF BUSH

(DIERVILLA TRIFIDA)
 HEIGHT: (3-4')
 ZONE: 3
 SPREAD: (3-4') BLOOMTIME: SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 MOUND SHAPED, SPREADING PLANT. SMALL YELLOW FLOWER. REDDISH
 FOLIAGE IN THE FALL.

HONEYSUCKLE, EMERALD MOUND

(LONICERA XYLOSTEUM)
 HEIGHT: (2-3')
 ZONE: 4
 SPREAD: (4-6') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 ATTRACTIVE GREEN FOLIAGE ON A MOUND SHAPED PLANT. YELLOWISH-WHITE
 FLOWERS AND DARK RED BERRIES.

HONEYSUCKLE, MINIGLOBE

(LONICERA XYLOSTEOIDES 'MINIGLOBE')
 HEIGHT: (3-4')
 ZONE: 4
 SPREAD: (3-4')
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 RESEMBLES EMERALD MOUND, BUT FLOWERS AND FRUIT ARE NOT AS
 CONSPICUOUS. OUTSTANDING FOLIAGE, COMPACT.

ORNAMENTAL SHRUBS

HYDRANGEA, ANNABELLE HEIGHT: (3-4')
 (HYDRANGEA ARBORESCENS 'ANNABELLE') ZONE: 4
 SPREAD: (3-5') BLOOMTIME: LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SHADE BUT WILL TAKE PARTIAL SUN
 LARGE, GLOBE-SHAPED DOUBLE WHITE BLOOMS IN JULY. DRY FLOWER HEADS
 NICE FALL EFFECT. THRIVES IN SHADE.

HYDRANGEA, ENDLESS SUMMER HEIGHT:(3-5')
 (HYDRANGEA MACROPHYLLA 'BAILMER') ZONE: 4
 SPREAD: (3-5') BLOOMTIME: ALL SUMMER
 EXPOSURE: DOES BEST IN FULL SHADE BUT WILL TAKE PARTIAL SUN
 MOP HEAD TYPE HYDRANGEA WITH UNIQUE ABILITY TO BLOOM CONSISTANTLY
 ON BOTH OLD AND NEW WOOD. FLOWERS UP TO 8" IN DIAMETER, WITH PINK
 BLOOMS IN ALKALINE SOIL AND BLUE BLOOMS IN ACIDIC SOIL.

HYDRANGEA, ENDLESS SUMMER 'TWIST-N-SHOUT' HEIGHT:(3-5')
 (HYDRANGEA MACROPHYLLA 'PIIHM-I') ZONE: 4
 SPREAD: (3-4') BLOOMTIME: ALL SUMMER
 EXPOSURE: DOES BEST IN FULL SHADE BUT WILL TAKE PARTIAL SUN
 MOP HEAD TYPE HYDRANGEA WITH UNIQUE ABILITY TO BLOOM CONSISTANTLY
 ON BOTH OLD AND NEW WOOD. PINK OR PERIWINKLE BLOOMS WITH DEEP PINK
 CENTERS. COLOR DEPENDS ON SOIL ACIDITY.

HYDRANGEA, GREAT STAR HEIGHT: (6-7')
 (HYDRANGEA PANICULATA 'LE VASTERIVAL') ZONE: 4
 SPREAD: (7-8') BLOOMTIME: MID TO LATE SUMMER
 EXPOSURE: DOES BEST IN PARTIAL SUN TO SHADE
 BLOOMS MIDSUMMER TO FROST WITH LARGE WHITE STAR SHAPED FLORETS.

HYDRANGEA, LIMELIGHT HEIGHT: (6-8')
 (HYDRANGEA PANICULATA 'LIMELIGHT') ZONE: 4
 SPREAD: (5-7') BLOOMTIME: MID TO LATE SUMMER
 EXPOSURE: DOES BEST IN PARTIAL SUN TO SHADE
 THIS HYDRANGEA STARTS OUT BLOOMING BRIGHT LIME-GREEN TO WHITE IN MID
 TO LATE JULY, THEN TURNS PINK TO BURGUNDY IN FALL.

HYDRANGEA, PEE GEE HEIGHT: (6-8')
 (HYDRANGEA PANICULATA GRANDIFLORA) ZONE: 3
 SPREAD: (8-10') BLOOMTIME: MID TO LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SHADE BUT WILL TAKE PARTIAL SUN
 LARGE, CONICAL-SHAPED WHITE FLOWERS (JULY-AUGUST) TURNING PINK AND
 THEN BRONZE.

HYDRANGEA, PINK DIAMOND HEIGHT: (6-8')
 (HYDRANGEA PANICULATA 'PINK DIAMOND') ZONE: 3
 SPREAD: (6-8') BLOOMTIME: MID TO LATE SUMMER
 EXPOSURE: DOES BEST IN FILTERED SUN
 A SPORT OF PEEGEE HYDRANGEA THAT GETS LARGER MORE OPEN
 FLOWERS AND TURN TO A BRIGHT PINK.

HYDRANGEA, VANILLA STRAWBERRY HEIGHT: (6-7')
 (HYDRANGEA PANICULATA 'RENHY') ZONE: 4
 SPREAD: (4-5') BLOOMTIME: MID TO LATE SUMMER
 EXPOSURE: DOES BEST IN PARTIAL SUN TO SHADE
 WHITE FLOWERS MID SUMMER TURN PINK THEN TO STRAWBERRY RED.
 UPRIGHT HABIT THEN ARCHING IN LATE SUMMER

HYPERICUM, SUNBURST HEIGHT: (2-3')
 (HYPERICUM FRONDOSUM 'SUNBURST') ZONE: 4
 SPREAD: (2-3') BLOOMTIME: JUNE-SEPT.
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 ERECT BRANCHES, SPREAD 4' WIDE. BRIGHT YELLOW BLOOMS THROUGHOUT
 THE SUMMER.

LILAC, CHARLES JOLY HEIGHT: (8-10')
 (SYRINGA VULGARIS X) ZONE: 3
 SPREAD: (8-10') BLOOMTIME: SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 FRENCH HYBRID, DOUBLE RED FLOWERS.

LILAC, CHINESE OR ROTHOMAGENSIS HEIGHT: (8-10')
 (SYRINGA CHINENSIS) ZONE: 4
 SPREAD: (10-12') BLOOMTIME: MID SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 UPRIGHT AND SPREADING, VIGOROUS GROWTH. ABUNDANT PURPLE-LILAC
 FLOWERS, FREE BLOOMING. VERY HARDY. XERISCAPE

ORNAMENTAL SHRUBS**LILAC, COMMON PURPLE**

(SYRINGA VULGARIS) HEIGHT: (8-12')
 SPREAD: (8-12') BLOOMTIME: MID SPRING ZONE: 2
 EXPOSURE: DOES BEST IN FULL SUN
 HARDY, LONG-LIVED LILAC. LARGE FRAGRANT PURPLE-LILAC FLOWERS.
 SHOWS HARDINESS IN MOUNTAIN AREAS. XERISCAPE

LILAC, COMMON WHITE

(SYRINGA VULGARIS ALBA) HEIGHT: (8-12')
 SPREAD: (8-12') BLOOMTIME: MID SPRING ZONE: 2
 EXPOSURE: DOES BEST IN FULL SUN
 HARDY, LONG-LIVED LILAC. LARGE FRAGRANT SINGLE-WHITE FLOWERS.
 SHOWS HARDINESS IN MOUNTAIN AREAS. XERISCAPE

LILAC, DONALD WYMAN

(SYRINGA X PRESTONIAE) HEIGHT: (8-10')
 SPREAD: (8-10') BLOOMTIME: MID JUNE ZONE: 2
 EXPOSURE: DOES BEST IN FULL SUN
 FLOWERS ARE PURPLISH-LAVENDAR. LARGE PYRAMIDAL SPIKES. BLOOMS
 TWO WEEKS LATER THAN COMMON LILAC.

LILAC, JAMES MACFARLANE

(SYRINGA X PRESTONIAE 'JAMES MacFARLANE') HEIGHT: (8')
 SPREAD: (6-10') BLOOMTIME: LATE SPRING ZONE: 2
 EXPOSURE: DOES BEST IN FULL SUN
 LARGE, LOOSE PINK FLOWERS. BLOOMS TWO WEEKS LATER THAN OTHER
 HYBRIDS. MORE TOLERANT OF MOIST SOILS THAN MOST.

LILAC, KOREAN DWARF

(SYRINGA MEYERI 'PALABIN') HEIGHT: (3-4')
 SPREAD: (5-7') BLOOMTIME: LATE SPRING ZONE: 4
 EXPOSURE: DOES BEST IN FULL SUN
 LILAC TO LAVENDER FLOWERS. PROFUSE BLOOMER. SMALL GREEN LEAVES ON
 A NEAT COMPACT BUSH.

LILAC, MINUET

(SYRINGA X PRESTONIAE 'MINUET') HEIGHT: (6-8')
 SPREAD: (4-6') BLOOMTIME: SPRING ZONE: 2
 EXPOSURE: DOES BEST IN FULL SUN
 LIGHT PURPLE FLOWERS, LARGE DARK GREEN LEAVES. GROWTH RATE SLOWER
 AND SUCKERS LESS THAN OTHER LILACS.

LILAC, MISS CANADA

(SYRINGA X PRESTONIAE 'MISS CANADA') HEIGHT: (10-12')
 SPREAD: (5-8') BLOOMTIME: MID JUNE ZONE: 2
 EXPOSURE: DOES BEST IN FULL SUN
 FLOWERS ARE ROSE-PINK, PROLIFIC AND BLOOM IN MID-JUNE. LEAVES ARE
 LARGER THAN THAT OF OTHER LILACS.

LILAC, MISS KIM

(SYRINGA PATULA 'MISS KIM') HEIGHT: (3-5')
 SPREAD: (3-5') BLOOMTIME: LATE SPRING ZONE: 3
 EXPOSURE: DOES BEST IN FULL SUN
 HARDY DWARF LILAC. DEEP GREEN LEAVES, GLOSSY, LARGER THAN THAT OF
 KOREAN DWARF. FRAGRANT LAVENDER FLOWERS.

LILAC, MME LEMOINE

(SYRINGA VULGARIS X) HEIGHT: (8-10')
 SPREAD: (8-10') BLOOMTIME: SPRING ZONE: 3
 EXPOSURE: DOES BEST IN FULL SUN
 DOUBLE WHITE FLOWERS. FRENCH HYBRID

LILAC, MONGE

(SYRINGA VULGARIS X) HEIGHT: (10-12')
 SPREAD: (8-12') BLOOMTIME: SPRING ZONE: 3
 EXPOSURE: DOES BEST IN FULL SUN
 SHOWY SINGLE PURPLE FLOWERS. FRENCH HYBRID.

LILAC, POCAHONTAS

(SYRINGA X HYACINTHIFLORA 'POCAHONTAS') HEIGHT: (10-12')
 SPREAD: (10-12') BLOOMTIME: SPRING ZONE: 2
 EXPOSURE: DOES BEST IN FULL SUN
 PROFUSE BLOOMER, DEEP MAROON-PURPLE BUDS OPEN TO SINGLE DEEP
 VIOLET FLORETS. BLOOMS BEFORE FRENCH HYBRID LILACS. NOTED FOR ITS
 HARDINESS AND VIGOR.

ORNAMENTAL SHRUBS**LILAC, PRESIDENT GREVY**

(SYRINGA VULGARIS X)
 SPREAD: (6-8') BLOOMTIME: SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 BLUE, SEMI-DOUBLE FLOWERS. FRENCH HYBRID.

HEIGHT: (8-10')
 ZONE: 3

LILAC, ROYALTY

(SYRINGA X JOSIFLEXA 'ROYALTY')
 SPREAD: (8-10') BLOOMTIME: SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 LEATHERY, DEEP-GREEN FOLIAGE WITH PURPLE UNDERTONE. LARGE,
 BURGUNDY BLOOMS THREE WEEKS AFTER COMMON LILACS.

HEIGHT: (10')
 ZONE: 2

LILAC, SAUGEANA

(SYRINGA X CHINENSIS 'SAUGEANA')
 SPREAD: (6-10') BLOOMTIME: SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 DEEPER PURPLE THAN REGULAR CHINESE LILAC. VIGOROUS GROWTH, VERY
 HARDY.

HEIGHT: (10-12')
 ZONE: 4

LILAC, SENSATION

(SYRINGA VULGARIS)
 SPREAD: (8-12') BLOOMTIME: SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 UPRIGHT GROWTH. SINGLE, PURPLE FLORETS WITH A PURE WHITE BORDER.
 HARDY. FRENCH HYBRID.

HEIGHT: (8-10')
 ZONE: 2

MAGNOLIA, ROYAL STAR

(MAGNOLIA STELLATA 'ROYAL STAR')
 SPREAD: 10-12' BLOOMTIME: SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 FRAGRANT DOUBLE WHITE FLOWERS ON MULTI-TRUNK DENSE BRANCES.

HEIGHT: (10-15')
 ZONE: 5

MAPLE, GINNALA DWARF

(ACER GINNALA COMPACTA)
 SPREAD: (6-8')
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 SAME QUALITIES AS GINNALA MAPLE, EXCEPT THAT IT IS DENSE AND
 COMPACT IN HABIT AND STAYS A SHRUB SIZE.

HEIGHT: (6-8')
 ZONE: 3

MAPLE, GINNALA FLAME

(ACER GINNALA 'FLAME')
 SPREAD: (15-20') BLOOMTIME: MID-SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 SMALL TREE OR LARGE SHRUB WITH SPREADING, IRREGULAR GROWTH. FIERY
 RED FALL COLOR. HARDY.

HEIGHT: (15-20')
 ZONE: 3

MAPLE, HOT WINGS

(ACER TATARICUM 'GARANN')
 SPREAD: (20') BLOOMTIME: MID SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 LARGE SHRUB OR SMALL TREE. SIMILAR TO AMUR MAPLE. BRIGHT RED SAMARAS
 FOR 4-6 WEEKS MID SUMMER. TOLERATES ALKALINITY AND DRY CONDITIONS.

HEIGHT: (20-25')
 ZONE: 4

MOCKORANGE, BLIZZARD

(PHILADELPHUS LEWISII 'BLIZZARD')
 SPREAD: (3') BLOOMTIME: JUNE
 EXPOSURE: DOES BEST IN FULL SUN
 A MEDIUM, UPRIGHT GROWING SHRUB WITH PROFUSE SINGLE, WHITE
 FRAGRANT FLOWERS IN JUNE. BLOOM TIME LASTS 3-4 WEEKS.

HEIGHT: (4-5')
 ZONE: 2

MOCKORANGE, CHEYENNE

(PHILADELPHUS LEWISII CHEYENNE)
 SPREAD: (5-8') BLOOMTIME: JUNE-JULY
 EXPOSURE: DOES BEST IN FULL SUN
 BROADLY UPRIGHT SHAPE SWEET FRAGRANT WHITE FLOWER NATIVE TO
 WESTERN U.S. VERY HARDY.

HEIGHT: (6-9')
 ZONE: 3

MOCKORANGE, GOLDEN

(PHILADELPHUS CORONARIUS 'AUREUS')
 SPREAD: (4-5') BLOOMTIME: JUNE
 EXPOSURE: DOES BEST IN FULL SUN
 POPULAR COMPACT GOLDEN LEAF SHRUB. FRAGRANT WHITE FLOWERS.

HEIGHT: (3-6')
 ZONE: 4

MOCKORANGE, LEWIS

(PHILADELPHUS 'LEWISII')
 SPREAD: (4-5') BLOOMTIME: JUNE
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 SINGLE, WHITE FLOWERS IN THE SPRING. NATIVE TO THE WESTERN U.S.

HEIGHT: (5-6')
 ZONE: 4

ORNAMENTAL SHRUBS

MOCKORANGE, MINIATURE SNOWFLAKE HEIGHT: (2-3')
 (PHILADELPHUS 'MINIATURE SNOWFLAKE') ZONE: 4
 SPREAD: (2-3') BLOOMTIME: JUNE
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 DOUBLE, WHITE SWEET-SCENTED FLOWERS. GOOD BLOOMER. DARK GREEN
 FOLIAGE.

MOCKORANGE, MINNESOTA SNOWFLAKE HEIGHT: (6-8')
 (PHILADELPHUS 'MINN. SNOWFLAKE') ZONE: 4
 SPREAD: (5-6') BLOOMTIME: JUNE
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 DOUBLE, WHITE SWEET-SCENTED FLOWERS. GOOD BLOOMER. DARK GREEN
 FOLIAGE. SUN/PART SHADE.

MOCKORANGE, SNOWBELLE HEIGHT: (4')
 (PHILADELPHUS 'SNOWBELLE') ZONE: 4
 SPREAD: (3-4') BLOOMTIME: JUNE
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 VERY FRAGRANT, CUP-SHAPED WHITE FLOWERS IN JUNE. MOIST BUT
 WELL-DRAINED SOIL.

MOUNTAIN MAHOGANY, BEECHLEAF HEIGHT: (4-6')
 (CEROCARPUS MONTANUS) ZONE: 3
 SPREAD: (4-6') BLOOMTIME: MID SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 DECIDUOUS SHRUB WITH DEEPLY RIBBED DARK GREEN LEAVES, SILVERY
 BENEATH. EXCELLENT FOR HOT EXPOSED AREAS. XERISCAPE

MOUNTAIN MAHOGANY, CURL-LEAF HEIGHT: (10-25')
 (CEROCARPUS LEDIFOLIUS) ZONE: 3
 SPREAD: (12-15') BLOOMTIME: MID SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 EVERGREEN SHRUB OR TREE. LEATHERY NARROW LEAVES. SEEDS WITH
 LONG TWISTING FEATHERY PLUMES. GRAY STEMS. XERISCAPE

MOUNTAIN MAHOGANY, LITTLELEAF HEIGHT: (3-6")
 (CEROCARPUS INTRICATUS) ZONE: 3
 SPREAD: (3-6') BLOOMTIME: MID SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 SMALL DARK GREEN SHINY LEAVES WITH GRAY STEMS. XERISCAPE

NANKING CHERRY HEIGHT: (8-10')
 (PRUNUS TOMENTOSA) ZONE: 2
 SPREAD: (6-12') BLOOMTIME: EARLY - MID SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 SHOWY WHITE FLOWERS. FINE FLAVORED FRUITS. SOFT, ATTRACTIVE GREEN
 FOLIAGE. XERISCAPE

NINEBARK, COMMON HEIGHT: (5-9')
 (PHYSOCARPUS OPULIFOLIUS) ZONE:
 SPREAD: (8') BLOOMTIME: MAY - JUNE
 HAS WHITE FLOWERS AND A FALL RED- YELLOW COLOR WITH AN UPRIGHT
 GROWING PATTERN.

NINEBARK, DART'S GOLD HEIGHT: (3-4')
 (PHYSOCARPUS OPULIFOLIUS 'DART'S GOLD') ZONE: 2
 SPREAD: (4-5') BLOOMTIME: MAY - JUNE
 EXPOSURE: DOES BEST IN FULL SUN
 MORE REFINED COMPACT GROWING FORM OF GOLDEN NINEBARK. HARDY AND
 ATTRACTIVE FOR COLOR CONTRAST.

NINEBARK, DIABOLO HEIGHT: (9-12')
 (PHYSOCARPUS OPULIFOLIUS 'MONLO') ZONE: 3
 SPREAD: (8-10FT) BLOOMTIME: SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 SELECTED FOR THE INTENSE REDDISH-PURPLE FOILAGE ON UPRIGHT,
 ARCHING BRANCHES THAT FORM PLEASANT MOUNDS. ADDED CONTRAST TO
 THE DARK FOILAGE ARE SUMMER'S CLUSTER OF CREAMY WHITE FLOWERS.

NINEBARK, DWARF HEIGHT: (4-6')
 (PHYSOCARPUS OPULIFOLIUS NANA) ZONE: 2
 SPREAD: (4-6') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 DENSE BUSHY PLANT WITH SMALL GREEN LEAVES OFTEN USED AS HEDGE OR
 BORDER PLANT. WHITE FLOWERS AND RED SEED PODS. XERISCAPE

NINEBARK, SUMMER WINE HEIGHT: (5-6')
 (PHYSOCARPUS OPULIFOLIUS 'SEWARD') ZONE: 3
 SPREAD: (5-6') BLOOMTIME: MID-SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 DARK FOLIAGE NINEBARK, SIMILAR TO DIABOLO EXCEPT MORE COMPACT.

ORNAMENTAL SHRUBS**OAK, GAMBLE OR SCRUB**

(QUERCUS GAMBELII) HEIGHT: (8-20')
 SPREAD: (6-12') BLOOMTIME: SPRING ZONE: 4
 EXPOSURE: DOES BEST IN FULL SUN
 DECIDUOUS SHRUB OR SMALL TREE TO 20'. DEEP ORANGE-RED FALL COLOR.
 SMALL ACORNS. XERISCAPE

PEASHRUB, PYGMY

(CARAGANA PYGMAEA) HEIGHT: (3')
 SPREAD: (4-5') BLOOMTIME: LATE SPRING ZONE: 3
 EXPOSURE: DOES BEST IN FULL SUN
 FINE TEXTURED FOLIAGE. SMALL YELLOW FLOWERS MAY-JUNE. VERY HARDY.
 GOOD AS A FOUNDATION PLANT OR AS A LOW HEDGE. XERISCAPE

PEASHRUB, SIBERIAN

(CARAGANA ARBORESCENS) HEIGHT: (12-15')
 SPREAD: (8-10') BLOOMTIME: LATE SPRING ZONE: 2
 EXPOSURE: DOES BEST IN FULL SUN
 SMALL BRIGHT GREEN FOLIAGE. UPRIGHT GROWTH HABIT. BRIGHT YELLOW
 FLOWERS IN MAY-JUNE. HARDY, DROUGHT TOLERANT. XERISCAPE

PLUM, AMERICAN

(PRUNUS AMERICANA) HEIGHT: (10-12')
 SPREAD: (8-12') BLOOMTIME: MID - LATE SPRING ZONE: 3
 EXPOSURE: DOES BEST IN FULL SUN
 A LARGE SHRUB OR SMALL TREE. PROFUSION OF BLOOMS IN EARLY SPRING.
 EDIBLE GOLDEN FRUIT. GOOD POLLINATOR. XERISCAPE

POTENTILLA, ABBOTSWOOD

(POTENTILLA FRUTICOSA 'ABBOTSWOOD') HEIGHT: (2-3')
 SPREAD: (2-3') BLOOMTIME: EARLY SPRING - LATE FALL ZONE: 2
 EXPOSURE: DOES BEST IN FULL SUN
 LARGE, PURE WHITE FLOWERS. DENSE, SPREADING SMALL HABIT.

POTENTILLA, CORONATION TRIUMPH

(POTENTILLA FRUTICOSA 'CORONATION TRIUMPH') HEIGHT: (2-3')
 SPREAD: (2-3') BLOOMTIME: EARLY SPRING ZONE: 2
 EXPOSURE: DOES BEST IN FULL SUN
 BRIGHT YELLOW FLOWERS. GRAY-GREEN LEAVES. FINE TEXTURED. UPRIGHT
 ROUNDED FORM. ONE OF THE LONGEST BLOOMING VARIETIES.

POTENTILLA, FOREVER GOLD

(POTENTILLA FRUTICOSA 'PURDOMII') HEIGHT: (2-3')
 SPREAD: (2-3') BLOOMTIME: LATE MAY-AUGUST ZONE: 2
 EXPOSURE: DOES BEST IN FULL SUN
 PALE YELLOW FLOWERS. LIGHT GREEN TO GRAY-GREEN LEAVES. UPRIGHT
 ROUNDED FORM. ONE OF THE LONGEST BLOOMING VARIETIES.

POTENTILLA, FROSTY

(POTENTILLA FRUTICOSA 'MONSIDH') HEIGHT: (1')
 SPREAD: BLOOMTIME: EARLY SPRING - LATE FALL ZONE: 3
 EXPOSURE: DOES BEST IN FULL SUN
 ROSE LIKE WHITE FLOWERS WITH FOLIAGE THAT REMAINS CLOSE TO THE
 GROUND.

POTENTILLA, GOLD DROP

(POTENTILLA FRUTICOSA 'GOLD DROP') HEIGHT: (2-3')
 SPREAD: (2-3') BLOOMTIME: EARLY TO LATE SUMMER ZONE: 2
 EXPOSURE: DOES BEST IN FULL SUN
 COMPACT SHRUB WITH FERN-LIKE LEAVES. LEMON-YELLOW FLOWERS THAT
 BLOOM MOST OF THE SUMMER.

POTENTILLA, GOLDFINGER

(POTENTILLA FRUTICOSA 'GOLD FINGER') HEIGHT: (3')
 SPREAD: (3-4') BLOOMTIME: EARLY TO LATE SUMMER ZONE: 2
 EXPOSURE: DOES BEST IN FULL SUN
 VERY SHOWY YELLOW FLOWERS, LARGER THAN MOST VARIETIES. DARK GREEN
 LEAVES, COARSE TEXTURE. MOUND FORM.

POTENTILLA, GOLD STAR

(POTENTILLA FRUTICOSA 'GOLD STAR') HEIGHT: (2')
 SPREAD: (2-3') BLOOMTIME: EARLY TO LATE SUMMER ZONE: 2
 EXPOSURE: DOES BEST IN FULL SUN
 GOOD COMPACT PLANT WITH BRIGHT GREEN FOLIAGE, BRIGHT GOLDEN
 FLOWERS.

ORNAMENTAL SHRUBS

POTENTILLA, JACKMAN HEIGHT: (3-4')
 (POTENTILLA FRUTICOSA 'JACKMANII') ZONE: 2
 SPREAD: (3-4') BLOOMTIME: EARLY TO LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 LARGE, DEEP YELLOW FLOWERS.

POTENTILLA, KATHERINE DYKES HEIGHT: (2-3')
 (POTENTILLA FRUTICOSA 'KATHERYN DYKES') ZONE: 2
 SPREAD: (3-4') BLOOMTIME: EARLY TO LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 SOFT CREAMY-YELLOW FLOWERS. GRAY-GREEN LEAVES ON A SPREADING BUSH. VERY HARDY.

POTENTILLA, McKAY'S WHITE HEIGHT: (2-3')
 (POTENTILLA FRUTICOSA 'McKAY'S WHITE') ZONE: 2
 SPREAD: (2-3') BLOOMTIME: EARLY SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 CREAMY WHITE FLOWERS, BRIGHT GREEN FOLIAGE.

POTENTILLA, PRAIRIE SNOW HEIGHT: (1-2')
 (POTENTILLA FRUTICOSA 'DAVURICA') ZONE: 2
 SPREAD: (2-3') BLOOMTIME: LATE MAY-AUGUST
 EXPOSURE: DOES BEST IN FULL SUN
 CREAMY WHITE FLOWERS, LARGE. SOFT GREEN FOLIAGE.

POTENTILLA, YELLOW GEM HEIGHT: (1-2')
 (POTENTILLA FRUTICOSA 'YELLOW GEM') ZONE: 2
 SPREAD: (3-4') BLOOMTIME: MAY - FROST
 EXPOSURE: DOES BEST IN FULL SUN
 BRIGHT YELLOW FLOWER. LOW MOUNDED SHRUB WITH DISTINCTIVE HORIZONTAL GROWTH HABIT.

PRIVET, CHEYENNE HEIGHT: (6-10')
 (LIGUSTRUM VULGARE 'CHEYENNE') ZONE: 4
 SPREAD: (4-6') BLOOMTIME: EARLY SUMMER
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 UPRIGHT GROWING PLANT WITH HANDSOME, GLOSSY GREEN FOLIAGE USED OFTEN FOR HEDGES. SMALL WHITE FLOWERS.

PRIVET, GOLDEN VICARY HEIGHT: (4-6')
 (LIGUSTRUM X VICARYI) ZONE: 5
 SPREAD: (4-5') BLOOMTIME: EARLY SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 COMPACT SHRUB WITH YELLOW FOLIAGE IF GROWN IN FULL SUN. A GOOD CONTRAST PLANT. WHITE FLOWERS.

PRIVET, LODENSE HEIGHT: (1-3')
 (LIGUSTRUM VULGARE 'LODENSE') ZONE: 4
 SPREAD: (3-4') BLOOMTIME: EARLY SUMMER
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 VERY COMPACT AND DWARF, USEFUL FOR LOW HEDGES OR BORDER PLANTINGS. DARK GREEN GLOSSY FOLIAGE.

PRIVET, NEW MEXICO HEIGHT: (8-12')
 (FORESTIERA NEO-MEXICANA) ZONE: 4
 SPREAD: (6-8') BLOOMTIME: SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 NARROW, WILLOW-LIKE GREEN LEAVES ON ERECT, ARCHING BRANCHES. GOOD FOR HEDGES OR SCREENS. TINY YELLOW FLOWERS FOLLOWED BY BLuish-BLACK FRUIT. XERISCAPE

QUINCE, TEXAS SCARLET HEIGHT: (3')
 (CHAENOMELES JAPONICA 'TEXAS SCARLET') ZONE: 4
 SPREAD: (3-4') BLOOMTIME: EARLY MAY
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 FIERY SCARLET BLOOMS IN SPRING BEFORE FOLIAGE APPEARS. MORE COMPACT THAN REGULAR VARIETY. SHINY FOLIAGE.

RABBITBRUSH, DWARF BLUE HEIGHT: (2-3')
 (CHRYSOTHAMNUS NAUSEOSUS SSP. NAUSEOSUS) ZONE: 3
 SPREAD: (2-4') BLOOMTIME: MID- TO LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 PERENNIAL SHRUB WITH GRAY FOLIAGE. YELLOW BLOSSOMS IN LATE SUMMER THROUGH FALL. XERISCAPE

RABBITBRUSH, TALL BLUE HEIGHT: (5')
 (CHRYSOTHAMNUS NAUSEOSUS SSP. ALBICAULIS) ZONE: 5
 SPREAD: (3-6') BLOOMTIME: MID - LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 ROUNDED SHRUB WITH OPEN HABIT. THIN, WIRY, BLuish-GRAY LEAVES ON GREENISH-WHITE STEMS. GOLDEN YELLOW FLOWERS IN MID TO LATE SUMMER.

ORNAMENTAL SHRUBS**RASPBERRY, BOULDER**

(RUBUS DELICIOSUS) HEIGHT: (3-6')
 ZONE: 3
 SPREAD: (4-6') BLOOMTIME: LATE SPRING
 EXPOSURE: SUN TO PART SHADE
 HAS BRIGHT LEAVES AND PURPLE BERRIES IN THE LATE SUMMER.

ROSE TREE OF CHINA

(PRUNUS TRILOBA) HEIGHT: (6-10')
 ZONE: 2
 SPREAD: (10-12') BLOOMTIME: APRIL - MAY
 EXPOSURE: DOES BEST IN FULL SUN
 HARDY SHRUB OR SMALL TREE. DOUBLE PINK FLOWERS IN APRIL-MAY.

ROSE, AUSTRIAN COPPER

(ROSA FOETIDA BICOLOR) HEIGHT: (5-6')
 ZONE: 4
 SPREAD: (6-8') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 OUTER PARTS OF THE PETAL BRILLIANT COPPER-RED, UNDERSIDE A
 BRILLIANT YELLOW. JUNE FLOWERS.

ROSE, BONICA

(ROSA SP.) HEIGHT: (3-5')
 ZONE: 4
 SPREAD: (3-4') BLOOMTIME: EARLY TO LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 DOUBLE PINK FLOWERS ON EVERBLOOMING SHRUB. REQUIRES LITTLE
 MAINTENANCE TO USE AS BROAD HEDGE OR LOW SCREEN.

ROSE, CAREFREE WONDER

(ROSA SP.) HEIGHT: (3-4')
 ZONE: 4
 SPREAD: (2-3') BLOOMTIME: EVERBLOOMING
 EXPOSURE: DOES BEST IN FULL SUN
 HARDY SHRUB WITH ROUNDED HABIT. RADIANT PINK AND WHITE FLOWER
 COLOR.

ROSE, DRIFT CORAL

(ROSA 'MEIDRIFORA') HEIGHT: (1-2')
 ZONE: 4
 SPREAD: (2-3') BLOOMTIME: REPEAT BLOOMER
 EXPOSURE: DOES BEST IN FULL SUN
 CORAL ORANGE COLOR. SMALL MOUNDING HABIT. REPEAT BLOOMER

ROSE, DRIFT PINK

(ROSA 'MEJOCOS') HEIGHT: (1-2')
 ZONE: 4
 SPREAD: (2-3') BLOOMTIME: REPEAT BLOOMER
 EXPOSURE: DOES BEST IN FULL SUN
 DEEP PINK COLOR. OPEN PEDAL HABIT. SMALL MOUNDING HABIT MAKE IT
 PERFECT FOR BORDER PLANTINGS. REPEAT BLOOMER SPRING TO FROST

ROSE, DRIFT RED

(ROSA 'MEIGALPIO') HEIGHT: (1-2')
 ZONE: 4
 SPREAD: (2-3') BLOOMTIME: REPEAT BLOOMER
 EXPOSURE: DOES BEST IN FULL SUN
 LIGHT RED COLOR. SMALL MOUNDING HABIT MAKE IT PERFECT FOR BORDER
 PLANTINGS. REPEAT BLOOMER SPRING TO FROST

ROSE, FAIRY

(ROSA) HEIGHT: (2')
 ZONE: 5
 SPREAD: (2-3') BLOOMTIME: EVERBLOOMING
 EXPOSURE: DOES BEST IN FULL SUN
 SMALL, LIGHT-PINK FLOWERS OCCUR IN CLUSTERS. COMPACT, STURDY SHRUB
 ROSE. EVERBLOOMING.

ROSE, FATHER HUGO

(ROSA RUGOSA) HEIGHT: (5-6')
 ZONE: 3
 SPREAD: (6-8') BLOOMTIME: MAY-JUNE
 EXPOSURE: DOES BEST IN FULL SUN
 YELLOW SOLITARY ROSE, FLOWERS IN MAY-JUNE. AN OLD FAVORITE.
 ARCHING BRANCHES.

ROSE, F.J. GROOTENDORST

(ROSA RUGOSA-HYBRID) HEIGHT: (5-6')
 ZONE: 4
 SPREAD: (4-6') BLOOMTIME: SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 FLOWERS ARE SMALL AND DOUBLE, SLIGHTLY FRAGRANT IN CLUSTERS LIKE
 CARNATIONS. RECURRENT BLOOMS.

ORNAMENTAL SHRUBS

ROSE, FLOWER CARPET 'AMBER' HEIGHT: (24-30")
 (ROSA X 'NOA97400A') ZONE: 4
 SPREAD: (24-30") BLOOMTIME: JUNE-FROST
 EXPOSURE: DOES BEST IN FULL SUN
 SOFT RED BUDS OPEN TO FRAGRANT SEMI-DOUBLE PEACHY AMBER
 FLOWER THEN FADE TO A SEASHELL PINK.

ROSE, FLOWER CARPET 'APPLEBLOSSOM' HEIGHT: (2')
 (ROSA X 'NOAMEL') ZONE: 4
 SPREAD: (3') BLOOMTIME: JUNE-FROST
 EXPOSURE: DOES BEST IN FULL SUN
 BLUSH PINK SEMI-DOUBLE BLOOMS COVER THIS ROSE FROM JUNE
 UNTIL FROST. LOW GROWING, DENSELY BRANCHED SHRUB.

ROSE, FLOWER CARPET 'CORAL' HEIGHT: (30")
 (ROSA X 'NOALA') ZONE: 4
 SPREAD: (3') BLOOMTIME: JUNE-FROST
 EXPOSURE: DOES BEST IN FULL SUN
 GROUNDCOVER ROSE WITH SLIGHTLY RUFFLED CORAL SINGLE FLOWERS.
 BLOOM SPRING TO FALL.

ROSE, FLOWER CARPET 'PINK' HEIGHT: (2-3')
 (ROSA X 'NOATRAUM') ZONE: 4
 SPREAD: (3-4') BLOOMTIME: JUNE-FROST
 EXPOSURE: DOES BEST IN FULL SUN
 PINK BLOOMS TINGED WITH WHITE FROM LATE SPRING UNTIL FALL. LOW
 GROWING, DENSELY BRANCHED SHRUBS REACH ABOUT 3' ACROSS.

ROSE, FLOWER CARPET 'RED' HEIGHT: (2-3')
 (ROSA X 'NOARE') ZONE: 4
 SPREAD: (3-4') BLOOMTIME: JUNE-FROST
 EXPOSURE: DOES BEST IN FULL SUN

ROSE, FLOWER CARPET 'SCARLET' HEIGHT: (2-3')
 (ROSA X 'NOA83100B') ZONE: 5
 SPREAD: (3-4') BLOOMTIME: SPRING-FALL
 EXPOSURE: DOES BEST IN FULL SUN
 SCARLETT RED SEMI-DOUBLE FLOWERS FROM SPRING TO FALL.

ROSE, FLOWER CARPET 'WHITE' HEIGHT: (24-30")
 (ROSA X 'NOASCHNEE') ZONE: 4
 SPREAD: (36") BLOOMTIME: JUNE-FROST
 EXPOSURE: DOES BEST IN FULL SUN
 GROUNDCOVER ROSE. PRODUCING A WHITE DOUBLE FLOWER FROM JUNE-
 FROST.

ROSE, FLOWER CARPET 'YELLOW' HEIGHT: (3')
 (ROSA X 'NOALES') ZONE: 4
 SPREAD: (3') BLOOMTIME: JUNE-FROST
 EXPOSURE: DOES BEST IN FULL SUN
 PRODUCE LARGE SEMI-DOUBLE FLOWERS MID-SEASON AND REPEATS UNTIL
 FROST.

ROSE, HARRISON'S YELLOW HEIGHT: (5-6')
 (ROSA 'FOETIDA' 'HARRISON'S YELLOW') ZONE: 3
 SPREAD: (4-6') BLOOMTIME: JUNE
 EXPOSURE: DOES BEST IN FULL SUN
 DOUBLE, GOLDEN YELLOW FLOWERS PRODUCED FREELY IN JUNE. KNOWN AS
 "'THE YELLOW ROSE OF TEXAS'".

ROSE, IVORY CARPET HEIGHT: (6-8")
 (ROSA X 'HINVORY') ZONE: 5
 SPREAD: (2-3') BLOOMTIME: JUNE-FROST
 EXPOSURE: DOES BEST IN FULL SUN
 DWARF CREEPING SHRUB ROSE WITH IVORY-WHITE FLOWERS.

ROSE, KNOCK OUT HEIGHT: (3')
 (ROSA 'RADRAZZ') ZONE: 4
 SPREAD: (3-4') BLOOMTIME: SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 THIS AARS 2000 WINNER IS ONE OF THE MOST DISEASE RESISTANT AVAILABLE.
 CLUSTERS OF DEEP CERISE BUDS OPENING TO CHERRY RED BACKED BY
 DEEP FOILAGE TINGED SLIGHTLY WITH BURGUNDY

ROSE, KNOCK OUT DOUBLE HEIGHT: (3-4')
 (ROSA 'RADTKO') ZONE: 5
 SPREAD: (3-4') BLOOMTIME: SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 DOUBLE CHERRY RED 3" FLOWERS BLOOM ALL SUMMER. DISEASE
 RESISTANT.

ORNAMENTAL SHRUBS**ROSE, KNOCK OUT PINK**

(ROSA 'RADCON') HEIGHT: (3')
 ZONE: 5
 SPREAD: (3') BLOOMTIME: SUMMER
 EXPOSURE: BEST IN FULL SUN
 SINGLE 3" MEDIUM PINK FLOWER BLOOM ALL SUMMER.

ROSE, KNOCK OUT PINK DOUBLE

(ROSA 'RADTKOPINK') HEIGHT: (4')
 ZONE: 5
 SPREAD: (4') BLOOMTIME: SUMMER
 EXPOSURE: BEST IN FULL SUN
 DOUBLE HOT PINK FLOWERS COVER THIS ROSE ALL SUMMER LONG.

ROSE, KNOCK OUT SUNNY

(ROSA 'RADSUNNY') HEIGHT: (4-5')
 ZONE: 4
 SPREAD: (4') BLOOMTIME: SUMMER
 EXPOSURE: BEST IN FULL SUN
 SINGLE 3" LIGHT YELLOW FLOWER ON DARK GREEN FOLLIAGE. UPRIGHT HABIT

ROSE, MEIDLAND RED

(ROSA X 'MEINEBLE') HEIGHT: (1-2')
 ZONE: 4
 SPREAD: (2-3') BLOOMTIME: SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 SINGLE RED BLOOMS SPRING TO FROST. GOOD LOW SHRUB.

ROSE, MEIDLAND SCARLET

(ROSA X MEIKROTAL') HEIGHT: (3-4')
 ZONE: 4
 SPREAD: (4-6') BLOOMTIME: SUMMER EVERBLOOMING
 EXPOSURE: DOES BEST IN FULL SUN
 SCARLET DOUBLE BLOOMS. MOUNDING GROWTH HABIT.

ROSE, MEIDLAND SEVILLANA

(ROSA 'MEIGEHIANIR' SEVILLANA) HEIGHT: (3-6')
 ZONE: 6-9
 SPREAD: (3-4') BLOOMTIME: SPRING AND FALL
 EXPOSURE: FULL SUN
 HEDGE ROSE WITH MANY, SEMI DOUBLE BLOOMS, PER BRANCH. SCARLET RED OR STRONG PINK BLOOMS.

ROSE, MEIDLAND WHITE

(ROSA X 'MEICOUBIAN') HEIGHT: (1-2')
 ZONE: 4
 SPREAD: (4-6') BLOOMTIME: EVERBLOOMING
 EXPOSURE: DOES BEST IN FULL SUN
 LOW MOUNDING HABIT MAKES THIS A GOOD GROUND COVER OR BANK COVER.
 DOUBLE WHITE FLOWERS.

ROSE, MORDEN CENTENNIAL

(ROSA PARKLAND SERIES) HEIGHT: (3-4')
 ZONE: 3
 SPREAD: (4-6') BLOOMTIME: SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 PINK FLOWERS SINGLY OR IN CLUSTERS. SLIGHTLY FRAGRANT.

ROSE, MORDEN SUNRISE

(ROSA 'MORDEN SUNRISE') HEIGHT: (2-3')
 ZONE: 3
 SPREAD: (3') BLOOMTIME: SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 ORANGE-YELLOW BUDS OPEN TO 2 1/2" SEMI-DOUBLE FLOWERS. RANGING FROM ORANGE AND YELLOW BLENDS TO YELLOW WITH WHITE.

ROSE, NEARLY WILD

(ROSA X NEARLY WILD) HEIGHT: (2-3')
 ZONE: 4
 SPREAD: (2-3') BLOOMTIME: SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 SMALL, LONG POINTED BUDS. LARGE, FRAGRANT, PINK FLOWERS. VERY ATTRACTIVE BUSHY PLANT. DISEASE RESISTANT. MAY DIE BACK TO CROWN MOST WINTERS.

ROSE, PERSIAN YELLOW

(ROSA FOETIDA 'PERSIANA') HEIGHT: (5-6')
 ZONE: 4
 SPREAD: (5-6') BLOOMTIME: MAY -JUNE
 EXPOSURE: DOES BEST IN FULL SUN
 BROUGHT FROM PERSIA TO ENGLAND IN 1837. A SMALL, DOUBLE, BRIGHT-YELLOW FLOWER IN MAY-JUNE.

ROSE, REDLEAF

(ROSA GLAUCA.) HEIGHT: (6-7')
 ZONE: 3
 SPREAD: (4-6') BLOOMTIME: JUNE (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN
 REDLEAF FOLIAGE IN SUMMER. SINGLE PINK BLOOMS. HARDY.

ORNAMENTAL SHRUBS**ROSE, SEA FOAM**

(ROSA SP.) HEIGHT: (3')
 ZONE: 4
 SPREAD: (4-6') BLOOMTIME: SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 GLOSSY, GREEN FOLIAGE ON LOW SPREADING SHRUB. DOUBLE WHITE,
 SLIGHTLY FRAGRANT BLOOMS THROUGHOUT THE SEASON.

ROSE, SIR THOMAS LIPTON

(ROSA RUGOSA ALBA X) HEIGHT: (6-8')
 ZONE: 3
 SPREAD: (4-6') BLOOMTIME: SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 LARGE, DOUBLE WHITE FLOWERS. FRAGRANT. ABUNDANT DARK GREEN
 LEATHERY FOLIAGE.

ROSE, THERESA BUGNET

(ROSA RUGOSA-HYBRID) HEIGHT: (5-6')
 ZONE: 3
 SPREAD: (6-8') BLOOMTIME: MID JUNE - FROST
 EXPOSURE: DOES BEST IN FULL SUN
 DARK RED BUDS OPENING TO FRAGRANT, DOUBLE PINK FLOWERS. BLUE-GREEN
 FOLIAGE. BLOOMS MID-JUNE TIL FROST.

ROSE, WINNIPEG PARKS

(ROSA-PARKLAND SERIES) HEIGHT: (2')
 ZONE: 3
 SPREAD: (2-3') BLOOMTIME: SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 A LOW GROWING, COMPACT PLANT WITH ATTRACTIVE FOLIAGE. MAY DIE
 BACK TO CROWN EACH WINTER BUT RECOVERS READILY. EVERBLOOMING,
 BRIGHT CHERRY-RED FLOWERS.

ROSE, WOODS (WILD)

(ROSA WOODSII) HEIGHT: (3-4')
 ZONE: 3
 SPREAD: (3-6') BLOOMTIME: SPRING (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 FAST GROWING NATIVE EASY TO GROW IN NON-IRRIGATED SITES. PALE PINK
 FLOWERS IN SPRING.

ROSE OF SHARON – SEE HIBISCUS (PAGE 19)**SAGE, BIG WESTERN**

(ARTEMESIA TRIDENTATA) HEIGHT: (3-10')
 ZONE: 3
 SPREAD: (3-6') (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN
 A HARDY NATIVE EVERGREEN SHRUB WITH AROMATIC GRAY FOLIAGE. WIDELY
 ADAPTABLE AND DROUGHT TOLERANT.

SAGE, RUSSIAN

(PEROVSKIA ATRIPLICIFOLIA) HEIGHT: (3-5')
 ZONE: 5
 SPREAD: (3-4') BLOOMTIME: MID TO LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 PERENNIAL TO 3' OR MORE. LAVENDER-BLUE BLOSSOMS IN SUMMER.

SALTBUSH, FOURWING

(ATRIPLEX CANESCENS) HEIGHT: (3-5')
 ZONE: 4
 SPREAD: BLOOMTIME: JULY - AUG
 EXPOSURE: DOES BEST IN FULL SUN
 NATIVE SHRUB THAT FRUITS IN THE LATE SUMMER. TOLERANT TO POOR
 SOILS

SANDCHERRY, PAWNEE BUTTES WESTERN

(PRUNUS BESSEYI 'PAWNEE BUTTES') HEIGHT: (15-18')
 ZONE: 3
 SPREAD: (4-6FT) BLOOMTIME: SPRING
 EXPOSURE: PART SHADE TO FULL SUN
 GROUND COVER FORM OF NATIVE SAND CHERRY. LEAVES ARE LUSTROUS
 GREEN IN SUMMER AND TURN RED-PURPLE IN THE FALL. IT HAS WHITE FLOW-
 ERS IN THE SPRING, BLACK FRUIT IN SUMMER.

SANDCHERRY PURPLELEAF / PRUNUS CISTENA

(PRUNUS CISTENA) HEIGHT: (6-8')
 ZONE: 3
 SPREAD: (4-6') BLOOMTIME: MID-SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 RICH PURPLE-RED FOLIAGE. PINKISH-WHITE FLOWERS IN EARLY SPRING.
 GOOD PLANT FOR COLOR OR CONTRAST.

SANDCHERRY WESTERN

(PRUNUS BESSEYI) HEIGHT: (5-6')
 ZONE: 2
 SPREAD: (4-6') BLOOMTIME: LATE SPRING (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN
 VERY HARDY. WHITE FLOWERS IN MAY. MANY PURPLE-BLACK FRUITS USED
 FOR PRESERVES. SILVERY-GREEN FOLIAGE.

SERVICEBERRY, ALNIFOLIA (SASKATOON)

(AMELANCHIER ALNIFOLIA) HEIGHT: (8-10')
 ZONE: 2
 SPREAD: (8-10') BLOOMTIME: MID-SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 BLOOMS WHITE FLOWERS IN MAY, PURPLISH-BLUE, SWEET AND JUICY FRUIT
 IN JULY.

ORNAMENTAL SHRUBS

SERVICEBERRY, CANADENSIS (JUNEBERRY) HEIGHT: (20-25')
 (AMELANCHIER CANADENSIS) ZONE: 4
 SPREAD: (10-15') BLOOMTIME: EARLY SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 WHITE FLOWERS FOLLOWED BY DARK RED, EDIBLE FRUIT. ORANGE-RED FALL COLOR.

SERVICEBERRY, REGENT HEIGHT: (4-6')
 (AMELANCHIER 'REGENT') ZONE: 2
 SPREAD: (4-8') BLOOMTIME: SPRING (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN
 A NICELY SHAPED SHRUB. WHITE FLOWERS EARLY SPRING. FRUITS SWEET, GOOD FOR JELLIES. YELLOW-RED FALL COLOR.

SMOKETREE, ROYAL PURPLE HEIGHT: (15')
 (COTINUS COGGYGRIA) ZONE: 4
 SPREAD: (10') BLOOMTIME: LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 HAS DEEP PURPLE LEAVES AND WORKS WELL AS A TREE OR A SHRUB. MODERATE GROWER.

SNOWBERRY, HANCOCK - SEE CORALBERRY, HANCOCK (PAGE 16)

SNOWBERRY, MAGIC BERRY HEIGHT: (3-4')
 (SYMPHORICARPOS ALBUS) ZONE: 4
 SPREAD: (4-5') BLOOMTIME: EARLY SUMMER
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 COMPACT, SPREADING SHRUB WITH DENSE CLUSTERS OF ROSE-PINK FRUIT LATE INTO FALL.

SNOWBERRY, RED HEIGHT: (3-5')
 (SYMPHORICARPOS ORBICULTUS) ZONE: 3
 SPREAD: (4-8') BLOOMTIME: JUNE-JULY (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 AN UPRIGHT SHRUB WITH BRANCHES ARCHING UNDER THE WEIGHT OF THE CORAL BERRIES.

SNOWBERRY, WHITE HEIGHT: (5-6')
 (SYMPHORICARPOS ALBA) ZONE: 3
 SPREAD: (3-6') BLOOMTIME: JULY (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 SMALL PINK FLOWERS FOLLOWED BY WHITE BERRIES. EXCELLENT FOR HOLDING SOIL ON STEEP BANKS. GOOD WILDLIFE HABITAT.

SPIREA, ANTHONY WATERER HEIGHT: (2-3')
 (SPIRAEA BUMALDA 'ANTHONY WATERER') ZONE: 4
 SPREAD: (2-4') BLOOMTIME: JUNE - JULY
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 ROSE-PINK FLOWERS IN CLUSTERS DURING JUNE-JULY. SMALL MOUNDING GROWTH HABIT. GOOD FALL COLOR.

SPIREA, ASHLEAF HEIGHT: (6-8')
 (SORBARIA SORBIFOLIA 'ASH LEAF') ZONE: 3
 SPREAD: (5-10') BLOOMTIME: JUNE
 DEEP GREEN FERN LIKE FOLIAGE. PREFERS MOIST WELL DRAINED SOIL. PLUME SO CREAMY WHITE FLOWERS IN JUNE

SPIREA, BIG BANG HEIGHT: (2-3')
 (SPIRAEA X 'TRACY') ZONE: 3
 SPREAD: (3-4') BLOOMTIME: EARLY-LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 YELLOW FOLIAGE. LARGE PINK FLOWER CLUSTERS. REBLOOMS.

SPIREA, CANDY CORN HEIGHT: (18-24")
 (SPIRAEA JAPONICA 'NCSX1') ZONE: 4
 SPREAD: (18-30") BLOOMTIME: LATE SPRING-EARLY SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 FOLIAGE EMERGES RED, CHANGING TO ORANGE, GOLD, THEN LIME GREEN. FLOWER CLUSTERS ARE ROSE RED. RED ORANGE FALL COLOR. REBLOOMER.

SPIREA, BLUE KAZOO HEIGHT: (2-3')
 (SPIRAEA MEDIA 'SMSMBK') ZONE: 4
 SPREAD: (2-3') BLOOMTIME: LATE SPRING-EARLY SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 LARGE LEAVES EMERGE RED, CHANGE TO PURPLE-BLUE, THEN GREEN. CLUSTERS OF WHITE FLOWERS IN LATE SPRING. RED FALL COLOR.

SPIREA, CRISPA HEIGHT: (2-3')
 (SPIRAEA X BUMALDA) ZONE: 4
 SPREAD: (3-4') BLOOMTIME: LATE JUNE
 EXPOSURE: DOES BEST IN FULL SUN
 DEEP CLEFT, CRINKLED OR TWISTED LEAVES. PINK FLOWERS IN JUNE. WILL CONTINUE TO BLOOM IF OLD BLOOMS ARE REMOVED.

ORNAMENTAL SHRUBS**SPIREA, DAPHNE**

(SPIRAEA JAPONICA 'ALPINA') HEIGHT: (1-2')
 ZONE: 4
 SPREAD: (2-3') BLOOMTIME: EARLY SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 SMALL CREEPING SHRUB FORMING A DENSE MAT-LIKE GROWTH. SMALL LEAVES, WIRY BRANCHES. LIGHT PINK FLOWERS.

SPIREA, DOUBLE PLAY RED

(SPIRAEA JAPONICA 'SMNSMFR') HEIGHT: (2-3')
 ZONE: 3
 SPREAD: (2-3') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 FOLIAGE EMERGES RED BEFORE FADING TO DARK GREEN. DEEP RED FLOWER CLUSTERS IN LATE SPRING. REBLOOMER.

SPIREA, FAIRY QUEEN

(SPIRAEA TRILOBATA) HEIGHT: (2-3')
 ZONE: 3
 SPREAD: (2-3') BLOOMTIME: LATE SPRING TO EARLY SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 A COMPACT SPIREA WITH DARK GREEN LOBED LEAVES. MASSES OF WHITE FLOWERS COVER THIS BUSH IN MAY-JUNE.

SPIREA, FROEBEL

(SPIRAEA X BUMALDA 'FROEBELII') HEIGHT: (3-4')
 ZONE: 4
 SPREAD: (3-5') BLOOMTIME: LATE SPRING TO EARLY SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 FLAT CLUSTERS OF BRIGHT PINK FLOWERS IN MAY-JUNE. PURPLE TIPS ON NEW GROWTH IN SPRING, DARK GREEN FOLIAGE.

SPIREA, GOLDFLAME

(SPIRAEA X BUMALDA 'GOLDFLAME') HEIGHT: (2-3')
 ZONE: 4
 SPREAD: (3-4') BLOOMTIME: LATE SPRING TO EARLY SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 SPRING FOLIAGE IS BRIGHT GOLDEN COLOR WITH A RADIANT COPPER AND GREEN COLOR BENEATH. PINK FLOWERS.

SPIREA, GOLDMOUND

(SPIRAEA X GOLDMOUND) HEIGHT: (2')
 ZONE: 4
 SPREAD: (2-3') BLOOMTIME:
 EXPOSURE: DOES BEST IN FULL SUN
 A DWARF BUSHY PLANT WITH COLORFUL GOLDEN FOLIAGE ALL SEASON. PINK FLOWERS IN JUNE-JULY.

SPIREA, GREFSHEIM

(SPIRAEA CINERIA 'GREFSHEIM') HEIGHT: (4-5')
 ZONE: 4
 SPREAD: (4-5') BLOOMTIME:
 EXPOSURE: DOES BEST IN FULL SUN
 DENSE SHRUB WITH ARCHING BRANCHES. SOFT GREENISH-GRAY FOLIAGE. DENSE CLUSTERS OF WHITE FLOWERS IN MAY/JUNE.

SPIREA, GUMBALL

(SPIRAEA BUMALDA) HEIGHT: (2-3')
 ZONE: 3
 SPREAD: (3-4') BLOOMTIME:
 EXPOSURE: DOES BEST IN FULL SUN
 A COMPACT SELECTION OF FROEBEL SPIREA. PINK FLOWERS IN MAY-JUNE.

SPIREA, JAPANESE WHITE

(SPIREA ALBIFLORA) HEIGHT: (1-2')
 ZONE: 3
 SPREAD: (2') BLOOMTIME:
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 RICH GREEN FOLIAGE, WHITE FLOWERS IN CLUSTERS JULY-AUGUST. LOW, ROUNDED GROWTH HABIT.

SPIREA, LIMEMOUND

(SPIRAEA X BUMALDA 'MONHUB') HEIGHT: (3')
 ZONE: 3
 SPREAD: (4-6') BLOOMTIME: LATE SPRING TO EARLY SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 COMPACT, MOUNDING SHRUB WITH SPREAD OF 6'. YELLOW FOLIAGE MATURES TO LIME-GREEN. FALL FOLIAGE IS ORANGE-RED ON RED STEMS. ROSE-PINK FLOWER CLUSTERS IN SUMMER.

SPIREA, LITTLE PRINCESS

(SPIRAEA JAPONICA 'LITTLE PRINCESS') HEIGHT: (2')
 ZONE: 4
 SPREAD: (2-3') BLOOMTIME:
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 SMALL, DENSE SHRUB. PINK FLOWERS. RED FALL COLOR.

SPIREA, MAGIC CARPET

(SPIRAEA JAPONICA 'MAGIC CARPET') HEIGHT: (1')
 ZONE: 4
 SPREAD: (2-3') BLOOMTIME: SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 NEW GROWTH IS RED AND MATURES INTO BRONZE, RED-TIPPED FOLIAGE. DEEP PINK FLOWERS IN EARLY SUMMER.

ORNAMENTAL SHRUBS

SPIREA, NEON FLASH

(SPIREA JAPONICA 'NEON FLASH') HEIGHT: (2-3')
 ZONE: 4
 EXPOSURE: SUN BLOOMTIME: SPRING THRU SUMMER
 A NEWER CULTIVAR WITH VIGOROUS GROWTH HABIT IT IS COVERED WITH
 CHERRY RED FLOWERS FROM SPRING THROUGH SUMMER. LEAVE HAS A TINGE
 OF PURPLE WHEN NEW.

SPIREA, NORMAN

(SPIREA JAPONICA 'NORMAN') HEIGHT: (2')
 ZONE: 4
 SPREAD: (3') BLOOMTIME:
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 DWARF SPIREA WITH ROSY-PINK FLOWER COLOR. RASPBERRY-PURPLE FALL
 COLOR LASTS ABOUT ONE MONTH.

SPIREA, SHIBORI

(SPIREA JAPONICA 'SHIBORI') HEIGHT: (2-3')
 ZONE: 4
 SPREAD: (2-3') BLOOMTIME:
 EXPOSURE: DOES BEST IN FULL SUN
 DEEP GREEN FOLIAGE ON MOUNDED SHRUB. UNIQUE DEEP ROSE, PINK AND
 WHITE FLOWERS ON THE SAME PLANT.

SPIREA, SNOWMOUND

(SPIREA NIPPONICA 'SNOWMOUND') HEIGHT: (3-4')
 ZONE: 4
 SPREAD: (3-4') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 DENSELY GROWING SHRUB WITH DARK GREEN FOLIAGE. MASSES OF WHITE
 FLOWERS IN MAY.

SPIREA, VAN HOUTTE (BRIDALWREATH)

(SPIREA VANHOUTTEI) HEIGHT: (5-7')
 ZONE: 3
 SPREAD: (6-8') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 GRACEFUL, LARGE SPIREA WITH A FOUNTAIN EFFECT. PURE WHITE FLOWERS
 IN MAY. PROFUSE BLOOMS.

SUMAC, CUTLEAF

(RHUS TYPHINA LACINIATA) HEIGHT: (6-8')
 ZONE: 3
 SPREAD: (6-8') BLOOMTIME: EARLY SUMMER (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 FINELY DIVIDED LEAVES GIVE FEATHERY EFFECT. ORANGE TO RED AUTUMN
 COLOR.

SUMAC, DWARF SMOOTH(ROCKY MOUNTAIN)

(RHUS GLABRA CISMONTANA) HEIGHT: (3-5')
 ZONE: 3
 SPREAD: (2-3') BLOOMTIME: EARLY SUMMER (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN
 HARDY, NATIVE PLANT. LOW SPREADING HABIT. BRILLIANT FALL COLORS.
 GOOD ON SLOPES.

SUMAC, FRAGRANT

(RHUS AROMATICA) HEIGHT: (5-6')
 ZONE: 4
 SPREAD: (6-8') BLOOMTIME: EARLY SUMMER (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 SMALL YELLOW FLOWERS IN MAY FOLLOWED BY SMALL RED BERRIES. LEAVES
 AROMATIC. BRILLIANT FALL COLORS. GOOD ON SLOPES.

SUMAC, GRO-LOW

(RHUS AROMATICA 'GRO-LOW') HEIGHT: (2-3')
 ZONE: 4
 SPREAD: (6-8') BLOOMTIME: (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN
 SAME AS FRAGRANT SUMAC EXCEPT THAT IT STAYS LOWER AND SPREADS.
 USEFUL FOR BANK PLANTINGS. SCARLET FALL COLOR.

SUMAC, SMOOTH

(RHUS GLABRA) HEIGHT: (8-10')
 ZONE: 4
 SPREAD: (6-8') BLOOMTIME: EARLY SUMMER (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 GREENISH FLOWERS IN DENSE TERMINAL PANICLES. CLUSTERS OF RED
 BERRIES IN FALL. SMOOTH BRANCHES. RED AUTUMN COLOR.

SUMAC, STAGHORN

(RHUS TYPHINA) HEIGHT: (10-20')
 ZONE: 3
 SPREAD: (10-15') BLOOMTIME: EARLY SUMMER (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 RAPIDLY GROWING LARGE SHRUB OR SMALL TREE. VELVETY BRANCHES.
 CRIMSON SEED HEADS INTO WINTER. RED FALL COLOR.

SUMAC, THREELEAF

(RHUS TRILOBATA) HEIGHT: (5-6')
 ZONE: 3
 SPREAD: (4-6') BLOOMTIME: EARLY SPRING (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN
 DENSELY BRANCHED SPREADING SHRUB. RICH GREEN COLOR. RED FALL
 COLOR. NATIVE, VERY DROUGHT TOLERANT.

ORNAMENTAL SHRUBS

THIMBLEBERRY

(RUBUS DELICIOUS) HEIGHT: (3-5')
 ZONE: 3
 SPREAD: BLOOMTIME: MAY - JUNE
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 NATIVE TO THE ROCKY MOUNTAINS. HAS WHITE FLOWERS AND SMALL FRUIT
 PURPLE IN COLOR.

VIBURNUM, ALFREDO COMPACT

(VIBURNUM TRILOBUM 'ALFREDO') HEIGHT: (5-6')
 ZONE: 2
 SPREAD: (5-6') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 COMPACT FORM OF AMERICAN VIBURNUM. DENSE FORM, EXCELLENT RED FALL
 COLOR. FLOWER AND FRUIT SPARSE.

VIBURNUM, AMERICAN

(VIBURNUM TRILOBUM) HEIGHT: (8-12')
 ZONE: 2
 SPREAD: (10-12') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 LARGE HARDY SHRUB. WHITE FLOWERS IN CLUSTERS IN MAY-JUNE. RED
 BERRIES INTO WINTER. REDDISH-PURPLE FALL COLOR.

VIBURNUM, ARROWWOOD

(VIBURNUM DENTATUM) HEIGHT: (8-10')
 ZONE: 3
 SPREAD: (10-12') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 LARGE, UPRIGHT SHRUB, DENSE. WHITE FLOWERS IN JUNE FOLLOWED BY
 BLACK BERRIES. RED-PURPLE FALL COLOR. GOOD IN WET SOILS.

VIBURNUM, BAILEY COMPACT

(VIBURNUM TRILOBUM 'BAILEY COMPACT') HEIGHT: (4-6')
 ZONE: 2
 SPREAD: (5-6') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 COMPACT FORM OF AMERICAN CRANBERRYBUSH. BEAUTIFUL FOLIAGE TURNS
 DEEP RED-PURPLE IN FALL.

VIBURNUM, BLUE MUFFIN

(VIBURNUM DENTATUM 'CHRISTOM') HEIGHT: (5-7')
 ZONE: 4
 SPREAD: (4-6') BLOOMTIME: JUNE
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 COMPACT VARIETY OF ARROWWOOD, WHITE FLOWERS IN JUNE FOLLOWED BY
 BLUE BERRIES. ORANGE-BURGUNDY FALL COLOR.

VIBURNUM, BURKWOOD

(VIBURNUM X BURKWOODII) HEIGHT: (6-8')
 ZONE: 5
 SPREAD: (4-6') BLOOMTIME: EARLY SUMMER
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 DEEP GREEN LEATHERY LEAVES. PINKISH-WHITE BUDS OPENING TO WHITE
 FLOWERS, FRAGRANT. GOOD SPECIMEN.

VIBURNUM, EUROPEAN COMPACT

(VIBURNUM OPULUS 'COMPACTA') HEIGHT: (4-6')
 ZONE: 2
 SPREAD: (5-6') BLOOMTIME: SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 VERY COMPACT SHRUB THAT HAS DEEP RED FALL COLOR. RARELY FLOWERS.

VIBURNUM, EUROPEAN DWARF

(VIBURNUM OPULUS NANUM) HEIGHT: (2-3')
 ZONE: 4
 SPREAD: (2-4') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 DENSE, COMPACT SHRUB THAT GROWS IN MOUNDED FORM. SMALL GREEN
 LEAVES THAT TURN MAROON IN FALL. RARELY FLOWERS.

VIBURNUM, HAHS CRANBERRYBUSH

(VIBURNUM TRILOBUM 'HAHS') HEIGHT: (6-8')
 ZONE: 2
 SPREAD: (6-8') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 A SMALLER AMERICAN CRANBERRYBUSH BUT STILL HAS EXCELLENT
 FLOWERING AND FRUIT DISPLAY.

VIBURNUM, KOREAN SPICE

(VIBURNUM CARLESII) HEIGHT: (4-8')
 ZONE: 5
 SPREAD: BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 ROUNDED WITH UPRIGHT SPREADING BRANCHES. PINK-RED BUDS WITH
 GRAYISH-GREEN LEAVES. SLOW GROWING.

VIBURNUM, MARIES DOUBLEFILE

(VIBURNUM MARIESII) HEIGHT: (8-10')
 ZONE: 5
 SPREAD: (8-10') BLOOMTIME:
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 CREAMY WHITE FLOWERS, RED FRUIT. TINTED FALL COLOR.

ORNAMENTAL SHRUBS**VIBURNUM, MOHICAN**

(LANTANA 'MOHICAN') HEIGHT: (6-8')
 ZONE:
 SPREAD: BLOOMTIME: MAY
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 ROUNDED, COMPACT VIBURNUM WITH DARK GREEN LEAVES AND WHITE
 FLOWERS WITH ORANGE-RED FRUIT

VIBURNUM, NANNYBERRY

(VIBURNUM LENTAGO) HEIGHT: (15-18')
 ZONE: 2
 SPREAD: (6-10') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 UPRIGHT GROWING. SHINY FOLIAGE TURNS PURPLE-RED IN AUTUMN. LARGE,
 LOOSE WHITE FLOWERS AND BLACK BERRIES.

VIBURNUM, SNOWBALL

(VIBURNUM OPULUS 'ROSEUM') HEIGHT: (10-12')
 ZONE: 3
 SPREAD: (10-12') BLOOMTIME: MID TO LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 POPULAR LARGE SHRUB. LARGE DOUBLE-WHITE FLOWERS IN 'BALLS' IN
 APRIL-MAY, VERY SHOWY.

VIBURNUM, SPRING GREEN

(VIBURNUM TRILOBUM 'SPRING GREEN') HEIGHT: (5-6')
 ZONE: 3
 SPREAD: (5-6') BLOOMTIME: MAY
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 RED FRUITED SHRUB WITH A RED-ORANGE FALL COLOR.

VIBURNUM, SPRING RED

(VIBURNUM TRILOBUM 'COMPACTUM SPRING RED') HEIGHT: (5-6')
 ZONE: 3
 SPREAD: (5-6') BLOOMTIME:
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 RED FOLIAGE IN SPRING TURNS TO GREEN BY SUMMER. UPRIGHT GROWTH
 HABIT. RED-ORANGE FALL COLOR.

VIBURNUM, WAYFARING TREE

(VIBURNUM LANTANA) HEIGHT: (10-15')
 ZONE: 3
 SPREAD: (10-12') BLOOMTIME: LATE SPRING (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 UPRIGHT AND ROUNDED. LEATHERY FOLIAGE. FLOWERS WHITE IN CLUSTERS.
 RED FRUITS TURNING BLACK IN FALL.

VIBURNUM, WENTWORTH

(VIBURNUM TRILOBUM 'WENTWORTH') HEIGHT: (10-12')
 ZONE: 2
 SPREAD: (10-12') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 A HEAVY FRUITING VARIETY OF AMERICAN VIBURNUM. LARGE, RED FRUIT IS
 EXCELLENT TASTING AND GOOD FOR MAKING PRESERVES.

WAXFLOWER

(JAMESIA AMERICANA) HEIGHT: (3-5')
 ZONE: 3
 SPREAD: (4-6') BLOOMTIME: MAY-JUNE
 EXPOSURE: SUN TO PART SHADE
 NATIVE SHRUB WITH 1 INCH OBLONG LEAVES THAT TURN ORANGE TO ROSY
 PINK IN FALL. WAXY WHITE FLOWERS IN CLUSTERS.

WEIGELA, DARK HORSE

(WEIGELA FLORIDA 'DARK HORSE') HEIGHT: (2-3')
 ZONE: 4
 SPREAD: (2-3') BLOOMTIME:
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 DENSELY MOUNDING HABIT WITH BROZNE FOLIAGE. MAGENTA PINK FLOWERS.

WEIGELA, JAVA RED

(WEIGELA FLORIDA 'JAVA RED') HEIGHT: (3-4')
 ZONE: 5
 SPREAD: (4-5') BLOOMTIME:
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 DENSELY ROUNDED SHRUB WITH PURPLISH GREEN FOLIAGE. DEEP PINK
 FLOWERS.

WEIGELA, MIDNIGHT WINE

(WEIGELA FLORIDA 'ELVERA') HEIGHT: (10-12")
 ZONE: 5
 SPREAD: (24"+) BLOOMTIME:
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 ONE OF THE SMALLEST WEIGELAS. HAS A LOW, MOUNDING HABIT WITH
 BURGUNDY-PURPLE FOLIAGE AND PINK FLOWERS.

WEIGELA, RED PRINCE

(WEIGELA FLORIDA 'RED PRINCE') HEIGHT: (5-6')
 ZONE: 4
 SPREAD: (5-6') BLOOMTIME: EARLY SUMMER
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 HOLDS ITS RED FLOWER COLOR WELL. MAY HAVE SECONDARY BLOOM IN LATE
 SUMMER.

ORNAMENTAL SHRUBS

WEIGELA, RUMBA

(WEIGELA FLORIDA 'RUMBA') HEIGHT: (2-3')
 ZONE: 4
 SPREAD: (3-4') BLOOMTIME: SUMMER
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 LIGHT GREEN LEAVES WITH PURPLE EDGES ON A COMPACT LOW SPREADING
 SHRUB. DARK RED FLOWERS WITH YELLOW THROATS BLOOM THROUGHOUT
 THE SUMMER.

WEIGELA, VARIEGATED

(WEIGELA FLORIDA 'VARIEGATA') HEIGHT: (4-6')
 ZONE: 4
 SPREAD: (6-8') BLOOMTIME: SUMMER
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 A VARIEGATED GREEN AND PALE YELLOW TO CREAMY WHITE EDGED LEAF.
 DEEP ROSE-PINK FLOWERS THROUGH THE SUMMER.

WEIGELA, WINE AND ROSES

(WEIGELA FLORIDA 'ALEXANDRA') HEIGHT: (3-5')
 ZONE: 4
 SPREAD: (3-5') BLOOMTIME:
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 INCREDIBLE DARK BURGUNDY-PURPLE FOILAGE OFFSETTING ROSY-PINK
 FLOWERS.

WILLOW, COMPACT PURPLE

(SALIX PURPUREA 'GRACILIS') HEIGHT:
 ZONE: 3-6
 SPREAD: BLOOMTIME: SPRING TO FALL
 EXPOSURE: DOES BEST IN FULL SUN
 A HEDGING WILLOW FOR COLDER CLIMATES. FINE TEXTURED TWIGS WITH
 FULL FOLIAGE.

WILLOW, COYOTE

(SALIX EXIGUA) HEIGHT: (6-12')
 ZONE: 4
 SPREAD: BLOOMTIME: EARLY SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 GOLDEN YELLOW BRANCHES WITH FUZZY CATKINS THAT HANG ON THE UPRIGHT
 SHRUB.

WILLOW, DWARF BLUE ARTIC

(SALIX PURPUREA NANA) HEIGHT: (3-6')
 ZONE: 4
 SPREAD: (4-6') BLOOMTIME: EARLY SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 RAPID GROWING, TOLERANT OF WET SOILS. DENSE, FINE TEXTURED BLUE
 FOLIAGE. PURPLISH TWIGS IN WINTER.

WILLOW, FRENCH PUSSY

(SALIX CAPREA) HEIGHT: (15-20')
 ZONE: 4
 SPREAD: (12-15') BLOOMTIME: EARLY SPRING
 EXPOSURE: DOES BEST IN FULL SUN
 LARGE, SILVERY CATKINS BEFORE LEAVES APPEAR IN THE SPRING. LIKES
 MOIST SOILS.

WITCH HAZEL

(HAMAMELIS VIRGINIANA) HEIGHT: (10-15')
 ZONE: 4
 SPREAD: (10-12') BLOOMTIME: FALL
 EXPOSURE: SUN OR SHADE
 1 1/2 INCH YELLOW RIBBON LIKE FLOWERS THAT BLOOM IN FALL ABOUT
 TIME THAT LEAVES DROP. IN FULL SUN AND GOOD SOIL WILL DEVELOP INTO
 WELL ROUNDED VASE SHAPE PLANT.

VINES

BOSTON IVY

(PARTHENOISSUS TRICUSPIDATA) HEIGHT: (15-25')
 ZONE: 4
 SPREAD: (6-8')
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 SELF-CLINGING VINE WITH DENSE, DEEP GREEN FOLIAGE. BLUE-BLACK
 BERRIES. USE ON COOLER EXPOSURES (NORTH SIDE). RED FALL COLOR.

CLEMATIS, ERNEST MARKHAM

(CLEMATIS HYBRID) HEIGHT: (12-15')
 ZONE: 4
 SPREAD: (6-8') BLOOMTIME: LATE SPRING TO EARLY SUMMER
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 LARGE RED SHOWY FLOWERS. DOES BEST IN WELL DRAINED SOILS AND WHERE
 SOIL IS MULCHED. REQUIRES A TRELLIS.

CLEMATIS, JACKMANI

(CLEMATIS HYBRID) HEIGHT: (10-15')
 ZONE: 4
 SPREAD: (6-8') BLOOMTIME: EARLY TO MID-SUMMER
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 LARGE DARK PURPLE FLOWERS. DOES BEST IN WELL DRAINED SOILS AND
 WHERE SOIL IS MULCHED. REQUIRES A TRELLIS.

VINES**CLEMATIS, RAMONA**

(CLEMATIS HYBRID) HEIGHT: (10-15')
 ZONE: 4
 SPREAD: (6-8') BLOOMTIME: EARLY SUMMER
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 LARGE BLUE FLOWERS. DOES BEST IN WELL DRAINED SOILS AND WHERE SOIL
 IS MULCHED. REQUIRES A TRELLIS.

ENGLEMAN IVY

(PARTHENOISSUS QUINQUEFOLIA `ENGLMANNI) HEIGHT: (10-15')
 ZONE: 3
 SPREAD: (6-8')
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 HAS SMALLER LEAVES THAN VIRGINIA CREEPER. CLINGS BETTER TO
 MASONRY. FALL COLOR IS DEEP BURGANDY. SMALL BLUE FRUITS.

ENGLISH IVY

(HEDRA HELIX `THORNDALE') HEIGHT: (15-20')
 ZONE: 6
 SPREAD: (4-6')
 EXPOSURE: DOES BEST IN PARTIAL SHADE
 SEMI-EVERGREEN TYPE VINE. HAIR-LIKE TENACLES FASTEN STEMS TO WALL,
 ALSO GOOD GROUND COVER. LIKES NORTH EXPOSURE,

HONEYSUCKLE, DROPMORE

(LONICERA DROPMORE) HEIGHT: (8-10')
 ZONE: 3
 SPREAD: (6-8') BLOOMTIME: JUNE-SEPT.
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 TALL GROWING CLIMBER. BRIGHT ORANGE-RED SCARLET TUBULAR FLOWERS
 FROM JUNE-SEPT. GOOD ON SLOPES.

HONEYSUCKLE, HALL'S

(LONICERA JAPONICA `HALLIANA') HEIGHT: (8-10')
 ZONE: 4
 SPREAD: (6-8') BLOOMTIME: EARLY TO LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 RAPID GROWING VINE OR GROUND COVER. CREAMY-YELLOW FLOWER IN
 SUMMER, FRAGRANT.

HONEYSUCKLE, HECKROTTII (GOLDFLAME)

(LONICERA HECKROTTII) HEIGHT: (10-15')
 ZONE: 5
 SPREAD: (6-8') BLOOMTIME: MID-SUMMER
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 WOODY VINE VALUED FOR TRUMPET-SHAPED, ROSY-RED AND YELLOW FLOWERS
 FROM JUNE TIL FROST. FRAGRANT.

HONEYSUCKLE, PURPLELEAF

(LONICERA JAPONICA PURPUREA) HEIGHT: (10-15')
 ZONE: 5
 SPREAD: (6-8') BLOOMTIME:
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 FAST GROWING VINE, UNDERSIDE OF LEAF IS PURPLE. LIGHT PURPLE-PINK
 FLOWERS. GOOD FOR EROSION CONTROL.

HOPS

(HUMULUS LUPULUS) HEIGHT: (20-25')
 ZONE: 5
 SPREAD: BLOOMTIME: EARLY-MID FALL
 EXPOSURE: DOES BEST IN FULL SUN
 FAST GROWING VINE. USEFUL FOR COVERING STRUCTURES. FEMALE PLANTS
 PRODUCE HOPS USED FOR BREWING BEER. VINES DIE BACK TO THE GROUND
 EVERY YEAR.

HYDRANGEA, CLIMBING

(HYDRANGEA ANOMALA PETIOLARIS) HEIGHT:
 ZONE: 5
 SPREAD: BLOOMTIME:
 EXPOSURE: DOES BEST IN PARTIAL SHADE
 SLOW GROWING. LONG STEMS WHEN ESTABLISHED AND HAS WHITE BLOOMS.

SILVER LACE VINE

(POLYGONUM AUBERTI) HEIGHT: (20-25')
 ZONE: 5
 SPREAD: (4-6') BLOOMTIME: MID- TO LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 RAPID GROWING, TWINING VINE. SMALL GREENISH-WHITE FLOWERS IN MASS
 IN AUGUST. EXCELLENT FOR FENCES OR ARBORS.

TRUMPET VINE

(CAMPSIS RADICANS) HEIGHT: (25-30')
 ZONE: 6
 SPREAD: (6-8') BLOOMTIME: MID TO LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN
 A WOODY VINE WITH ORANGE-RED TRUMPET SHAPED FLOWERS IN MIDSUMMER.
 RAPID, LARGE GROWING VINE.

VIRGINIA CREEPER (WOODBINE)

(PARTHENOISSUS QUINQUEFOLIA) HEIGHT: (40-50')
 ZONE: 3
 SPREAD: (8-10') BLOOMTIME:
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 RAPID GROWING VINE. EXCELLENT GROUND COVER AND VINE FOR ALMOST ALL
 CONDITIONS. DEEP BURGANDY FALL COLOR. SMALL BLUE FRUIT.

VINES

WISTERIA, AMETHYST FALLS HEIGHT: (20-30')
 (WISTERIA FRUTESCENS 'AMETHYST FALLS') ZONE: 5
 BLOOMTIME: FIRST FLUSH IN MID-SPRING, BLOOMS SPORADICALLY AFTER
 EXPOSURE: DOES BEST IN FULL SUN, BUT CAN TAKE PARTIAL SHADE
 QUICK GROWING, TWINING VINE, 4-6 IN RACEMES OF LAVENDER-BLUE BLOOMS
 IN MID-SPRING. VINES ARE HEAVY, NEEDS SOMETHING STURDY TO CLIMB ON.

WISTERIA, BLUE MOON HEIGHT: (20-30')
 (WISTERIA MACROSTACYA 'BLUE MOON') ZONE: 4
 BLOOMTIME: FIRST FLUSH IN MID-SPRING, MAY HAVE ANOTHER FLUSH LATER
 EXPOSURE: DOES BEST IN FULL SUN, BUT CAN TAKE PARTIAL SHADE
 QUICK GROWING, TWINING VINE. RACEMES OF LILAC-BLUE FLOWERS IN MID-
 SPRING. CAPABLE OF BLOOMING IN MULTIPLE FLUSHES DURING A GROWING
 SEASON.

WISTERIA, CHINESE HEIGHT:
 (WISTERIA, SINENSIS) ZONE: 5
 SPREAD: BLOOMTIME:
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 FAST GROWING VINE WITH FRAGRANT BLUE FLOWERS GOOD FOR ARBORS AND
 FENCES.

BROADLEAF EVERGREENS

BAMBOO, HEAVENLY HEIGHT:(3-6')
 (NANDINA SP.) ZONE: 5
 SPREAD: (3')
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 SEMI-EVERGREEN SHRUB WITH LACEY GREEN FOLIAGE. OPEN AIRY PLANT
 WITH BEAUTIFUL FALL COLOR. PUT IN PROTECTED SITE.

BAMBOO, YELLOW GROOVE HEIGHT: (20-30')
 (PHYLLOSTACHYS AUREOSULCATA) ZONE: 5
 SPREAD:
 EXPOSURE: DOES BEST IN FULL SUN
 SEMI-EVERGREEN BAMBOO WITH STRONG VERTICAL GROWTH. YELLOW
 STRIPE ON DARK GREEN CANE.

BOXWOOD, GREEN MOUNTAIN HEIGHT: (4-5')
 (BUXUS 'GREEN MOUNTAIN') ZONE: 3-4
 SPREAD: (3-4')
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 EVERGREEN SHRUB DENSE UPRIGHT FORM NATURAL CONE SHAPE IF LEFT
 UNSHEARED EXCELLENT HEDGE

BOXWOOD, GREEN VELVET HEIGHT: (3-4')
 (BUXUS 'GREEN VELVET') ZONE: 5
 SPREAD: (2-3')
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 EVERGREEN SHRUB FULL-BODIED BOXWOOD WELL SUITED FOR DENSE LOW
 HEDGE. RICH GREEN COLOR THROUGH WINTER.

BOXWOOD, WINTER GEM HEIGHT: (4-6')
 (BUXUS MICROPHYLLA 'WINTER GEM') ZONE: 5
 SPREAD:
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 EVERGREEN SHRUB THAT WORKS WELL FOR A SMALL HEDGE. HARDY WITH A
 DARK GREEN COLOR.

BROOM, ALLGOLD HEIGHT: (4-6')
 (CYTISUS X PRAECOX 'ALLGOLD') ZONE: 6
 SPREAD: (4-6FT) BLOOMTIME: SPRING
 EXPOSURE: PROTECTED, FULL SUN
 LOVELY, LONG SPRAYS OF PEA-LIKE BRIGHT YELLOW FLOWERS MAKE THIS AN
 EXCELLENT CHOICE FOR MASS PLANTING. ROUND, DENSE GROWTH HABIT.

BROOM, LILAC TIME HEIGHT: (4-6')
 (CYTISUS X 'LILAC TIME') ZONE: 6
 SPREAD: (4-6FT) BLOOMTIME: SPRING
 EXPOSURE: PROTECTED, FULL SUN
 ABUNDANT SPRAYS OF FRAGRANT DEEP REDDISH-PURPLE BLOOMS COVER
 SLENDER GREEN STEMS. DENSE CLUMP FORM, SEMI EVERGREEN.

BROOM, SPANISH GOLD HEIGHT: (3-4')
 (CYTISUS PURGANS 'SPANISH GOLD') ZONE: 5
 SPREAD: (4-6FT) BLOOMTIME: SPRING
 EXPOSURE: FULL SUN TO PART SHADE
 FROM THE MOUNTAINS OF SPAIN THIS VARIETY IS COLD HARDY AND
 TOLERATES A WIDE RANGE OF SOIL AND MOISTURE CONDITIONS. LARGE
 YELLOW BLOOMS IN SPRING.

BROADLEAF EVERGREENS**EUONYMUS, CANADALE GOLD**

(EUONYMUS FORTUNEI 'CANADALE GOLD') HEIGHT: (3')
 ZONE: 5
 SPREAD: (3-4') BLOOMTIME: EARLY SUMMER
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 LARGE GREEN LEAVES WITH A YELLOW BORDER.

EUONYMUS, EMERALD GAIETY

(EUONYMUS FORTUNEI 'EMERALD GAIETY') HEIGHT: (1-2')
 ZONE: 5
 SPREAD: (2-3') BLOOMTIME: EARLY SUMMER
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 SMALL EVERGREEN PLANT WITH DENSE, ERECT BRANCHING. FOLIAGE IS
 GREEN WITH WHITE MARGINS. PURPLISH COLOR IN WINTER.

EUONYMUS, EMERALD-N-GOLD

(EUONYMUS FORTUNEI 'EMERALD-N-GOLD') HEIGHT: (1-2')
 ZONE: 5
 SPREAD: (2-3') BLOOMTIME: EARLY SUMMER
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 LOW SPREADING SEMI-EVERGREEN, GOLD AND GREEN FOLIAGE.

EUONYMUS, GREENLANE

(EUONYMUS FORTUNEI 'GREENLANE') HEIGHT: (6-8')
 ZONE: 4
 SPREAD: (4-5') BLOOMTIME: EARLY SUMMER
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 UPRIGHT SEMI-EVERGREEN WITH SPREADING HABIT. WILL CLIMB UP
 TRELLIS. ORANGE BERRIES. PLANT IN PROTECTED AREA (NORTH/EAST).

EUONYMUS, HARLEQUIN

(FORTUNEI RADICANS) HEIGHT: (6")
 ZONE: 5
 SPREAD: BLOOMTIME:
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 EVERGREEN GROUND COVER WITH PINK AND YELLOW SPECKLED FOLIAGE.

EUONYMUS, MANHATTAN

(EUONYMUS KIAUTSCHOVICA 'MANHATTAN') HEIGHT: (3-6')
 ZONE: 5
 SPREAD: (4-5') BLOOMTIME: LATE SUMMER
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 SEMI-EVERGREEN SHRUB WITH GLOSSY GREEN FOLIAGE. USEFUL FOR
 ESPALIER. PLANT IN PROTECTED AREA.

EUONYMUS, MOONSHADOW

(EUONYMUS FORTUNEI 'MOONSHADOW') HEIGHT: (2-3')
 ZONE: 5
 SPREAD: (4')
 EXPOSURE: DOES BEST IN FULL SUN TO PARTIAL SHADE
 SPREADING EVERGREEN WITH BRIGHT YELLOW LEAF WITH DARK GLOSSY
 GREEN EDGES.

HOLLY, BLUE BOY

(ILEX MESERVEAE HYBRIDS) HEIGHT: (3-6')
 ZONE: 5
 SPREAD: (3-6') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 COMPACT, UPRIGHT GROWTH. DARK GREEN LEAVES. BRIGHT RED BERRIES IF
 PLANTED WITH FEMALE FOR CROSS-POLLINATION. PLANT IN PROTECTED
 SITE.

HOLLY, BLUE GIRL

(ILEX MESERVEAE HYBRIDS) HEIGHT: (3-6')
 ZONE: 5
 SPREAD: (3-6') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 COMPACT, UPRIGHT GROWTH. DARK GREEN LEAVES. BRIGHT RED BERRIES IF
 PLANTED WITH MALE. PLANT IN PROTECTED SITE.

HOLLY, BERRI-MAGIC

(ILEX HYBRID) HEIGHT: (3-6')
 ZONE: 6
 SPREAD: (3-6') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 VIGOROUS GROWER. DARK, SPINY GREEN FOLIAGE. THIS VARIETY IS
 PARTIALLY SELF-FERTILE. PLANT IN PROTECTED SITE.

OREGON GRAPE

(MAHONIA AQUIFOLIUM) HEIGHT: (5-6')
 ZONE: 4
 SPREAD: (3-5') BLOOMTIME: MID-SPRING (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 HARDY, EVERGREEN SHRUB WITH UPRIGHT HABIT. GREEN TO BRONZE
 FOLIAGE. YELLOW FLOWERS, BLUE BERRIES.

OREGON GRAPE, COMPACT

(MAHONIA AQUIFOLIUM COMPACTA) HEIGHT: (2-3')
 ZONE: 4
 SPREAD: (3-4') BLOOMTIME: MID-SPRING (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 HAS ALL OF THE FEATURES OF OREGON GRAPE, EXCEPT THAT IT STAYS
 LOWER AND SPREADS.

BROADLEAF EVERGREENS

PYRACANTHA, GNOME

(PYRACANTHA ANGUSTIFOLIA 'GNOME') HEIGHT: (4')
 ZONE: 4
 SPREAD: (4-6') BLOOMTIME: LATE SPRING
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 SEMI-EVERGREEN SHRUB WITH EQUAL SPREAD. LOW MOUNDED FORM WITH
 DENSE BRANCHING. WHITE FLOWERS, ORANGE BERRIES.

RHODODENDRON, NOVA ZEMBLA

(RHODODENDRON 'NOVA ZEMBLA') HEIGHT: (5')
 ZONE: 4
 SPREAD: (5') BLOOMTIME: MID-SPRING
 EXPOSURE: DOES BEST IN FULL SHADE BUT CAN TAKE PART SUN
 DARK GREEN, STRAP-LIKE LEAVES. LARGE TRUSSES OF RED-PINK FLOWERS.

RHODODENDRON, PJM

(RHODODENDRON 'PJM') HEIGHT: (4-5')
 ZONE: 4
 SPREAD: (4-5') BLOOMTIME: MID-SPRING
 EXPOSURE: DOES BEST IN FULL SHADE BUT WILL TAKE PARTIAL SUN
 SMALL, GLOSSY DARK GREEN FOLIAGE TURNING TO A RICH MAHOGANY
 DURING THE WINTER. MASSES OF LAVENDER BLOOMS IN EARLY SPRING

RHODODENDRON, RAMAPO

(RHODODENDRON 'RAMAPO') HEIGHT: (2-2.5')
 ZONE: 5
 SPREAD: (2-2.5') BLOOMTIME: EARLY TO MID-SPRING
 EXPOSURE: DOES BEST IN FULL SHADE BUT CAN TAKE PART SUN.
 TIGHT, COMPACT GROWTH HABIT. LAVENDER-BLUE FLOWERS COVER THE
 PLANT. SMALL, DULL GREEN LEAVES TURN BRONZY IN WINTER.

YUCCA, ADAM'S NEEDLE

(YUCCA FILAMENTOSA) HEIGHT: (3-4')
 ZONE: 4
 SPREAD: BLOOMTIME: MID-SUMMER (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN
 SWORD-LIKE DARK GREEN LEAVES, FORM A MOUNDED PLANT. TALL SPIKES OF
 WHITE BLOOMS.

YUCCA, GOLDEN SWORD

(YUCCA GLAUCA) HEIGHT: (2-3')
 ZONE: 3
 SPREAD: BLOOMTIME: MID- TO LATE SUMMER (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN
 IVORY WHITE BLOOMS OVER ROSETTE OF YELLOW-CENTERED SWORD LIKE GREEN LEAVES

YUCCA, SOAPWEED

(YUCCA GLAUCA) HEIGHT: (2-3')
 ZONE: 3
 SPREAD: BLOOMTIME: MID TO LATE SUMMER (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN
 GREENISH-BLUE SLENDER SPIKE-LIKE FOLIAGE. PLANT NATIVE TO AREA.
 GREENISH-WHITE FLOWERS IN CLUSTER.

SPREADING JUNIPERS

JUNIPER, ANDORRA YOUNGSTOWN

(JUNIPERUS HORIZONTALIS 'ANDORRA YOUNGST') HEIGHT: (16-18")
 ZONE: 4
 SPREAD: (4-6')
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 LOW, PROSTRATE GROWTH HABIT, TIGHTLY KNIT BRANCHES. GREEN FOLIAGE
 TURNING TO PLUM COLOR IN WINTER.

JUNIPER, ARCADIA

(JUNIPERUS SABINA 'ARCADIA') HEIGHT: (16-18")
 ZONE: 3
 SPREAD: (4-6')
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 EVERGREEN LOW SPREADER WITH LACEY GREEN FOLIAGE. GOOD BORDER OR
 GROUND COVER.

JUNIPER, ARMSTRONG

(JUNIPERUS CHINENSIS 'ARMSTRONG') HEIGHT: (4-5')
 ZONE: 4
 SPREAD: (3-4')
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 COMPACT EVERGREEN, HEIGHT IS SAME AS SPREAD, USEFUL FOR HEDGE OR
 SHAPING. EASILY SHEARED.

JUNIPER, BAR HARBOR

(JUNIPERUS HORIZONTALIS 'BAR HARBOR') HEIGHT: (8-10")
 ZONE: 3
 SPREAD: (6-8') (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 LOW, GROUND COVER EVERGREEN WITH BLUE FOLIAGE THAT TURNS PLUM
 COLOR IN WINTER.

SPREADING JUNIPERS

JUNIPER, BLUE CHIP HEIGHT: (6"-8")
 (JUNIPERUS HORIZONTALIS 'BLUE CHIP') ZONE: 4
 SPREAD: (6-8') (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 LOW EVERGREEN GROUND COVER WITH SLATE BLUE FOLIAGE.
 COLDER WEATHER MAY BRING OUT PLUM COLOR.

JUNIPER, BLUE STAR HEIGHT: (3')
 (JUNIPERUS SQUAMATA 'BLUE STAR') ZONE: 4
 SPREAD: (2-3')
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 ATTRACTIVE DWARF JUNIPER. IRREGULAR GROWTH WITH MOUNDING
 BRANCHES. STEEL BLUE NEEDLES.

JUNIPER, BROADMOOR HEIGHT: (12-18")
 (JUNIPERUS SABINA 'BROADMOOR') ZONE: 3
 SPREAD: (6-8') (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 LOW, MOUNDING EVERGREEN WITH SOFT, BRIGHT GREEN FOLIAGE.
 EXCELLENT GROUND COVER.

JUNIPER, BUFFALO HEIGHT: (12-18")
 (JUNIPERUS SABINA 'BUFFALO') ZONE: 3
 SPREAD: (6-8') (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 BRIGHT GREEN, LOW GROWING AND WIDE SPREADING.

JUNIPER, CALGARY CARPET HEIGHT: (12")
 (JUNIPERUS SABINA 'CALGARY CARPET') ZONE: 3
 SPREAD: (6-8') (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 DISTINCTIVE FEATHERY GREEN FOLIAGE THAT IS SIMILAR TO ARCADIA BUT
 STAYS LOWER.

JUNIPER, COMMUNIS HEIGHT: (2-3')
 (JUNIPERUS COMMUNIS) ZONE: 3
 SPREAD: (4-6')
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 BRIGHT GREEN FOLIAGE. A NATIVE JUNIPER THAT RANGES FROM
 GROUND-HUGGING TO MORE UPRIGHT SPREADING.

JUNIPER, GOLD COAST HEIGHT: (3')
 (JUNIPERUS CHINENSIS 'GOLD COAST') ZONE: 4
 SPREAD: (6-8')
 EXPOSURE: DOES BEST IN FULL SUN
 FOLIAGE HAS OUTSTANDING GOLDEN COLORING THAT IS RETAINED BETTER
 THAN MOST VARIETIES.

JUNIPER, GREEN MOUND HEIGHT: (8")
 (JUNIPERUS PROCUMBENS 'GREEN MOUND') ZONE: 4
 SPREAD: (4-6')
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 EVERGREEN SHRUB OF MOUNDING HABIT WITH TIGHTLY BRANCHED BRIGHT
 GREEN FOLIAGE.

JUNIPER, HOLBERT HEIGHT: (3')
 (JUNIPERUS CHINENSIS 'HOLBERT') ZONE: 4
 SPREAD: (8-10')
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 MEDIUM TO LOW GROWING JUNIPER THAT HOLDS ITS BRIGHT BLUE FOLIAGE
 THROUGH THE WINTER.

JUNIPER, HUGHES HEIGHT: (12-18")
 (JUNIPERUS HORIZONTALIS 'HUGHES') ZONE: 4
 SPREAD: (5-6')
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 EVERGREEN SHRUB WITH LOW, DENSE SILVERY-BLUE FOLIAGE, WIDELY
 SPREADING.

JUNIPER, ICEE BLUE HEIGHT: (4")
 (JUNIPERUS HORIZONTALIS MONBER) ZONE: 3
 SPREAD: (6')
 EXPOSURE: DOES BEST IN FULL SUN
 SILVER BLUE WINTER COLOR, MAINTAINS A FULL, DENSE CROWN OF FOLIAGE
 CREATING A SOLID COVER IN A SHORT TIME.

SPREADING JUNIPERS

JUNIPER, MINT JULEP HEIGHT: (4-6')
 (JUNIPERUS CHINENSIS 'MINT JULEP') ZONE: 3
 SPREAD: (6-8')
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 BRIGHT MINT-GREEN FOLIAGE ON UPRIGHT ARCHING BRANCHES GIVING A
 VASE SHAPED FORM.

JUNIPER, OLD GOLD HEIGHT: (3')
 (JUNIPERUS CHINENSIS 'OLD GOLD') ZONE: 4
 SPREAD: (4-6')
 EXPOSURE: DOES BEST IN FULL SUN
 GOOD COMPACT EVERGREEN WITH GOLDEN COLOR. ADDS CONTRAST
 COLOR TO THE LANDSCAPE.

JUNIPER, PFITZER COMPACT HEIGHT: (3-4')
 (JUNIPERUS CHINENSIS PFITZERIANA COMPACT) ZONE: 4
 SPREAD: (4-6')
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 SOFT, BLUE-GREEN FOLIAGE, EXCELLENT FOUNDATION PLANT.

JUNIPER, PRINCE OF WALES HEIGHT: (8")
 (JUNIPERUS HORIZONTALIS 'PRINCE OF WALES') ZONE: 3
 SPREAD: (8-10")
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 LOW EVERGREEN SHRUB WITH BRIGHT GREEN FOLIAGE. MAY TAKE ON
 PURPLISH CAST IN WINTER.

JUNIPER, SCANDIA HEIGHT: (18-24")
 (JUNIPERUS SABINA 'SCANDIA') ZONE: 3
 SPREAD: (4-6")
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 GOOD LOW GROWING SPREADER WITH BRIGHT GREEN, FEATHERY FOLIAGE.
 RETAINS GREEN COLOR IN WINTER.

JUNIPER, SEA GREEN HEIGHT: (5-6')
 (JUNIPERUS CHINENSIS 'SEA GREEN') ZONE: 4
 SPREAD: (6-8')
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 A VASE-SHAPED EVERGREEN SHRUB WITH RICH GREEN FOLIAGE. ARCHING
 BRANCHES.

JUNIPER, SIERRA SPREADER HEIGHT: (12")
 (JUNIPERUS SABINA 'SIERRA SPREADER') ZONE: 3
 SPREAD: (6-8")
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 LOW EVERGREEN SPREADER THAT HAS OUTSTANDING GREEN FOLIAGE
 THROUGHOUT THE YEAR.

JUNIPER, TAM HEIGHT: (2-3')
 (JUNIPERUS SABINA TAMARISCIFOLIA) ZONE: 4
 SPREAD: (4-6') (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 MOUNDING, SPREADING EVERGREEN WITH DARK GREEN FOLIAGE.

JUNIPER, WILTON CARPET (BLUE RUG) HEIGHT: (4"-6")
 (JUNIPERUS HORIZONTALIS 'WILTONII') ZONE: 4
 SPREAD: (6-8") (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 VERY LOW, EVERGREEN GROUND COVER WITH FROSTY-BLUE FOLIAGE. GOOD
 FOR ROCK GARDEN, SLOPES.

UPRIGHT JUNIPERS

JUNIPER, BLUE ARROW HEIGHT: (15')
 (JUNIPERUS VIRGINIANA 'BLUE ARROW' (COPF)) ZONE: 4
 SPREAD: (3')
 EXPOSURE: DOES BEST IN FULL SUN
 SIMILAR TO SKYROCKET JUNIPER BUT BLUER.

JUNIPER, COLOGREEN HEIGHT: (20')
 (JUNIPERUS SCOPULORUM) ZONE: 3
 SPREAD: (4-6') (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN
 EVERGREEN TREE TO 20'. BRIGHT GREEN FOLIAGE, CLOSELY KNIT. GOOD
 BACKGROUND PLANT.

UPRIGHT JUNIPERS

JUNIPER, GRAY GLEAM HEIGHT: (12-15')
 (JUNIPERUS SCOPULORUM) ZONE: 3
 SPREAD: (4-6') (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN
 SYMMETRICAL, COLUMNAR EVERGREEN TO 12-15'. SLOWER, EVEN GROWTH
 WITH VERY GOOD SHAPE. LITTLE MAINTENANCE. SUN.

JUNIPER, MOONGLOW HEIGHT: (15')
 (JUNIPERUS SCOPULORUM) ZONE: 3
 SPREAD: (6-8') (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN
 DENSE EVERGREEN TO 18' WITH BROADLY BASED, PYRAMIDAL FORM.
 INTENSE SILVERY BLUE FOILAGE COMPACT AND DENSE

JUNIPER, SKYROCKET HEIGHT: (15')
 (JUNIPERUS VIRGINIANA) ZONE: 4
 SPREAD: (3-4')
 EXPOSURE: DOES BEST IN FULL SUN
 SLENDER, COLUMNAR EVERGREEN TO 15'. ATTRACTIVE SILVERY-GRAY
 FOLIAGE ALL YEAR.

JUNIPER, SPARTAN HEIGHT: (20')
 (JUNIPERUS CHINENSIS) ZONE: 5
 SPREAD: (4-6')
 EXPOSURE: DOES BEST IN FULL SUN
 RAPID GROWING, DENSELY BRANCHED EVERGREEN TO 20'. PYRAMIDAL
 SHAPE. RICH GREEN FOLIAGE.

JUNIPER, SPEARMINT HEIGHT: (15')
 (JUNIPERUS CHINENSIS) ZONE: 5
 SPREAD: (4-6')
 EXPOSURE: DOES BEST IN FULL SUN
 DENSE EVERGREEN TO 15'. COLUMNAR HABIT. BRIGHT GREEN FOLIAGE.
 REQUIRES MINIMUM MAINTENANCE.

JUNIPER, WICHITA BLUE HEIGHT: (15-20')
 (JUNIPERUS SCOPULORUM) ZONE: 3
 SPREAD: (6-8')
 EXPOSURE: DOES BEST IN FULL SUN
 WIDE, PYRAMIDAL EVERGREEN 15-20'. BRIGHT SILVERY-BLUE FOLIAGE
 THROUGH THE YEAR.

ARBORVITAE & CYPRESS

ARBORVITAE, DWARF GOLDEN HEIGHT: (4-5')
 (THUJA ORIENTALIS AUREA NANA) ZONE:
 SPREAD: (3-4')
 EXPOSURE: BEST IN EASTERN EXPOSURE
 SLOW GROWING OVAL UPRIGHT TREE WITH YELLOW FOIAGE. NEEDS TO BE
 PROTECTED.

ARBORVITAE, EMERALD GREEN HEIGHT: (8-10')
 (THUJA SMARAGD 'EMERALD') ZONE: 3
 SPREAD: (3-4')
 EXPOSURE: BEST IN AREAS WITHOUT FULL SOUTHERN OR WESTERN EXPOSURE
 NARROW, PYRAMIDAL FORM WITH EMERALD GREEN FOLIAGE. NEEDS WINTER
 PROTECTION.

ARBORVITAE, HETZI MIDGET HEIGHT: (1-3')
 (THUJA OCCIDENTALIS 'HETZ MIDGET') ZONE: 4
 SPREAD: (2-3')
 EXPOSURE: BEST IN AREAS WITHOUT FULL SOUTHERN OR WESTERN EXPOSURE
 EVERGREEN SHRUB FORMING A SMALL COMPACT GLOBE. GREAT FOR TIGHT
 SPOTS OR FORMAL GARDENS. PROTECT FROM WINDS.

CYPRESS, BLUE ICE HEIGHT: (20-25')
 (CUPRESSUS ARIZONICA 'BLUE ICE') ZONE:5
 SPREAD: (10-12')
 EXPOSURE: FULL SUN
 PYRAMIDAL EVERGREEN. LOOKS LIKE A COARSER UPRIGHT JUNIPER. GRAY
 BLUE FOLIAGE. DOES BEST WITH LITTLE WATER.

EVERGREENS**FIR, CONCOLOR**

(ABIES CONCOLOR)

SPREAD: (20-25')

EXPOSURE: FULL SUN

PYRAMIDAL EVERGREEN WITH SOFT, BLUE GREEN NEEDLES. DOES BEST WITH SOME PROTECTION.

HEIGHT: (50-70')

ZONE: 2

PINE, AUSTRIAN

(PINUS NIGRA)

SPREAD: (30-40')

EXPOSURE: DOES BEST IN FULL SUN

DARK GREEN EVERGREEN TREE WITH LONG NEEDLES. OVERALL APPEARANCE IS DENSE AND OVAL. FAST GROWING.

HEIGHT: (30-50')

ZONE: 5

PINE, BOSNIAN

(PINUS HELDREICHI LEUCODERMIS)

SPREAD: (10-15')

EXPOSURE: DOES BEST IN FULL SUN

A SLOW GROWING PINE WITH STIFF GREEN NEEDLES.

HEIGHT: (25-35')

ZONE: 4

PINE, BRISTLECONE (FOXTAIL)

(PINUS ARISTATA)

SPREAD: (8-10')

EXPOSURE: DOES BEST IN FULL SUN

SLOWER GROWING, IRREGULAR SHAPED OPEN GROWING PINE. DARK GREEN 'BOTTLE BRUSH' BRANCHES. WHITE PITCH ON NEEDLES.

HEIGHT: (15-30')

ZONE: 3

(XERISCAPE)

PINE, HILLSIDE CREEPER

(PINUS SYLVESTRIS 'HILLSIDE CREEPER')

SPREAD: (6-8')

EXPOSURE: DOES BEST IN FULL SUN

A SCOTCH PINE WITH PROSTRATE BRANCHING. GOOD PLANT FOR WATER FEATURES AND ROCK GARDENS.

HEIGHT: (3')

ZONE: 3

PINE, MUGO DWARF

(PINUS MUGO PUMILIO)

SPREAD: (6-8')

EXPOSURE: DOES BEST IN FULL SUN

SAME AS MUGHO PINE, BUT WITH MORE DWARF GROWTH HABIT.

DARK GREEN NEEDLES ON ASCENDING BRANCHES.

HEIGHT: (4-5')

ZONE: 2

PINE, MUGO 'BIG TUNA'

(PINUS MUGO 'BIG TUNA')

SPREAD: (4-6')

EXPOSURE: DOES BEST IN FULL SUN

UNIQUELY DENSE UPRIGHT COMPACT FORM OF MUGO

HEIGHT: (10-12')

ZONE: 2

PINE, MUGO 'JAKOBSEN'

(PINUS MUGO 'JAKOBSEN')

SPREAD: (6')

EXPOSURE: DOES BEST IN FULL SUN

DARK GREEN NEEDLES. UNUSUAL, SCULPTURAL GROWTH PATTERN. LOOKS ANCIENT RELATIVELY QUICKLY.

HEIGHT: (4')

ZONE:

PINE, MUGO 'MOPS'

(PINUS MUGO 'MOPS')

SPREAD: (3-4')

EXPOSURE: DOES BEST IN FULL SUN

FORMAL DENSELY ROUNDING FORM

HEIGHT: (2-3')

ZONE: 2

PINE, MUGO 'SLOWMOUND'

(PINUS MUGHO MUGHUS)

SPREAD: (3-4')

EXPOSURE: DOES BEST IN FULL SUN

TRUE DWARF FORM OF MUGO PINE

HEIGHT: (2-3')

ZONE: 2

PINE, MUGO 'TANNENBAUM'

(PINUS MUGO 'TANNENBAUM')

SPREAD: (6-8')

EXPOSURE: DOES BEST IN FULL SUN

UPRIGHT FORM OF MUGO. A LITTLE MORE OPEN THAN BIG TUNA.

HEIGHT: (10-12')

ZONE: 2

EVERGREENS**PINE, PINON**

(PINUS EDULIS) HEIGHT: (25-30')
 ZONE: 4
 SPREAD: (10-20') (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN
 SLOW GROWING, DENSE PINE. ROUND HEADED GROWTH. EXTREMELY DROUGHT TOLERANT. AVOID PLANTING IN MOIST AREAS.

PINE, PONDEROSA

(PINUS PONDEROSA) HEIGHT: (50')
 ZONE: 2
 SPREAD: (30-40') (XERISCAPE)
 EXPOSURE: DOES BEST IN FULL SUN
 LONG NEELED TREE WITH OPEN, RUGGED CHARACTER, NATIVE TO ROCKY MOUNTAINS. YELLOWISH COLOR.

PINE, SCOTCH

(PINUS SYLVESTRIS) HEIGHT: (40-50')
 ZONE: 2
 SPREAD: (20-30')
 EXPOSURE: DOES BEST IN FULL SUN
 FAST GROWING PINE WITH MEDIUM LENGTH NEEDLES. SOMETIMES WITH BLUIISH COLOR. OPEN LOOSE FORM, CINNAMON BARK.

PINE, DWF SCOTCH

(PINUS SYLVESTRIS 'GLAUCA NANA') HEIGHT: (6')
 ZONE: 4
 SPREAD: 6' EXPOSURE: FULL SUN
 GOOD ROUNDED FORM WITH RICH BLUE-GREEN NEEDLES ON DENSE HORIZON TAL BRANCHES WITH ATTRACTIVE REDDISH BARK. EVERGREEN SLOW GROWER.

PINE, SOUTHWESTERN WHITE

(PINUS STROBIFORMIS) HEIGHT: (50')
 ZONE: 3
 SPREAD: (20-30')
 EXPOSURE: DOES BEST IN FULL SUN
 SOFT BLUIISH GREEN NEEDLES ON A UPRIGHT TREE WITH OPEN HABIT.

PINE, TANYOSHO

(PINUS DENSIFLORA 'GLOBOSA') HEIGHT: (5-6' FROM GRAFT)
 ZONE 4
 SPREAD: (5-6' FROM GRAFT)
 DISTINCTLY ROUNDED HABIT WITH THICK DARK GREEN NEEDLES.

PINE, LODGEPOLE 'TAYLOR'S SUNBURST'

(PINUS CONTORTA 'TAYLOR'S SUNBURST') HEIGHT: (12')
 ZONE: 4
 SPREAD: (8')
 EXPOSURE: FULL SUN
 NEW GROWTH IS BRIGHT YELLOW. EVENTUALLY FADES TO DULL, MEDIUM GREEN.

PINE, LIMBER 'VANDERWOLF'S'

(PINUS FLEXILIS 'VANDERWOLF'S PYRAMID') HEIGHT: (20-30')
 ZONE: 4
 SPREAD: 10-15'
 EXPOSURE: DOES BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 HAS LONG BLUE- GREEN NEEDLES. NEEDS TO BE PROTECTED FROM THE WIND.

SPRUCE, ALBERTA DWARF

(PICEA GLAUCA 'CONICA') HEIGHT: (6-8')
 ZONE: 2
 SPREAD: (2-3') EXPOSURE: BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 SLOW GROWING TREE WITH VERY SMALL, BRIGHT GREEN NEEDLES. PYRAMIDAL FORM. PROTECT FROM WIND AND WINTER SUN.

SPRUCE, BABY BLUE

(PICEA PUNGENS BABY BLUE) HEIGHT: (35-45')
 ZONE: 3
 SPREAD: (12-15') EXPOSURE: DOES BEST IN FULL SUN
 SEMI-DWARF SPRUCE WITH BEAUTIFUL BLUE COLOR. 8-12" PER YEAR

SPRUCE, BABY BLUE EYES

(PICEA PUNGENS BABY BLUE EYES) HEIGHT: (20-25')
 ZONE: 3
 SPREAD: (10-12') EXPOSURE: DOES BEST IN FULL SUN
 DWARF GRAFTED SPRUCE WITH BEAUTIFUL BLUE COLOR. 6-10" PER YEAR

SPRUCE, BAKERI

(PICEA PUNGENS BAKERI) HEIGHT: (30-40')
 ZONE:
 SPREAD: (12-15') EXPOSURE: DOES BEST IN FULL SUN
 BLUE FOLIAGE HAS CONES EARLY AND GROWS APPROX. 10-12" PER YEAR.

EVERGREENS

SPRUCE, BIRDS NEST

HEIGHT: (2-3')
 (PICEA ABIES NIDIFORMIS) ZONE: 3
 SPREAD: (4-6') EXPOSURE: BEST IN FULL SUN BUT WILL TAKE PARTIAL SHADE
 TIGHTLY BRANCHED SPREADING BUSH, SLOW GROWING. USE IN AREAS
 PROTECTED FROM WIND AND WINTER SUN.

SPRUCE, COLORADO

HEIGHT: (60-99')
 (PICEA PUNGENS) ZONE: 2
 SPREAD: (20-30') EXPOSURE: DOES BEST IN FULL SUN
 PYRAMIDAL SPECIMEN TREE WITH RIGID BLUE OR GREEN NEEDLES. COLORADO
 STATE TREE. TOLERATES MOIST SOILS.

SPRUCE, COLUMNAR NORWAY (CUPPRESSINA)

HEIGHT: (15')
 (PICEA ABIES 'CUPPRESSINA') ZONE: 3
 SPREAD: (4')
 EXPOSURE: DOSE BEST IN FULL SUN
 NARROW, SPRUCE WITH SHORT DARK GREEN NEEDLES

SPRUCE, FAT ALBERT

HEIGHT: (35-45')
 (PICEA PUNGENS GLAUCA 'FAT ALBERT') ZONE: 2
 SPREAD: (15-20') EXPOSURE: DOES BEST IN FULL SUN
 SLOW GROWING CONIFER WITH A BLUE COLOR.

SPRUCE, DWF GLOBE

HEIGHT: (3-5')
 (PICEA PUNGENS 'GLOBOSA') ZONE: 4
 SPREAD: (5-6') EXPOSURE: DOES BEST IN FULL SUN
 DWARF GLOBED SHAPE EVERGREEN SHRUB, FLAT TOPPED AND DENSELY
 BRANCHED. BRIGHT BLUE NEEDLES HOLD COLOR ALL YEAR BUT ARE BRIGHTER
 IN SUMMER. A UNIQUE ACCENT PLANT

SPRUCE, MONTGOMERY

HEIGHT: (6-8')
 (PICEA PUNGENS MONTGOMERY) ZONE: 2
 SPREAD: (4-6') EXPOSURE: BEST IN FULL SUN
 SLOW GROWING SYMMETRICAL CONE SHAPE WITH GRAY- BLUE NEEDLES

SPRUCE, SERBIAN

HEIGHT: (40-50')
 (PICEA OMORIKA) ZONE:
 SPREAD: (10-15') EXPOSURE: SUN TO PART SHADE
 SLOW GROWING GRACEFUL REFINED APPEARANCE PYRAMIDAL FORM

YEW, DENSE SPREADING

HEIGHT: (3')
 (TAXUS X MEDIA 'DENSIFORMIS') ZONE: 4
 SPREAD: (5-6')
 EXPOSURE: DOES BEST IN FILTERED SHADE
 DARK GREEN FOLIAGE WITH SOFT FLAT NEEDLES. GOOD EVERGREEN FOR
 SHADY AREAS.

YEW, HICKS

HEIGHT: (8-12')
 (TAXUS X MEDIA 'HICKSII') ZONE: 4
 SPREAD: (3-4')
 EXPOSURE: DOES BEST IN FILTERED SHADE OR SHADE
 A COLUMNAR TO VASE SHAPE EVERGREEN WITH ERECT BRANCHES AND LUS
 TROUS DARK GREEN FLATTEND NEEDLES. FLESHY BRIGHT ORANGISH-RED
 FRUIT RIPENS IN EARLY AUTUMN. FRUIT AND FOLIAGE ARE POISONOUS IF
 EATEN.

GRASSES

BLUE AVENA / BLUE OAT

LATIN NAME: HELICTROTTRICHON SEMPERVIRENS
 HEIGHT: 2-3FT FLOWER COLOR: BUFF
 SPREAD: 18-24" BLOOM TIME: MID SUMMER
 EXPOSURE: SUN HARDY TO: 8500FT
 ARCHING HABIT BLUE GRAY CLUMPS FEATHERY FOILAGE

BLUE FESCUE

LATIN NAME: FESTUCA GLAUCA
 HEIGHT: 6-8" FLOWER COLOR: TAN
 SPREAD: 6-8" BLOOM TIME: MID SUMMER
 EXPOSURE: SUN HARDY TO: 8500FT
 ROUNDED CLUMPS WITH THIN BLADES OF FOILAGE GOOD ACCENT PLANT

BLUESTEM, BIG

LATIN NAME: ANDROPOGON GERARDII
 HEIGHT: 4-6FT FLOWER COLOR: PURPLE
 SPREAD: 2-3FT BLOOM TIME: SUMMER
 EXPOSURE: SUN HARDY TO: 6500FT
 UPRIGHT LUSH GREEN FOILAGE IN THE SUMMER TURNS BRONZE IN FALL NATIVE

BLUESTEM, LITTLE

LATIN NAME: SCHIZACHYRIUM SCOPARIUM
 HEIGHT: 3-4FT FLOWER COLOR: TAN
 SPREAD: 24-30" BLOOM TIME: FALL
 EXPOSURE: SUN HARDY TO: 6500FT
 BLUE GRAY FOILAGE TURNING COPPER RED IN FALL

GRASSES**DWARF FOUNTAIN, BLACK FLOWERING**

LATIN NAME: PENNISETUM MOUDRY
 HEIGHT: 1-2FT FLOWER COLOR: WHITE
 SPREAD: 12-18" BLOOM TIME: LATE SUMMER
 EXPOSURE: SUN HARDY TO: 6000FT
 THIS BLACK SEEDED FOUNTAIN GRASS HAS SLIGHTLY WIDER AND
 GLOSSIER LEAF AND BLOOMS LATER BLACK BOTTLEBRUSH
 PLUMES ARE INCREDIBLE

DWARF FOUNTAIN

LATIN NAME: PENNISETUM HAMELN
 HEIGHT: 1-2FT FLOWER COLOR: WHITE
 SPREAD: 12-18" BLOOM TIME: LATE SUMMER
 EXPOSURE: SUN HARDY TO: 6000FT
 BUFF BOTTLEBRUSH PLUMES MEDIUM GREEN MOUNDING TUFT FINE
 TEXTURED LEAVES

DWARF FOUNTAIN, LITTLE BUNNY

LATIN NAME: PENNISETUM LITTLE BUNNY
 HEIGHT: 10-12" FLOWER COLOR: WHITE
 SPREAD: 10-12" BLOOM TIME: LATE SUMMER
 EXPOSURE: SUN HARDY TO: 6000FT
 SIMILAR TO HAMELN BUT SMALLER MORE COMPACT

FEATHER REED, KARL FOERSTER

LATIN NAME: CALAMAGROSTIS ACUTIFLORA KF
 HEIGHT: 4-5FT FLOWER COLOR: REDDISH BRONZE
 SPREAD: 18-24" BLOOM TIME: SUMMER
 EXPOSURE: SUN/PART SHADE HARDY TO: 6500FT
 UPRIGHT CLUMP OF NARROW LEAVES FEATHERY FLOWERS EMERGE IN SUMMER
 CHANGING TO LONG LASTING BUFF SEED HEADS (COLORADO STATE GRASS)
 2001 PERENNIAL OF THE YEAR

FEATHER REED, VARIEGATED

LATIN NAME: CALAMAGROSTIS OVERDAM
 HEIGHT: 2-3FT FLOWER COLOR: GOLD TAN
 SPREAD: 1-3FT BLOOM TIME: SUMMER
 EXPOSURE: SUN/PART SHADE HARDY TO: 6000FT
 NARROW WHITE AND GREEN VARIEGATED LEAVES PRODUCE PINKISH
 PLUMES THAT TURN TO BUFF

JAPANESE BLOOD

LATIN NAME: IMPERATA CYLINDRICA RED BARON
 HEIGHT: 12-18" FLOWER COLOR:
 SPREAD: 12-18" BLOOM TIME:
 EXPOSURE: ADAPTABLE HARDY TO: 6000FT
 UPRIGHT HABIT GARK GREEN BLADES THAT ARE RED AT THE TOP
 INTENSIFYING IN THE FALL

MAIDEN

LATIN NAME: MISCANTHUS SINENSIS GRACILLIMUS
 HEIGHT: 5-6FT FLOWER COLOR: OFF WHITE
 SPREAD: 4-5FT BLOOM TIME: LATE SUMMER
 EXPOSURE: SUN HARDY TO: 7500FT
 NARROW FOILAGE WITH ROUNDED FORM SPREADS MORE THAN MOST

MAIDEN, ADAGIO

LATIN NAME: MISCANTHUS SINENSIS ADAGIO
 HEIGHT: 4-6FT FLOWER COLOR: PINKISH
 SPREAD: 2-3FT BLOOM TIME: LATE SUMMER
 EXPOSURE: SUN HARDY TO: 7000FT
 A DWF MAIDEN GRASS NARROW ARCHING GREEN FOILAGE SILKY SEED HEAD

MAIDEN, MORNING LIGHT

LATIN NAME: MISCANTHUS SINENSIS MORNING LIGHT
 HEIGHT: 4-5FT FLOWER COLOR: BRONZE
 SPREAD: 2-3FT BLOOM TIME: LATE SUMMER
 EXPOSURE: SUN HARDY TO: 7000FT
 COMPACT ROUNDED FORM VERY THIN LEAVES WITH WHITE STRIPES
 OFFER A SHIMMERY MORNING LIGHT EFFECT

MAIDEN, PORCUPINE / STRICTUS

LATIN NAME: MISCANTHUS SINENSIS STRICTUS
 HEIGHT: 5-8FT FLOWER COLOR: WHITE
 SPREAD: 3-4FT BLOOM TIME: LATE SUMMER
 EXPOSURE: SUN HARDY TO: 7000FT
 GREEN LEAVES WITH YELLOW HORIZONTAL STRIPE SIMILAR TO
 ZEBRA GRASS BUT RIGID AND UPRIGHT

GRASSES

MAIDEN, PURPLE

LATIN NAME: MISCANTHUS SINENSIS PURPURASCENS
 HEIGHT: 3-4FT FLOWER COLOR: BRONZE
 SPREAD: 2-3FT BLOOM TIME: LATE SUMMER
 EXPOSURE: SUN HARDY TO: 7000FT
 UPRIGHT COLUMNAR FORM BRIGHT GREEN LEAVES THAT TURN
 REDDISH PURPLE IN LATE SUMMER

MAIDEN, SARABANDE

LATIN NAME: MISCANTHUS SINENSIS SARABANDE
 HEIGHT: 4-6FT FLOWER COLOR: OFF WHITE
 SPREAD: 2-3FT BLOOM TIME: LATE SUMMER
 EXPOSURE: SUN HARDY TO: 7000FT
 SIMILAR TO GRACILLIMUS BUT FINER LEAVES COPPER RED
 FLOWERS TURNING TO PARCHMENT IN FALL

MAIDEN, SILBERFEDER

LATIN NAME: MISCANTHUS SINENSIS SILBERFEDER
 HEIGHT: 6-8FT FLOWER COLOR: SILVER WHITE
 SPREAD: 2-3FT BLOOM TIME: LATE SUMMER
 EXPOSURE: SUN HARDY TO: 8000FT
 GREEN FOILAGE SILVER WHITE FEATHERY SEED HEAD

MAIDEN, VARIEGATED

LATIN NAME: MISCANTHUS SINENSIS VARIEGATUS
 HEIGHT: 4-5FT FLOWER COLOR: WHITE
 SPREAD: 2-3FT BLOOM TIME: LATE SUMMER
 EXPOSURE: SUN HARDY TO: 7000FT
 WIDE BLADED GRASS WITH CREAM COLORED VERTICAL STRIPES
 SILVERY WHITE PLUMES

MAIDEN, YAKU JIMA

LATIN NAME: MISCANTHUS SINENSIS YAKU JIMA
 HEIGHT: 3-4FT FLOWER COLOR: WHITE
 SPREAD: 2-3FT BLOOM TIME: LATE SUMMER
 EXPOSURE: SUN HARDY TO: 7000FT
 COMPACT CLUMP FINE TEXTURE CREAMY WHITE PLUMES

MAIDEN, ZEBRA

LATIN NAME: MISCANTHUS SINENSIS ZEBRA
 HEIGHT: 6-8FT FLOWER COLOR: WHITE
 SPREAD: 4-5FT BLOOM TIME: LATE SUMMER
 EXPOSURE: SUN HARDY TO: 7000FT
 WIDE LEAVES WITH IRREGULAR SPACED HORIZONTAL YELLOW
 STRIPES MORE OPEN AND ARCHING

MEXICAN FEATHER

LATIN NAME: STIPA TENUISSIMA
 HEIGHT: 2-3FT FLOWER COLOR: BEIGE
 SPREAD: 1-2FT BLOOM TIME: SPRING
 EXPOSURE: SUN HARDY TO: 5500FT
 WIRY STEMS FORMING CLUMPS SOFT PANICLES OF FLOWER FORM IN THE SPRING

NORTHERN SEA OATS

LATIN NAME: CHASMANTHIUM LATIFOLIUM
 HEIGHT: 2-3FT FLOWER COLOR: BIEGE
 SPREAD: 18-24" BLOOM TIME: MID SUMMER
 EXPOSURE: ADAPTABLE HARDY TO: 6500FT
 FOUNTAIN HABIT GRACEFUL CLUSTERS OF DROOPY FLOWER SPIKES

PAMPAS / PLUME

LATIN NAME: ERIANTHUS RAVENNAE
 HEIGHT: 8-12FT FLOWER COLOR: SILVERY WHITE
 SPREAD: 3-4FT BLOOM TIME: LATE SUMMER
 EXPOSURE: SUN HARDY TO: 7500FT
 BOLD UPRIGHT ARCHING TALL SILVERY PLUMES GIVE PLANT ITS
 TALL HEIGHT NEEDS PLENTY OF ROOM

RIBBON

LATIN NAME: PHALARIS ARUNDINACEA
 HEIGHT: 2-3FT FLOWER COLOR: WHITE
 SPREAD: 18-24" BLOOM TIME: MID SUMMER
 EXPOSURE: SUN HARDY TO: 8000FT
 WHITE STRIPED GRASS SILVERY FLOWERS AGGRESSIVE SPREADER

SWITCH, HEAVY METAL

LATIN NAME: PANICUM VIRGATUM HEAVY METAL
 HEIGHT: 3-5FT FLOWER COLOR: PINK
 SPREAD: 18-24" BLOOM TIME: LATE SUMMER
 EXPOSURE: SUN HARDY TO: 7000FT
 PURPLE GREEN SPIKELETS OVER METALLIC BLUE GRAY BLADES
 THAT BECOME YELLOW IN THE FALL

GRASSES

SWITCH, SHENANDOAH

LATIN NAME: PANICUM VIRGATUM SHENANDOAH
HEIGHT: 3-5FT FLOWER COLOR: PINK
SPREAD: 18-24" BLOOM TIME: LATE SUMMER
EXPOSURE: SUN HARDY TO: 7000FT
AIRY ROSY PANICLES OVER FOILAGE THAT STARTS GREEN TURNING
TO AN UNMATCHED BURGUNDY IN FALL